



Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002  
REV NO: 01  
DATE: 17.04.2018

ROLLING STOCK CERTIFICATE (DEEN DAYALU)

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21 /1348

RLY	NFR	COACH NO	215896/C	DATE OF DISPATCH	26-Mar-21
Type	LWS	Shell No.	20F197	DISPATCH TO	Sr.DME/C&W/GHY
				FUR.NO.	DDG-672

1. Railway Board's Order No. 2020/M (C)/142/2, Date- 21.08.2020

2. Tare weight of coach : 40.66 Tonnes

3. Carrying Capacity : (a) Seating: 100 (c) Luggage: NIL

4. Special feature:

S NO	ITEMS	MAKE/SUPPLIER
A	Cushion transverse side luggage rack which can serve as seat during rush	M/S-CMT VADODARA
B	Honey comb partition frame.	M/S-CMT VADODARA
C	DGFRP/GFRE paneling.	M/S-CMT VADODARA
D	Lavatory with DGFRP/GFRE paneling.	M/S-CMT VADODARA
E	Additional Hand hold.	M/S-CMT VADODARA
F	Counter top wash basin.	M/S-CMT VADODARA
G	Gel coating & Anti Graffiti measures.	M/S-CMT VADODARA
H	Air spring in secondary suspension (capacity-140KN).	M/S-RESISTOFLEX
I	Fire Extinguishers	M/S-A-ONE
J	Vestibule ends for inter-coach movement of passenger and the service staff (LWSCN type End wall)	
K	Choke of 5/6 mm in DV side replace with 9 mm in both type (KBI & Faiv.) letter no. MC/LHB/Brake, DT. 27.09.18	

5. SHELL LEADING DIMENSIONS:

S NO	DESCRIPTION	DIMENSION (MM)
1	Maximum length over body	23700
2	Maximum width over body	3240
3	Maximum height from Rail Level	4039
4	CBC height/Buffer height from Rail level 1105 +0/-10	NPP/PP 1104/1105

6. TRACEABILITY OF SHELL ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO
1	Under frame	Front PP END M/S-SETEK Part NPP END M/S-SFPL Complete MCF/RBL-V4U TECHIE	---- ---- 20F197
2	Lav. side wall	PP END M/S-INDIRA NPP END M/S-INDIRA	LAV.1 ----- LAV.2 ----- LAV.3 ----- LAV.4 -----
3	Side wall	LH SIDE MCF/RBL-V4U LKO RH SIDE MCF/RBL-V4U LKO	69 69
4	End wall	PP END M/S-EEPL NPP END M/S-EEPL	----- -----
5	Roof	M/S-INDIRA	54
6	Centre Buffer Coupler	M/S-FRONTIETR	PP END/ NPP END 40P2,210P2

7. AIR BRAKE TEST REPORT:

S NO	ITEM	DESCRIPTION	SPEC. VALUE	OBSERVED
1	Full brake application	Reduce pressure of BP from 5.0 to 3.4 kg/cm <sup>2</sup> . Max. pressure in BC All Brake are applied	6 – 10 sec. 3.0 ±0.15 kg/cm <sup>2</sup> . OK	7 Sec 3.0 kg/cm <sup>2</sup> OK
2	Insensitivity	Exhaust BP @ 0.3 kg/cm <sup>2</sup> /min.	No brake application	OK
3	Sensitivity	Exhaust BP @ 0.1 kg/cm <sup>2</sup> /Sec, after 06 Sec.	Brake must apply	OK

8. PAINTING DETAILS:

S NO	DESCRIPTION	TYPE OF PAINT	MAKE	APPLICATION BY MCF/ CONTRACTOR (SUPPLY & APPLY)	AVERAGE GLOSS VALUE	DATE OF COMPLETION
1	Paint	P.U	GSI	M/S-GSI	76/89	3-Mar-21
2	Insulation			Satisfactory		

02/07/21  
SSE/QC/MCF/RBL

वरि०अनु० अभियंता  
गुणवत्ता विभाग  
मोडि००००, रायबरेली (लालगंज)





MODERN COACH FACTORY, RAEBARELI

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO.: 01

DATE: 16.05.2016

**ROLLING STOCK CERTIFICATE****Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21 - 1348**

RLY	N	F	R	-	Coach No.	2	1	5	8	9	6	/	C	-	DATE OF DISPATCH	2	6	0	3	2	0	2	1
-----	---	---	---	---	-----------	---	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH	Sr.DME/C&W/GHY	Type	L	W	S	-	-	-	Shell No.	2	0	F	1	9	7	FUR NO	DDG- 672
----------	----------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	---	--------	----------

**9. DETAIL OF BOGIES:**

ITEMS	NPP Side				PP Side			
Bogie No	202878				202877			
Bogie Type	LWS				LWS			
Frame no.	MCF/RBL/LS5 - 2842				MCF/RBL/LS5 - 2743			
Bolster no.	AMIT -643				AMIT-562			
Axle No	20 B - 8522 RWF		21 C - 4455 RWF		21 C - 4162 RWF		21 C - 3942 RWF	
Wheel Dia	917.356	917.472	917.28	917.452	917.374	917.392	917.366	917.392
Wheel Disc No	TZ 09-20 29585-0SF1	TZ 09-20 34024-0SF6	TZ 09-20 29587-0SF1	TZ 09-20 28503-0SF8	TZ 09-20 30920-0TD6	TZ 09-20 34295-0TE1	TZ 09-20 34025-0SF1	TZ 09-20 34026-0SF1
R.B. Nos.	09-20 42093	09-20 429313	06-20 412657	12-19 36206	08-20 424643	09-20 300741	09-20 429027	09-20 301368
CT R B Make	TIMKEN		TIMKEN		TIMKEN		TIMKEN	

**10. SECONDARY SUSPENSION LOAD DEFLECTION VALUES :-**

DESCRIPTION	Bogie NPP side		Bogie PP side	
	Secondary 1	Secondary 2	Secondary 1	Secondary 2
Make & Nos.	RESISTROFLEX 06-20 15265	RESISTROFLEX 06-20 15133	RESISTROFLEX 06-20 15395	RESISTROFLEX 05-20 15226

**11. TRACEABILITY OF BOGIE ITEMS :-**

S. NO	ITEM	MAKE/SUPPLIER	SERIAL NO.	
			NPP SIDE	PP SIDE
1.	Yaw Damper	IAI	338767,338579	338751,338193
2.	Primary outer Spring	CMAFJ	07-20 1100-(302,307,298,281)	07-20 1100-(279,308,290,297)
3.	Primary Inner Spring	CMAFJ	07-20 1101-(279,72,75,180)	07-20 1101-(98,166,174,293)
4.	Primary Damper	GABRIEL	03-20 (1215,1258,1255,1201)	03-20 (1253,1262,1263,1264)
5.	Secondary Damper	GABRIEL	01-20 (2111,2915)	01-20 (2940,2939)
6.	Lateral Damper	KONI	04-19 01633	04-19 02223
7.	Brake Cylinder	FAV	B21 (037,117,269,202)	M20(012,197),E21-271,B21-214
8.	Brake Caliper	FAV	B21-(705,703,671,673)B	B21 (674,672,708,710)B
9.	Brake Disc	KBI	24241010 0060-47/20,24241011 0060-47/20 24241011 0053-47/20,24241011 0037-47/20	24241012 0002-47/20,24241012 0001-47/20 24241010 0079-47/20,24241010 0080-47/20
10.	Ball Joint Control Arm	PRAG/GMT/BASANT		
11.	Lateral Bump Stop	BONY		
12.	Traction Centre make	RNG		
13.	Traction lever make	TAJ		
14.	Ball joint traction lever	BONY		
15.	Ball joint traction centre	GMT		
16.	Leveling Valve	FAV	H20-268,H20-656	G20-841,G20-867
17.	Check Valve	FAV	F20-084	F20-056
18.	Anti roll bar Make	SF		
19.	Roll Link make	RF+BASANT EMSON/BASANT		
20.	Fork make	RNG		
21.	Control Arm Upper	CC/SF,RVE	19L69,20A802,RVE-301219-3,130120-2	SF-H12,H103,CC-(20G511,20H154)
22.	Control Arm Lower	CC/SF,RVE	19L105,20G195,RVE-151219-2,151219-2	SF-H105,H098,CC(20H267,20G108)
23.	Phonic Wheel	KBI	K 01-21	K 01-21

Signature of SSE/Bogie/QC





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002  
REV NO: 01  
DATE: 17.04.2018

ROLLING STOCK CERTIFICATE (DEEN DAYALU)  
Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21

RLY	NFR	COACH NO	215896/C	DATE OF DISPATCH	26-Mar-21
Type	LWS	Shell No.	20F197	DISPATCH TO	Sr.DME/C&W/GHY
				FUR.NO.	DDG-672





12. TRACEABILITY OF FURNISHING ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO(NPP/PP)
1	Air Brake Module	M/S-FAIVELEY	B21099B
2	Distribution valve	M/S-FAIVELEY	B215608B
3	Pull box	M/S-KBI	
4	FIBA	M/S-KBI	11573/29,11615/29
5	Foot Step	M/S-FABRICON INDS KOLKATA	
6	Decoupling arrangement	M/S-PULSAR INDS KOLKATA	
7	Floor board	M/S-SHREE RAM PNL	
11	UIC Vestibule (NPPE)	M/S-SUNCREST KOLKATA	
12	Gangway bridge mounting (PPE)	M/s- MAHAVEER METAL WORKS, KXH	
13	Gangway bridge mounting (NPPE)	M/s- MAHAVEER METAL WORKS, KXH	
14	Body Side Window	M/S-CMT VADODARA	
15	Emergency Window	M/S-CMT VADODARA	
16	Lavatory/hopper Window	M/S-CMT VADODARA	
17	Roof Ceiling ACP	M/S-CMT VADODARA(ACP)	
18	Door way /gang way ceiling ACP	M/S-CMT VADODARA(ACP)	
19	Body Side Doors	M/S-JVR LDH(1,4)+SVARN(2,3,5,6)	
20	Vestibule Door(PPE)	M/s-JBM FARIDABAD	
21	Vestibule Door(NPPE)	M/s-JBM FARIDABAD	
22	Bio Tank	M/s-RASANDIK-02 NOS+JSL LIFE -02 NOS	
23	Pressurized flushing(ele.pneu.)	M/S-SPAC	
24	Over head water tank (4x390L)	M/S-FABRICATORS	
25	Bib cock/controlled discharge tap	M/S-JAQUAR ALWAR	
26	Lavatory Doors	M/S-CMT VADODARA	
27	Fire Extinguisher	M/S-A-ONE	208/212
28	Water purified (02 nos)	M/S-CMT VADODARA	
29	Seat & Berth	M/S-CMT VADODARA	
30	Luggage Rack	M/S-CMT VADODARA	
31	Light Luggage Rack	NIL	
32	Ventury grill	M/S-CMT VADODARA	
33	RFID	NIL	

02/07/21

SSE/QC/MCF/RBL

वरिष्ठ अनुष्ठानिक अभियंता  
गुणवत्ता विभाग  
मोडर्न कोच फैक्ट्री, रायबरेली (लालगंज)

		<b>Modern Coach Factory Raebareli</b> <b>आधुनिक रेल डिब्बा कारखाना, रायबरेली</b>		DOC NO.: MCF/RBL/QMF 8002 REV NO: 01 DATE: 17.04.2018	
ROLLING STOCK CERTIFICATE (DEEN DAYALU) Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21					
RLY	NFR	COACH NO	215896/C	DATE OF DISPATCH	
Type	LWS	Shell No.	20F197	DISPATCH TO	Sr.DME/C&W/GHY
				FUR.NO.	DDG-672
13. MODIFICATION (IF ANY) : NIL					
14. DEVIATION (IF ANY) : NIL					
15. ITEM FITTED ON THE COACH ON TRIAL : NIL					
S NO	ITEM PARTICULARS		PURPOSE	REPORT Frequency	REFERENCE & PERIOD OF TRIAL
--	--		----	-----	-----
16. WARRANTY:					
S NO	COMPONENTS			WARRANTY	
1	Brake Pad, wheels, flushing valves, push gravity cocks, moldings, window glasses, mirrors, curtain clutch wire etc. ( items which are consumable in nature)			NIL	
2	Other coach furnishing sub assemblies(bought out items)			24 months from the date of dispatch of coach OR 30months from the date of supply of material whichever is earlier.	
NOTE: 1. This warranty covers free supply of parts which wear out and fails within warranty period of normal service. 2. This doesn't covers faults arising out of accident, non standard maintenance practices, abnormal use or mishandling, vandal activity, arson & deficient/pilferage etc. 3. This doesn't cover any consequential liabilities or damages/loss incurred by anybody; furthermore, it shall in no case extend to repayment, return of the coach or replacement of complete coach. 4. Whether a defective part is to be replaced or repaired shall be at the discretion of MCF/RBL. 5. For any complain/ suggestion please Mail at qualityrcfrbl@gmail.com 6. Painting on supply & apply contract :- supply of material and application shall be warranted for a period of three years from Application for any manufacturing /Application as per clause -4, para- V of RDSO specification no .M&C/PCN/100/2013-Given below					
S.No	Time period	Gloss Retention (initial gloss >85 unit at 60°)	Colour Retention rating on 0-10 scale (initial rating of painted panels/coach or ISC/RAL shade card shall be taken as 10)	Adherence of paints (with each other and with substrate ) Cross-cut tape adhesion test as per ASTM D:3359/97(or latest)	
1	After 1 year	80% of initial gloss	7	5B	
2	After 2 year	70% of initial gloss	6	5B	
3	After 3 year	60% of initial gloss	5	4B	
If any imperfection is noticed or any defect arises during the warranty -period due to improper material used or due to bad workmanship, the contractor shall be bounded to set right the defect/ imperfection on free of cost basis at the base depot of the coach.					
 02/07/21		 3-7-2021		 3/7	
SSE/QC/MCF/RBL		SME/AME/QC/MCF/RBL		Dy. QC/MCF/RBL	
<b>वरिष्ठ अनुष्ठानिक अभियंता</b> <b>गुणवत्ता विभाग</b> <b>आधुनिक रेल डिब्बा कारखाना, रायबरेली (लालगंज)</b>		<b>सहायक अभियंता डिजाइन</b> <b>Asst. Mechanical Engineer</b> <b>आ. रे. डि. का. रायबरेली</b> <b>MCF, RBL</b>		<b>प्रमुख अभियंता</b> <b>Dy. Chief Quality Manager</b> <b>आधुनिक रेल डिब्बा कारखाना, रायबरेली</b> <b>Modern Coach Factory, Raebareli</b>	





GSTIN : 03ACBPK3400D1ZM  
Excise Regn. No. ACBPK3400DXM001

**G. S. INDUSTRIES**

APPROVED BY

**N.S.I.C.  
R.D.S.O.**

**ISO 9001-2015**

**ISO 14001-2015**

D-146, FOCAL POINT EXTENSION, JALANDHAR-144004

PHONE : (O) 0181-5081474

(M) 99882-65025, 99884-55459

Website : [www.gspaints.com](http://www.gspaints.com)

e-mail : [info@gspaints.com](mailto:info@gspaints.com)

**WARRANTY CERTIFICATE**

To,  
Dy.CME/FP  
MODERN COACH FACTORY,  
RAEBARELI, LALGANJ-229120

Dated -18/3/2021

Sub:- Performance warranty certificates.  
Ref: - P.O.no 31061800101167 DATED 21.08.2019  
Name Of Work: - Pu Paint For Lhb Type Rajdhani Coaches.

Dear Sir,

With reference to above, we do here by confirm the warranty for three years from the date of application of the delivered below mention coaches vide your above referred purchase order after application & due inspection at your end.

SR.	SHELL NO.	FURNISHING NO.	COACH NO.	Railway NO.	DATE OF COMPLETION
300.	LWSDG 204197	DDG-672	215896	NER	03/03/2021

The warranty is applicable from date of dispatch against the below mention defects as per RDSO specification no. M&C/PCN/100/2018.

- Gloss level value of applied paint-initial 85 unit (on the date of painting) and minimum 80%, 70% and 60% of initial gloss after one year, two years and three years respectively from the date of application
- Decolonization of paint film.
- Cracking of paint film.
- Peeling of paint film.
- Blistering of the paint film.

Thanking you,  
For G.S.Industries

Auth.signatory





	<b>Modern Coach Factory Raebareli</b> <b>आधुनिकरेलडिब्बाकारखाना, रायबरेली</b>	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 1 OF 4

**FOR ELECTRICAL ITEMS**

ROLLING STOCK CERTIFICATE OF LHB EOG NON AC GS COACH  
(ANTYODAYA & DEENDAYALU).


ELECTRICAL TEST CERTIFICATE FOR LHB EOG NON AC GS COACH.

ELECTRICAL TEST CERTIFICATE FOR LHB EOG NON AC GS COACH.						
TYPE COACH		LWS/DDG		SHELL/COACH NO		215896/C
RAILWAY		NFR	ELECT. FIT DATE	22-03-2021	MCF FUR. NO.	DDG - 672
Sr. no.	Description of tests					Remarks
1.	WORKING OF COMPARTMENT LIGHTS. .					OK
2.	WORKING OF MOBILE CHARGING SOCKETS					OK
3.	WORKING OF ACCIDENTAL EMERGENCY LIGHTS& PACIL					OK
4.	RAILWAY CARRIAGE FAN					OK
5.	WHEEL SLIDE PROTECTION SYSTEM ( WSP )					OK
6.	WORKING OF 9 KVA TRANSFORMER					OK
7.	WORKING OF REGULATED BATTERY CHARGER/EMERGENCY BATTERY CHARGER.					OK
8.	SAFETY :					--
8.1.	FUSES AND THEIR RATING					OK
8.2.	CONTROL CIRCUIT					OK
8.3.	POWER CIRCUIT					OK

**Senior Section Engineer**  
**Quality control / Electrical**  
**Modern Coach Factory Raebareli**






	<b>Modern Coach Factory Raebareli</b> <b>आधुनिकरेलडिब्बाकारखाना, रायबरेली</b>	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 2 OF 4

**ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC GS COACHES**  
**(ANTYODAYA & DEENDAYALU).**


Sr. no.	Description	Drg./Spec no.	Quantity per Coach
01.	Fitment of Switch board cabinet.(set of panel) Make/Sr.no.: <b>HIND</b> On Board: <b>H355.20E.0800</b> HT Panel: <b>H355.20E.0800</b>	EDTS 333, Rev`01`.Am-1	<b>01 SET</b>
02.	Provision of 9 KVA 750/415/190V, 03Ø AC. Make : <b>VIMAL</b> Sr no.: <b>VTC 3089 LHB 4569</b>	RDSO/PE/SPEC/TL 0158, 2010, Rev`0`,Ty I.	<b>01</b>
03.	Mounting of 09KVA TFR.	As per drg no 1.10113.0.76.300.001,Alt -B.	OK
04.	Provision of wire rope assembly for Transformer.	As per EDML-152, Rev.-Nil.	OK
05.	4.5 Kw Under slung type Constant Voltage Regulated Battery charger cum Emergency battery charger Make: <b>SIGNOTRON</b> Sr. no.: <b>08201797</b>	As per spec no. RDSO/PE/SPEC/AC/0183-2015(REV.-1)	<b>01</b>
06.	Provision of Feeder Junction Box Make : <b>MV ELECTROSYSTEMS</b>	EDTS-328 REV-C,AM-4,Type-II,COR-2	<b>01 SET</b>
07.	Provision of IVC dummy Socket assembly.	As per Drg. No. LW71302,Alt-nil	<b>01 SET</b>
08.	Battery fuse box +ve Make : <b>INDORAIL</b>	As per LW 71001,Alt- H	<b>01</b>
09.	Battery fuse box -ve Make : <b>AECO</b>	As per LW 71002,Alt-I	<b>01</b>
10.	Provision of Battery boxes/ <b>Cradles.</b> Make: <b>HITECH</b>	As per Drg. No. 110113.0.76.700.005 W/O item 5,22,23,26 & 27,Alt-C or Latest.	<b>01</b>
11.	Provision of batteries Type:110 V, 120 AH VRLA SMF Battery Set. Make: <b>AMARA RAJA</b> Lug Date: <b>06/20</b>	As per RDSO/PE/SPEC/AC/0009-2014 (Rev-2) with inner cell connectors or Latest.	<b>01</b>

  
**Senior Section Engineer**  
**Quality control / Electrical**  
**Modern Coach Factory Raebareli**








	<b>Modern Coach Factory Raebareli</b> <b>आधुनिकरेलडिब्बाकारखाना, रायबरेली</b>	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 3 OF 4

**ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC GS COACHES**  
**(ANTYODAYA & DEENDAYALU).**

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
12.	Fitment of Railway carriage Fan 400mm Sweep, 110V AC with crash worthy features. Make: <b>ELECTROWAVES</b>	As per Drg. No. ICF/SK-7-6-158, alt-g. RDSO/PE/SPEC/TL/0021-2005 (Rev-3) with RCF annex-1, am-1.	<b>30</b>
13.	Fitment of LED Light fittings for Cabin, Doorway and Gangway area. 9 watt. Make: <b>DR AUTO</b>	As per RDSO/PE/SPEC/TL/0091-2016, Rev-1 with RCF Annex-1 .Type-B1.  Drg. No. CC76453.	<b>28</b>
14.	Fitment of LED Light fittings for Lavatory Lights. 9 Watt. Make: <b>RT VISION</b>	As per RDSO/PE/SPEC/TL/0091-2016, Rev-1 with RCF Annex-1 Type-D.  Drg. No. LW76092.	<b>04</b>
15.	Fitment of LED Light fittings for PACIL. Make: <b>AGASTYA</b>	As per RDSO/SPEC/TL/0091-2016, Rev-1 with RCF Annex-1 Type-I. Drg. No. LW76098.	<b>02</b>
16.	Fitment of Accidental Emergency Light (AEL) Make: <b>INTEG</b>	As per RDSO/SPEC/AC/0180-2016, Rev-0 ,Type-II.	<b>04</b>
17.	Provision of Cable binder	Drg. No. CC76120, Item - 1,2,3.100mm,200mm,300mm respectively.	<b>OK</b>
18.	Provision of Cable Jacket System.	EDTS-138, Cor-2, Item-5,7,8,9,11.	<b>OK</b>
19.	Provision of Switch plate assembly along with mobile charging sockets. Make: <b>SSK</b>	EDML-086, Rev-6, Am-1, Table-1, Item-1.	<b>10</b>

  
**Senior Section Engineer**  
**Quality control / Electrical**  
**Modern Coach Factory Raebareli**







	<b>Modern Coach Factory Raebareli</b> <b>आधुनिकरेलडिब्बाकारखाना, रायबरेली</b>	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 4 OF 4

**ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC GS COACHES**  
**(ANTYODAYA & DEENDAYALU).**

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
20.	Provision of Switch plate assembly along with mobile charging sockets. Make: <b>SSK</b>	EDML-086, Rev-6, Am-1, Table-1, Item-2.	<b>10</b>
21.	Provision of High Capacity Inter – Vehicular Coupler Unit (ZS Coupling) (500 A, 750 V, 3ph, 50 Hz). Make: 1.(NPP): <b>PRIME ELECT.</b> 2.(PP): <b>PRIME ELECT.</b>	As per Spec. no. RDSO/PE/SPEC/AC/0177(Rev.-0)-2013 with annexure-A, B.	<b>1 SET</b>
22.	Mounting of Inter Vehicle coupler	As per drg no.1.10113.0.74.000.001,Alt-B	<b>OK</b>
23.	Provision of Wheel Set Earthing equipment. Make:- NPP: <b>DARSHAN</b> PP: <b>DARSHAN</b>	EDTS101,REV-C,AM-1	<b>1 SET</b>
24.	Provision of Anti Skid Disk Brake System.(WSP) Make : <b>FAIVELEY</b> Sr no : <b>13119</b>	As per MDTs 077,Rev.-2 M/s"FAIVELEY" or "Knorr Bremse", or "ESCORTS" or" JWL-DAKO-CZ"	<b>01 SET</b>

 <b>वरिष्ठ अनुभाग अभियन्ता</b> <b>SSE/EL/QC</b> <b>गुणवत्ता नियंत्रण</b> <b>आ०रे०डि०का० / लालगंज / रायबरेली</b> <b>S.S.E./Elect-QC/M.C.F./LLJ/RBL</b>	 <b>AWM(ELECT.)/MCF/RBL</b> <b>SEE(P)/MCF/RBL</b> <b>स० कार्य प्रबन्धक / विद्युत</b> <b>आ०रे०डि०का० / रायबरेली</b> <b>A.W.M./Electrical/MCF/RBL</b>
--	--