



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002/
LDSLRL REV NO: 00
DATE: 29.01.2019

ROLLING STOCK CERTIFICATE
Rolling Stock Certificate No.: MCF/RBL/QC/RSC/20-21/1333

RLY	NFR	COACH NO	215897/C	DATE OF DISPATCH	25-Mar-21
Type	LSDLRD	Shell No.	20J088	DISPATCH TO	Sr.CDO/C&W/KIR
				FUR.NO.	SLR-118

1. Railway Board's Order No. : 2020/M(C)/142/2 Dated: - 01-05-2020

2. Tare Weight of Coach : 38.19 Tonnes

3. Carrying Capacity : (a) Seating:36 (b) Sleeping: 02 (c) Luggage: 4 tones

4. Special feature:

S NO	DESCRIPTION	MAKE/SUPPLIER
A	Provision of Dog Box-01 no.	M/s- HFGW VADODARA
B	Luggage capacity-04 Tones.	M/s- GRAND MALL GURGAON
C	Lavatory for Disable-01 no.	M/s- SEEMA BHOPAL
D	Capacity of Fuel Tank-1540 Liter.	NA
E	Seating capacity-30 nos. and 06 nos. for Disable	M/s- ORIENT MUMBAI
F	Under slung 500 KVA DG set with Alternator	NA
G	Stretcher Room-01 no.	M/s- MCFRBL
H	Water capacity- for Guard Room-600 liter and for Disable passenger area-780 liter	M/s-FABRICATORS+AMIT ENGG MOHALI

I- Choke of 5/6 mm in DV side replace with 9 mm in both type (KBI & Faiv.) letter no. MC/LHB/Brake, DT. 27.09.18

5. SHELL LEADING DIMENSIONS:

S NO	DESCRIPTION	DIMENSION (MM)
1	Maximum length over body	23700
2	Maximum width over body	3240
3	Maximum height from Rail Level	4039
4	CBC height/Buffer height from Rail level 1105 +0/-10	NPP/PP 1098/1100

6. TRACEABILITY OF SHELL ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO
1	Under frame	PP END	M/S-SICO 1764
		NPP END	M/S-JBM 20
		Complete	MCF/RBL-V4U TECHIE 20J088
2	Lav. side wall	MCF/RBL	LAV.1
		MCF/RBL	LAV.2
3	Side wall	MCF/RBL-CONT.V4U LKO	LAV.3
		MCF/RBL-CONT.V4U LKO	LAV.4
4	End wall	M/S-KANSAL	10
		M/S-SIPL	10
5	Roof	MCF/RBL-CONT.	36
6	Centre Buffer Coupler	M/S-FRONTIER	NPP/PP 124P2/85P1
7	Buffer	M/S-SIENA	NPP/PP 20J088 N.A

7. AIR BRAKE TEST REPORT:

S NO	ITEM	DESCRIPTION	SPEC. VALUE	OBSERVED
1	Full brake application	Reduce pressure of BP from 5.0 to 3.4 kg/cm ² .	6 - 10 sec.	08 sec
		Max. pressure in BC	3.0 ±0.15 kg/cm ² .	3.0 kg/cm ²
		All Brake are applied	OK	OK
2	Insensitivity	Exhaust BP @ 0.3 kg/cm ² /min.	No brake application	OK
3	Sensitivity	Exhaust BP @ 0.1 kg/cm ² /Sec, after 06 Sec.	Brake must apply	OK
4	Handbrake(Parking brake)for generator car	1.Apply hand brake	1.Hand Bk. Indicator should be red	OK
		2.Release hand brake	2. Hand Bk. indicator should be green	

8. PAINTING DETAILS:

S NO	DESCRIPTION	TYPE OF PAINT	MAKE	APPLICATION BY MCF/ CONTRACTOR (SUPPLY & APPLY)	AVERAGE GLOSS VALUE	DATE OF COMPLETION
1	Paint	P.U	GSI	M/S-GSI (S&A)	89/92	19-Feb-21
2	Insulation			Satisfactory		

SSE/QC/MCF/RBL

वरिष्ठ अनुसंधान विभाग
गुणवत्ता विभाग
रेडिओकार, रायबरेली (लालगंज)



MCF/RBL



MODERN COACH FACTORY, RAEBARELI

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO.: 01

DATE: 16.05.2016

ROLLING STOCK CERTIFICATE**Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21 - 1333**

RLY	N	F	R	-	Coach No.	2	1	5	8	9	7	/	C	-	DATE OF DISPATCH	2	5	0	3	2	0	2	1
-----	---	---	---	---	-----------	---	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH	Sr.DME/C&W/KIR	Type	L	S	L	R	D	-	Shell No.	2	0	J	0	8	8	FUR .NO	SLRD-118
----------	----------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	---	---------	----------

9. DETAIL OF BOGIES:

ITEMS	NPP Side				PP Side			
Bogie No	202576				202575			
Bogie Type	LWS				LWS			
Frame no.	ECBT-944				MCF/RBL/LS5-2770			
Bolster no.	MCF/RBL/LS5-2858				AMIT-587			
Axle No	20 A - 0097 RWF		20 A - 3090 RWF		20A-2993 RWF		20Z -9695 RWF	
Wheel Dia	917.549	917.405	917.534	917.584	917.56	917.57	917.56	917.52
Wheel Disc No	TZ 03-19 32471-90F2	TZ 03-19 36520-9MI7	TZ 12-19 91992-9WG3	TZ 12-19 91910-9WG8	TZ 02-19 54750-9PK1	TZ 05-19 20197-9MM2	TZ 04-19 88255-9WJ2	TZ 02-19 28055-9MJ4
R.B. Nos.	12-19 45579	12-19 36831	01-20 403163	01-20 402642	11-19 41941	12-19 38231	11-19 41857	12-19 38671
CT R B Make	TIMKEN		TIMKEN		TIMKEN		TIMKEN	

10. SECONDARY SUSPENSION LOAD DEFLECTION VALUES :-

DESCRIPTION	Bogie NPP side		Bogie PP side	
	Secondary 1	Secondary 2	Secondary 1	Secondary 2
Make & Nos.	RESISTROFLEX 06-20 15183	RESISTROFLEX 06-20 15759	RESISTROFLEX 06-20 15202	RESISTROFLEX 05-20 15549

11. TRACEABILITY OF BOGIE ITEMS :-

S. NO	ITEM	MAKE/SUPPLIER	SERIAL NO.	
			NPP SIDE	PP SIDE
1.	Yaw Damper	ESCORT	6740,6746	6747,6754
2.	Primary outer Spring	CMFSK	01-20 F07-154-(1574,1557,1650,1599)	01-20 F07-154-(14,1555,590,1504)
3.	Primary Inner Spring	CMFSK	03-20 F06-180-(450,498,725,556)	03-20 F06-198-(44,426,434,445)
4.	Primary Damper	IAI	01-20 (299937,298467,301068,300480)	01-20 (310144,298507,299968,309974)
5.	Secondary Damper	IAI	06-20 (326154,326288)	01-20 (326355,326402)
6.	Lateral Damper	IAI	09-19 274854	09-19 274747
7.	Brake Cylinder	KBI	D20 (2047,0811,0828,1991)K29	D-(2045,1982)K29,3520111280,3520121177
8.	Brake Caliper	KBI	AY-(340,4347)-29,C((2679,2678)K29	AV (346,345)-29,3520131166,3520131164
9.	Brake Disc	AVADH	09-18(30200535,30200536,30200500,30200504)	09-18(30200478,30200471,302000464,302000459)
10.	Ball Joint Control Arm	BONY		
11.	Lateral Bump Stop	GMT		
12.	Traction Centre make	RNG		
13.	Traction lever make	TAJ		
14.	Ball joint traction lever	BONY/PRAG		
15.	Ball joint traction centre	ARYAN		
16.	Leveling Valve	FAV	L19-506,G20-557	K19-619,L19-378
17.	Check Valve	FAV	M19-067	M19-066
18.	Anti roll bar Make	SF		
19.	Roll Link make	RF+BONY		
20.	Fork make	RNG		
21.	Control Arm Upper	CC	19L35,19M26,19M188,19M67	19M73,19M45,19M28,19L307
22.	Control Arm Lower	CC	19L732,19L748,19L525,19M31	19L597,19M2,19L409,19L456
23.	Phonic Wheel	KBI	K 07-20	K 07-20

Signature of SSE/Bogie/QC





Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002/
LDSL REV NO: 00
DATE: 29.01.2019

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/20-21/1333

RLY	NFR	COACH NO	215897/C		DATE OF DISPATCH	25-Mar-21
Type	LSLRD	Shell No.	20J088	DISPATCH TO	Sr.CDO/C&W/KIR	FUR.NO. SLR-118

13. TRACEABILITY OF FURNISHING ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO(NPP/PP)
1	Air Brake Module	M/S-KBI	0544 28/20
2	Distribution valve	M/S-KBI	2020F11718
3	Pull box	M/S-KBI	
4	Hand Brake Equipment	M/S-PLASTO POWER	
5	FIBA	M/S-KBI	11508/29,11432/29
6	Foot Step	M/s- SUPER SPARK FARIDABAD	
7	Floor board	M/s- TWPL MUMBAI	
8	PVC	M/s- PREMIER	
9	Lavatory Inlay disable & passengers & Guard room	M/s- SEEMA INDS.BHOPAL	
10	UIC Vestibule (PPE)	M/S--SUNCREST KOLKATA	
11	Gangway bridge mounting (PPE)	M/S-MMW KXH	
12	AL. Chequer Plate/Sheet	M/s- VALCO PUNJAB	
13	Body Side Window	M/s- MISEDONE KOLKATA	
15	Emergency Window	M/s- AGF KOLKATA	
14	Lavatory/hopper Window	M/s- SHATABDI SAFTEY GLASS VADODARA	
16	Roof Ceiling in disable & passengers room	M/s- HFGW VADODARA	
17	Doorway/Gangway /luggage room Ceiling	M/s- HFGW VADODARA	
18	FRP panel for dog box	M/s- HFGW VADODARA	
19	Side Panel	M/s- HFGW VADODARA	
20	Partition panel	M/s- HFGW VADODARA	
21	Luggage Sliding Door	M/S-VICTORIYA	
22	Disable comptt .door RH & LH	M/s- MOHAN RAIL KXH	
23	Passenger comptt .door RH& LH	M/s- JGM FARIDABAD	
25	Guard room door RH& LH	M/s- JGM FARIDABAD	
26	Control room Door	M/s- AIR FLOW	
27	Dog box sliding door	M/s- AISHANI ENGG. RBL	
29	Vestibule Door(NPPE)	M/s- JGM FARIDABAD	
30	Bio Tank (01 No Big)	M/S-JSL LIFE	
31	Bio Tank (03 Nos small)	M/S-RAIL FAB	
32	Water Tank	M/S-AMIT ENGG MOHALI	
33	Water Tank in guard room 300L	M/S-FABRICATORS	
34	Fuel Tank	NA	
35	Health Faucet	M/s- KAPCO VALVES JUC	
36	Lotah Filler Tap	M/s- KAPCO VALVES JUC	
37	Bib cock	M/S-AGMECO PVT.LTD.	
38	Lavatory Module	N/A	
39	Lavatory Doors(disable & passengers &Guard room)	M/s- JVR LDH +MEENA FIBRE+MSL MOHALI	
40	Fire Extinguisher	M/S-AMTEX SAFTEY SYSTEM	28105/28111
41	Seat & Berth(disable & Panel & Guard room)	M/s- ORIENT MUMBAI	
42	Luggage Rack	M/s- GRAND MALLGURGAON	
43	Light Luggage Rack	M/s- TECHNO ALD	
44	RFID	NIL	

04/03/21
SSE/QC/MCF/RBL

वर्ग ०८ अनु ० अभियंता
गुणवत्ता विभाग
रेलवे कारखाना, रायबरेली (लाजपतबाग)





Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002/
LDSL REV NO: 00
DATE: 29.01.2019

ROLLING STOCK CERTIFICATE
Rolling Stock Certificate No.: MCF/RBL/QC/RSC/20-21/1333

RLY	NFR	COACH NO	215897/C	DATE OF DISPATCH	25-Mar-21
Type	LSLRD	Shell No.	20J088	DISPATCH TO	Sr.CDO/C&W/KIR
				FUR.NO.	SLR-118

14. MODIFICATION (IF ANY) : NIL

15. DEVIATION (IF ANY) : NIL

16. ITEM FITTED ON THE COACH ON TRIAL : NIL

S NO	ITEM PARTICULARS	PURPOSE	REPORT Frequency	REFERENCE & PERIOD OF TRIAL
-----	-----	-----	-----	-----

16. WARRANTY:




S NO	COMPONENTS	WARRANTY
1	Brake Pad, wheels, flushing valves, push gravity cocks, moldings, window glasses, mirrors, curtain clutch wire etc. (items which are consumable in nature)	NIL
2	Other coach furnishing sub assemblies(bought out items)	24 months from the date of dispatch of coach OR 30months from the date of supply of material whichever is earlier.

NOTE:

1. This warranty covers free supply of parts which wear out and fails within warranty period of normal service.
2. This doesn't covers faults arising out of accident, non standard maintenance practices, abnormal use or mishandling, vandal activity, arson & deficient/pilferage etc.
3. This doesn't cover any consequential liabilities or damages/loss incurred by anybody; furthermore, it shall in no case extend to repayment, return of the coach or replacement of complete coach.
4. Whether a defective part is to be replaced or repaired shall be at the discretion of MCF/RBL.
5. For any complain/ suggestion please Mail at qualityrcfrbl@gmail.com
6. Painting on supply & apply contract :- supply of material and application shall be warranted for a period of three years from Application for any manufacturing /Application as per clause -4,para- V of RDSO specification no .M&C/PCN/100/2013-Given below

S.No	Time period	Gloss Retention (initial gloss >85 unit at 60°)	Colour Retention rating on 0-10 scale (initial rating of painted panels/coach or ISC/RAL shade card shall be taken as 10)	Adherence of paints (with each other and with substrate) Cross-cut tape adhesion test as per ASTM D:3359/97(or latest)
1	After 1 year	80% of initial gloss	7	5B
2	After 2 year	70% of initial gloss	6	5B
3	After 3 year	60% of initial gloss	5	4B

If any imperfection is noticed or any defect arises during the warranty -period due to improper material used or due to bad workmanship, the contractor shall be bounded to set right the defect/ imperfection on free of cost basis at the base depot of the coach.

 06/04/21	 5.6.2021	 5.6.2021
SSE/QC/MCF/RBL	SME/AME/QC/MCF/RBL	Dy.CQM/MCF/RBL

वरि०अनु० अभियंता
गुणवत्ता विभाग
रे०डि०का०, रायबरेली (लालगंज)

Asst. Mechanical Engineer
आ. रे. डि. का. रायबरेली
MCF, RBL

Chief Quality Manager
आधुनिक रेल डिब्बा कारखाना, रायबरेली
Modern Coach Factory, Raebareli



GSTIN : 03ACBPK3400D1ZM
Excise Regn. No. ACBPK3400DXM001

G. S. INDUSTRIES

APPROVED BY

**N.S.I.C.
R.D.S.O.
ISO 9001-2015
ISO 14001-2015**

D-146, FOCAL POINT EXTENSION, JALANDHAR-144004

PHONE : (O) 0181-5081474
(M) 99882-65025, 99884-55459
Website : www.gspaints.com
e-mail : info@gspaints.com

WARRANTY CERTIFICATE

To,
Dy.CME/FP
MODERN COACH FACTORY,
RAEBARELI, LALGANJ-229120

Dated - 24/02/2021

Sub:- Performance warranty certificates.

Ref: - P.O.no 31061800101167 DATED 21.08.2019

Name Of Work: - Pu Paint For Lhb Type Rajdhani Coaches.

Dear Sir,

With reference to above, we do here by confirm the warranty for three years from the date of application of the delivered below mention coaches vide your above referred purchase order after application & due inspection at your end.

SR.	SHELL NO.	FURNISHING NO.	COACH NO.	Railway NO.	DATE OF COMPLETION
271.	LWSLRD 20J088	SLRD-118	215897	NFR	19/02/2021

The warranty is applicable from date of dispatch against the below mention defects as per RDSO specification no. M&C/PCN/100/2018.

- Gloss level value of applied paint-initial 85 unit (on the date of painting) and minimum 80%, 70% and 60% of initial gloss after one year, two years and three years respectively from the date of application
- Decolonization of paint film.
- Cracking of paint film.
- Peeling of paint film.
- Blistering of the paint film.

Thanking you,
For G.S.Industries

Auth.signatory



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE:02.03.2020

PAGE 1 OF 3

FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB HOG COMPLIANT LSLRD COACH (Without DA Set)
ELECTRICAL TEST CERTIFICATE LHB HOG COMPLIANT LSLRD COACH (Without DA Set)

TYPE OF COACH	LSLRD	SHELL/COACH NO	215897/C
RAILWAY	NFR	ELECT.FIT DATE	19-03-2021
		MCF FUR. NO	SLRD - 118

FOR ELECTRICAL ITEMS

ELECTRICAL TEST CERTIFICATE FOR LHB HOG COMPLIANT LSLRD COACH (Without DA Set)

S. no.	Description of test	Remarks
1.	LIGHTS SEQUENCE.	OK
2.	WORKING OF RAILWAY CARRIAGE FAN	OK
3.	WHEEL SLIDE PROTECTION SYSTEM (WSP)	OK
4.	WORKING OF 9 KVA TRANSFORMER	OK
5.	WORKING OF RBC/EBC	OK
6.	WORKING OF MOBILE CHARGING SOCKETS.	OK
7.	WORKING OF ACCIDENTAL EMERGENCY LIGHTS	OK
8.	SAFETY:	----
08.1.	CONTROL CIRCUIT	OK
08.1	POWER CIRCUIT	OK
08.2	FEEDER OVER LOAD RELAY	OK
08.3	FEEDER EARTH LEAKAGE RELAY	OK
08.4	MMR RELAY	OK
08.5	HOG CONTROL CIRCUIT	OK
9.	FEEDER CONTACTORS & HOG CONTACTORS.	OK
10.	BUS COUPLER	OK
11.	CONTROL TRANSFORMERS	OK
12.	SAFETY LOOP	OK
13.	FUSES AND THEIR RATINGS	OK
14.	RC FILTER	OK

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE:02.03.2020

PAGE 2 OF 3

ROLLING STOCK CERTIFICATE OF LHB HOG COMPLIANT LSLRD COACH (Without DA Set)

Sr. no.	Description	Drg/Spec no.	Quantity per Coach
01.	Provision of Cabin, Corridor, doorway and Gangway Lights. Make: RT VISION	As per RDSO/PE/SPEC/TL-0091-2016(REV-1) TYPE B-1	19
02.	Provision of Lights luggage room. Make: DR AUTO	As per RDSO/PE/SPEC/TL-0091-2016(REV-1) TYPE -J	02
03.	Fitment of Cabin, Corridor, doorway and Gangway Lights.	As per drg no CC-76453	OK
04.	Fitment of Accidental Emergency Light system (AEL) Make: INTEG	As per RDSO/PE/SPEC/AC/0180-2016(Rev.0), Type -II with RDSO Drg. No. RDSO/PE/SK/TL/0181-2016 (Rev.0) Sheet No. 1 & 2.	05
05.	Provision of Side Light Fitting 110V DC,25W. Make: KAVERI	RDSO /SKEL/4094 with RCF alt a	02
06.	Provision of Lavatory Light Fitting assembly. Make: RT VISION	RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-D As per drg no.LW 76092	04
07.	Provision of Cable Jacket ,Size Nominal width 25mm ,Length -1000 mm	As per drg no. EDTS 0138,Rev-nil,Corr.-1,Item 9	02
08.	Provision of PACIL Assly. Make: AGASTYA	RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-1 As per drg no.LW 76098,	02
09.	Fitment of Railway carriage Fan 400mm Sweep, 110V DC with crash worthy features for onboard transformer. Make: SARIA	As per RDSO/PE/SPEC/TL/0021-2005,Rev-3,AM-1 or latest.	16
10.	Provision of Cable Binders.	As per CC76129 or as approved of OEM by MCF/RCF .	OK
11.	Provision of Tail light LED Type with flashing unit and VHF charging socket. Make: DEW	As per EDTS 215,AM-1.Drg. No.73200 alt c	01
12.	Fitment of Switch Plate Assly (Cabin Side) Make: SSK	EDML 127,Rev-3 & DRG NO CC 74248 Alt-C	07
13.	Fitment of Switch Plate Assly (Corridor Side) Make: SSK	EDML 127,Rev-3 & DRG NO CC 74249 Alt-C-	05
14.	Mounting of inter Vehicle coupler	As per drg no 1.10113.0.74.000.001 Alt nil.	OK
15.	Provision of High Capacity Inter -Vehicular Coupler Unit(ZS Coupling) (500 A,750 V,3 ph,50 Hz).Make. 1.(NPP): PRIME ELECT. 2.(PP): S.INTERNATIONALS	As per Spec. no. RDSO/PE/SPEC/AC/0177(Rev.-0)-2013 with annexure-A, B.	01 sets
16.	Provision of Wheel Set Earthing Equipment. Make. NPP: PRIME ELECT. PP: PRIME ELECT.	As per spec no. EDTS 101, Rev.-C, AM-1, Corr-5.	01 Set

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE:02.03.2020

PAGE 3 OF 3

ROLLING STOCK CERTIFICATE OF LHB HOG COMPLIANT LSLRD COACH (Without DA Set)

Sr. no.	Description	Drg/Spec no.	Quantity per Coach
17.	Provision of Anti Skid Disk Brake System.(WSP) Make : KNORR Sr. no : 0120295540	As per MDTS 077,Rev.-2 M/s"FAIVELEY" or "Knorr Bremse", or "ESCORTS"	01 Set
18.	Provision of 2 Set UIC 16 pin control coupler/connector having IP 65 or better ingress protection on non- vestibule end wall for transmission signal from loco to Power car.	As per Spec. no. RDSO/PE/MS/AC/0051-2011(Rev.-2) page no. 2& 6 of 24. And Photograph-D page no.18 of 24.	02
19.	Provision of Switch Board Cabinet for LSLRD(Without DA set) with HOG Compliant. Make : ABROL Sr no: 2020-08-034	As per spec no. RDSO spec. No. RDSO/PE/SPEC/TL/0195-2019(Rev.0)	01
20.	Fitment of Switch board cabinet.(set of panel) Make/Sr no: NEC On Board: 2020076466 HT Panel: 2020066059	EDTS 333, Rev'01'.Am-1	01
21.	4.5 Kw Under slung type Constant Voltage Regulated Battery charger cum Emergency battery charger Make: SIGNOTRON Sr. no.: 01200968	As per spec no. RDSO/PE/SPEC/AC/0183-2015(REV.-1)	01
22.	Provision of 9 KVA TFR 750/415/190V, 03Ø AC. Make: VIMAL Sr no.: VTC-3089-LHB-4514	RDSO/PE/SPEC/TL 0158, 2010, Rev'0',Ty I.	01
23.	Provision of Feeder Junction Box. Make: MV	As Per EDML 021, Rev-L	01 set
24.	Battery fuse box +ve Make : RSI	As per LW 71001,Alt-G	01
25.	Battery fuse box -ve Make : AECO	As per LW 71002,Alt-G	01
26.	Provision of Set of Cage Clamp Terminals for Compartment. Make: TECHNO ROVER	As per spec/drg no. CC72069 or Latest.	01 Set
27.	Provision of Set of Cage Clamp Terminals for doorway. Make: PHOENIX CONTACT	As per spec/drg no. CC72070 or Latest.	01 Set
28.	Provision of Battery boxes/ Cradles. Make: HITECH	As per Drg. No. 110113.0.76.700.005 W/O item 5,22,23,26 & 27,Alt-C or Latest.	01
29.	Provision of batteries Type: 110 V, 120 AH VRLA SMF Battery Set. Make: AMARA RAJA Lug Date: 6/20	As per RDSO/PE/SPEC/AC/0009-2014 (Rev-2) with inner cell connectors or Latest.	01 set

SSE/EL/QC	AWM(ELECT.)/MCF/RBL/SEE/P/MCF/RBL

वरिष्ठ अनुमान अभियन्ता
गुणवत्ता नियंत्रण
आ०रे०डि०का० / लालगंज / रायबरेली
S.S.E./Elect-QC/M.C.F./LJ/RBL

स० कार्य प्रबन्धक / विद्युत
आ०रे०डि०का० / रायबरेली
A.W.M./Electrical/MCF/RBL

