



Modern Coach Factory Raebareilly  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO: 01

DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/740

RLY	WCR	COACH NO	205169/C	DATE OF DISPATCH	11-Nov-20
Type	LWSCN1	Shell No.	20G317	DISPATCH TO	Sr.DME/JBP
				FUR.NO.	LSCNG-457

1. Railway Board's Order No. : 2020/M(C)/142/2,DATED-21.08.2020
2. Tare Weight of Coach : 41.24 Tonnes
3. Carrying Capacity : (a) Seating: 80 (b) Sleeping: 80 (c) Luggage: NIL

4. Special feature:

A	Epoxy flooring in lavatory	M/s-HFGW VADODARA
B	Anti slip friendly Grab Bar	M/s-HFGW VADODARA
C	Provision of Health Faucet in lavatories	M/s-HFGW VADODARA
D	Washbasin counter Top (Corian of Duport or Montelli)	M/s-HFGW VADODARA
E	GFRE ceiling instead of NPTC	M/s-HFGW VADODARA
F	DGFRP panels instead of LP panels	M/s-HFGW VADODARA
G	Honey Comb partition frame with DGFRP sheet instead of FRP sheet	M/s-HFGW VADODARA
H	Venturi arrangement in lavatory	M/s-HFGW VADODARA
I	Choke of 5/6 mm in DV side replace with 9 mm in both type (KBI & Faiv.)letter no. MC/LHB/Brake, DT. 27.09.18	

5. SHELL LEADING DIMENSIONS:

S NO	DESCRIPTION	DIMENSION (MM)
1	Maximum length over body	23700
2	Maximum width over body	3240
3	Maximum height from Rail Level	4039
4	CBC height/Buffer height from Rail level 1105 +0/-10	NPP/PP 1098/1105

6. TRACEABILITY OF SHELL ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO
1	Under frame	Front PP END M/S-INDIRA	26/175
		Part NPP END M/S-INDIRA	26/175
		Complete M/S-INDIRA	26/175
2	Lav. side wall	M/S-ATHANCLY ALD LAV.1	----- LAV.2 -----
		M/S-ATHANCLY ALD LAV.3	----- LAV.4 -----
3	Side wall	LH SIDE M/S-ECBT	199
		RH SIDE M/S-ECBT	199
4	End wall	PP END M/S-DTL	-----
		NPP END M/S-DTL	-----
5	Roof	M/S-DTL	75
6	Centre Buffer Coupler	M/s-FRONTIER PP END	259P1 NPP END 205P1

7. AIR BRAKE TEST REPORT:

S NO	ITEM	DESCRIPTION	SPEC. VALUE	OBSERVED
1	Full brake application	Reduce pressure of BP from 5.0 to 3.4 kg/cm <sup>2</sup> .	6 – 10 sec.	08 sec.
		Max. pressure in BC	3.0 ±0.15 kg/cm <sup>2</sup> .	3.0 kg/cm <sup>2</sup>
		All Brake are applied	OK	OK
2	Insensitivity	Exhaust BP @ 0.3 kg/cm <sup>2</sup> /min.	No brake application	OK
3	Sensitivity	Exhaust BP @ 0.1 kg/cm <sup>2</sup> /Sec, after 06 Sec.	Brake must apply	OK

8. PAINTING DETAILS:

S NO	DESCRIPTION	TYPE OF PAINT	MAKE	APPLICATION BY MCF/ CONTRACTOR (SUPPLY & APPLY)	AVERAGE GLOSS VALUE	DATE OF COMPLETION
1	Paint	P.U	GSI	M/S-GSI WOW (S&A)	97/95	15-Sep-20
2	Insulation			Satisfactory		

वरिष्ठ  
SSE/QC/MCF/RBL

महानगर विभाग  
रेलवे विभाग







MODERN COACH FACTORY, RAEBARELI

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO.: 01

DATE: 16.05.2016

**ROLLING STOCK CERTIFICATE**

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/740

RLY	W	C	R	Coach No.	2	0	5	1	6	9	/	C	-	DATE OF DISPATCH	1	1	1	1	2	0	2	0
-----	---	---	---	-----------	---	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH	Sr.DME/JBP	Type	L	W	S	C	N	1	Shell No.	2	0	G	3	1	7	FUR .NO	LSCN G-457
----------	------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	---	---------	------------

**9. DETAIL OF BOGIES:**

ITEMS	NPP Side				PP Side			
Bogie No	201605				201606			
Bogie Type	FIAT				FIAT			
Frame no.	Mcf/rbl/ls5-238				VS-2033			
Bolster no.	APEX-238				APEX-191			
Axle No	20 A- 4084 RWF	20 A- 3939 RWF	20 A - 3581 RWF	20 A - 5758 RWF				
Wheel Dia	917.24	917.16	917.292	917.128	917.145	917.246	917.21	917.25
Wheel Disc No	TZ 12-19 16985-8xg0	TZ 12-19 90532-9WH8	TZ 02-19 25274-9MH0	TZ 02-19 25274-9ML8	TZ 03-19 31004-8XH3	TZ 08-19 73757-9SK4	TZ 07-20 67417-9RQ7	TZ 06-17 20707-9PK8
R.B. Nos.	01-20 404727	02-20 401426	01-20 404544	02-20 501298	01-20 402518	01-20 405709	01-20 402526	02-20 501200
CT R B Make	TIMKEN		TIMKEN		TIMKEN		TIMKEN	

**10. SECONDARY SUSPENSION LOAD DEFLECTION VALUES :-**

DESCRIPTION	Bogie NPP side				Bogie PP side			
	Secondary 1		Secondary 2		Secondary 1		Secondary 2	
	Outer	Inner	Outer	Inner	Outer	Inner	Outer	Inner
Make & Nos.	CMFSK12-19 F09-158-804	CMFSK11-19 5112-080-460	CMFSK12-19- F09-158-780	CMFSK11-19- 5112-080-443	CMFSK01-20- F09-158-745	CMFSK12-19-5100- 274	CMFSK01-20- F09-158-839	CMAFJ12-19-5100- 214
Compressed Ht. at Tested Load	515.5	471.5	516	472	516	472	516	472
Alignment deviation (mm)	12	9	10	8	12	5	13	5

**11. TRACEABILITY OF BOGIE ITEMS :-**

S. NO	ITEM	MAKE/ SUPPLIER	SERIAL NO.	
			NPP SIDE	PP SIDE
1.	Yaw Damper	IAI	294034,294014	294143,294060
2.	Primary outer Spring	CMGBD	01-20 F07-403(237,270,229,223)	01-20 F07-403(238,320,300,322)
3.	Primary Inner Spring	CMGBD	11-19 1101-103-(346,323,448,619)	11-19 1101-103-(606,387,574,496)
4.	Primary Damper	IAI	09-19 (274255,274197,273729,274218)	12-19 (274009,273885,274258,274251)
5.	Secondary Damper	GABRIEL	07-20 (2139,2355)	07-20 (2361,2140)
6.	Lateral Damper	KONI	03-19 01107	03-2019 00860
7.	Brake Cylinder	KBI	C(3523,2142,3146,3524)K29	C(7884,6511,6611,7967)K29
8.	Brake Caliper	KBI	C(9822,9963,9961,9821,-)29	C(3832,3928,4002,3918)-29
9.	Brake Disc	FAV	03-20(8438,169,3079,3080)D133561-300	03-20(3149,3150,3073,3074)D133561-300
10.	Ball Joint Control Arm	BASANT		
11.	Lateral Bump Stop	GMT		
12.	Traction Centre make	RF		
13.	Traction lever make	JI		
14.	Ball joint traction lever	GMT		
15.	Ball joint traction centre	GMT		
16.	Secondary Rubber Pad	PRAG		
17.	Rubber Spring	GMT		
18.	Anti roll bar Make	SF		
19.	Roll Link make	JUR /GMT JUR/ARYAN		
20.	Fork make	RNG		
21.	Control Arm Upper	KUMAR	D5228,D2720,N3128,D2782	D5236,D2783,D4808,D2786
22.	Control Arm Lower	KUMAR	D8228,D5219,D5178,D2587	D2508,D5220,D5280,D5218
23.	Phonic Wheel	KBI	K 01-20	K 07-20

Signature of SSE/Bogie/QC





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002  
REV NO: 01  
DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/740

RLY	WCR	COACH NO	205169/C	DATE OF DISPATCH	11-Nov-20
Type	LWSCN1	Shell No.	20G317	DISPATCH TO	Sr.DME/JBP
				FUR.NO.	LSCNG-457

12. TRACEABILITY OF FURNISHING ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO(NPP/PP)
1	Air Brake Module	M/S -KBI	6099 34/20
2	Distribution valve	M/S -KBI	2020H12280
3	Pull box	M/S -KBI	
4	FIBA	NIL	
5	Foot Step	M/S- FABRICON KOLKATA	
6	Decoupling arrangement	M/S-PULSER KOLKATA	
7	Floor board	M/S-SHREE RAM PNL	
8	PVC	M/s-HFGW VADODARA	
9	Lavatory inlay	M/s-HFGW VADODARA	
10	UIC Vestibule (PPE)	M/S-KRP PUNE	
11	UIC Vestibule (NPPE)	M/S-KRP PUNE	
12	Gangway bridge mounting (PPE)	M/S-MMW KXH	
13	Gangway bridge mounting (NPPE)	M/S-MMW KXH	
14	Body Side Window	M/s-HFGW VADODARA	
15	Emergency Window	M/s-HFGW VADODARA	
16	Lavatory/hopper Window	M/s-HFGW VADODARA	
17	Side panel	M/s-HFGW VADODARA	
18	Roof Ceiling	M/s-HFGW VADODARA	
19	Door way/Gangway Ceiling	M/s-HFGW VADODARA	
20	Partition panel Honeycomb	M/s-HFGW VADODARA	
21	Partition pillar	M/s-HFGW VADODARA	
22	Body Side Doors	M/s-HFGW VADODARA	
23	Vestibule Door(PPE)	M/S-JBM FARIDABAD	
24	Vestibule Door(NPPE)	M/S-JBM FARIDABAD	
25	Bio Tank	M/S-OMAX AUTOS	
26	Pressurised Flushing (electro.pneu. )	M/S-AIR FLOW	
27	Auxiliary Water Tank	M/S-OASIS-03NOS+SFPL-01 NO	
28	Under Slung Water Tank ( 2X685L)	M/S- SHIVALIK FAST MOHALI+OASIS	
29	Under Slung Water Tank (1x685 L)	M/S-SHIVALIK FAST MOHALI	
30	Health Faucet	M/s-KAPCO VALES JALANDHAR	
31	Lotah Filler Tap	M/s-KAPCO VALES JALANDHAR	
32	Controlled discharge tap	M/s-AGMECO PVT.	
33	Lavatory Doors	M/s-HFGW VADODARA	
34	Fire Extinguisher	M/s-HFGW VADODARA	
35	Seat & Berth	M/s-HFGW VADODARA	
36	Ventury grill	M/s-HFGW VADODARA	
37	Water purifier(02 NOS )	M/s-HFGW VADODARA	
38	RFID	NIL	

*Rajma*  
19/01/2021  
वरिष्ठ SSE/QC/MCF/RBL

मुख्य निदेशक  
रेल डिब्बा कारखाना, रायबरेली (लालगंज)







Modern Coach Factory Raebareilly  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002  
REV NO: 01  
DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/740

RLY	WCR	COACH NO	205169/C	DATE OF DISPATCH	11-Nov-20
Type	LWSCN1	Shell No.	20G317	DISPATCH TO	Sr.DME/JBP
				FUR.NO.	LSCNG-457

13. MODIFICATION (IF ANY) : Partition frame & Partition pillar

14. DEVIATION (IF ANY) : NIL

15. ITEM FITTED ON THE COACH ON TRIAL : NIL

S NO	ITEM PARTICULARS	PURPOSE	REPORT Frequency	REFERENCE & PERIOD OF TRIAL
-----	-----	-----	-----	-----

16. WARRANTY:

S NO	COMPONENTS	WARRANTY
1	Brake Pad, wheels, flushing valves, push gravity cocks, moldings, window glasses, mirrors, curtain clutch wire etc. ( items which are consumable in nature)	NIL
2	Other coach furnishing sub assemblies(bought out items)	24 months from the date of dispatch of coach OR 30months from the date of supply of material whichever is earlier.

NOTE:

1. This warranty covers free supply of parts which wear out and fails within warranty period of normal service.
2. This doesn't covers faults arising out of accident, non standard maintenance practices, abnormal use or mishandling, vandal activity, arson & deficient/pilferage etc.
3. This doesn't cover any consequential liabilities or damages/loss incurred by anybody; furthermore, it shall in no case extend to repayment, return of the coach or replacement of complete coach.
4. Whether a defective part is to be replaced or repaired shall be at the discretion of MCF/RBL.
5. For any complain/ suggestion please Mail at qualityrcfbl@gmail.com
6. Painting on supply & apply contract :- supply of material and application shall be warranted for a period of three years from Application for any manufacturing /Application as per clause -4, para- V of RDSO specification no .M&C/PCN/100/2013-Given below

S.No	Time period	Gloss Retention (initial gloss >85 unit at 60°)	Colour Retention rating on 0-10 scale (initial rating of painted panels/coach or ISC/RAL shade card shall be taken as 10)	Adherence of paints (with each other and with substrate ) Cross-cut tape adhesion test as per ASTM D:3359/97(or latest)
1	After 1 year	80% of initial gloss	7	5B
2	After 2 year	70% of initial gloss	6	5B
3	After 3 year	60% of initial gloss	5	4B

If any imperfection is noticed or any defect arises during the warranty -period due to improper material used or due to bad workmanship, the contractor shall be bounded to set right the defect/ imperfection on free of cost basis at the base depot of the coach.

 19/01/2021 SSE/QC/MCF/RBL	 20.01.2021 SME/AME/QC/MCF/RBL	 Dy. QCM/MCF/RBL
----------------------------------	--------------------------------------	---------------------

वरिष्ठ/उप-निर्देशक  
गुणवत्ता विभाग  
रेल डिब्बा कारखाना, रायबरेली

सहायक यंत्रिक इंजीनियर  
Asst. Mechanical Engineer  
आ. रे. डि. का. रायबरेली  
MCF RBL





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 01

DATE: 29.06.2020


PAGE 1 OF 4

FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB EOG NON AC SCN COACH.

ELECTRICAL TEST CERTIFICATE FOR LHB EOG NON AC SCN COACH.

ELECTRICAL TEST CERTIFICATE FOR LHB EOG NON AC SCN COACH.						
TYPE COACH		LWSCN		SHELL/COACH NO		205169/C
RAILWAY		WCR	ELECT. FIT DATE	05-11-2020	MCF FUR. NO.	SCN-G-457
Sr. no.	Description of tests					Remarks
1.	PUMP EQUIPMENTS					OK
2.	LIGHTS, NL,LAP CHARGING SOCKETS					OK
3.	WORKING OF ACCIDENTAL, EMERGENCY LIGHTS.					OK
4.	RAILWAY CARRIAGE FAN					OK
5.	WHEEL SLIDE PROTECTION SYSTEM ( WSP )					OK
6.	WORKING OF 9 KVA TRANSFORMER					OK
7.	WORKING OF REGULATED BATTERY CHARGER/EMERGENCY BATTERY CHARGER.					OK
8.	SAFETY :					--
8.1.	FUSES AND THEIR RATING					OK
8.2.	CONTROL CIRCUIT					OK
8.3.	POWER CIRCUIT					OK

  
Senior Section Engineer  
Quality control / Electrical  
Modern Coach Factory Raebareli



MCF/RBL





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 01

DATE: 29.06.2020

PAGE 2 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC SCN COACHES

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
01.	Fitment of Switch board cabinet.(set of panel) Make/Sr.no.: <b>HIND</b> On Board: <b>H355.20F.0815</b> HT Panel: <b>H355.20F.0820</b>	EDTS 355, Rev`01'.Am-3	<b>01 SET</b>
02.	Provision of 9 KVA 750/415/190V, 03Ø AC. Make: <b>ZEN POWER</b> Sr no.: <b>ZEN-2000040</b>	RDSO/PE/SPEC/TL 0158, 2010, Rev`0`,Ty I.	<b>01</b>
03.	Mounting of 09KVA TFR.	As per drg no 1.10113.0.76.300.001,Alt -B.	<b>OK</b>
04.	Provision of Pump equipment with pump box. Make: <b>DR AUTO</b> Sr no : <b>20/8/0167</b> Pump 1: <b>4855</b> Pump 2: <b>4819</b>	As per spec no. EDTS186,REV-A,AM-2	<b>01 SET</b>
05.	Provision & Mounting of Pump controller. Make: <b>DR AUTO</b> SL.no.: <b>20/08/0201</b>	As per Spec. EDTS186 Rev-a Am-2, & drg no. CC71328 & LW70020	<b>01</b>
06.	4.5 Kw Under slung type Constant Voltage Regulated Battery charger cum Emergency battery charger Make: <b>PI</b> Sr. no.: <b>08/20/0050</b>	As per spec no. RDSO/PE/SPEC/AC/0183-2015(REV.- 1)	<b>01</b>
07.	Provision of Feeder Junction Box Make : <b>AECO</b>	EDTS-328 REV-C,AM-4,Type- II,COR-2	<b>01 SET</b>
08.	Provision of IVC dummy Socket assembly.	As per Drg. No. LW71302,Alt-nil	<b>01 SET</b>
09.	Battery fuse box +ve Make : <b>INDORAIL</b>	As per LW 71001,Alt- H	<b>01</b>
10.	Battery fuse box -ve Make : <b>RICHMOND</b>	As per LW 71002,Alt-I	<b>01</b>
11.	Provision of Battery boxes/ Cradles. Make: <b>HITECH</b>	As per Drg. No. 110113.0.76.700.005 W/O item 5,22,23,26 & 27,Alt-C or Latest.	<b>01</b>
12.	Provision of batteries Type: 110 V, 120 AH VRLA SMF Battery Set. Make: <b>AMARA RAJA</b> Lug Date: 11/19	As per RDSO/PE/SPEC/AC/0009-2014 (Rev-2) with inner cell connectors or Latest.	<b>01 SET</b>

Senior Section Engineer  
Quality control / Electrical  
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 01

DATE: 29.06.2020

PAGE 3 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC SCN COACHES

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
13.	Fitment of Railway carriage Fan 400mm Sweep, 110V AC with crash worthy features. Make: <b>VIDISHA ELECT.</b>	As per Drg. No. ICF/SK-7-6-158.alt-g. RDSO/PE/SPEC/TL/0021-2005 (Rev-3) with RCF annex-1,am-1.	<b>30</b>
14.	Fitment of LED Light fittings for Cabin, Doorway and Gangway area. 9 watt. Make: <b>RT VISION</b>	As per RDSO/PE/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1 .Type-B1. Drg. No. CC76453.	<b>26</b>
15.	Fitment of LED Light fittings for Night Light with berth indication Type-E (1 watt). Make: <b>AGASTYA</b>	As per RDSO/PE/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1, ICF/STB-7-6-053.Type- E. Drg. No. CC76461	<b>10</b>
16.	Fitment of LED Light fittings for Lavatory Lights. 9 Watt. Make: <b>RT VISION</b>	As per RDSO/PE/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1Type-D. Drg. No. LW76092.	<b>04</b>
17.	Fitment of LED Light fittings for PACIL. Make: <b>AGASTYA</b>	As per RDSO/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1Type-I. Drg. No. LW76098.	<b>02</b>
18.	Fitment of Accidental Emergency Light (AEL) Make: <b>INTEG</b>	As per RDSO/SPEC/AC/0180-2016,Rev-0 ,Type-II.	<b>04</b>
19.	Provision of Cable binder	Drg. No. CC76120,Item - 1,2,3,100mm,200mm,300mm respectively.	<b>OK</b>
20.	Provision of Cable Jacket System.	EDTS-138,Cor-2,Item-5,7,8,9,11.	<b>OK</b>

*Senior Section Engineer*  
Quality control / Electrical  
Modern Coach Factory Raebareli







Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 01

DATE: 29.06.2020

PAGE 4 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC SCN COACHES

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
21.	Provision of Switch plate assembly along with mobile charging sockets. Make: <b>SSK</b>	EDML-086, Rev-6, Am-1, Table-1, Item-1.	<b>10</b>
22.	Provision of Switch plate assembly along with mobile charging sockets. Make: <b>SALZER</b>	EDML-086, Rev-6, Am-1, Table-1, Item-2.	<b>10</b>
23.	Provision of Switch plate assembly along with mobile charging sockets. Make: <b>SALZER</b>	EDML-086, Rev-5, Am-1, Table-1, Item-3.	<b>20</b>
24.	Provision of High Capacity Inter – Vehicular Coupler Unit (ZS Coupling) (500 A, 750 V, 3 ph, 50 Hz). Make: 1.(NPP): <b>S.INTERNATIONALS</b> 2.(PP): <b>S.INTERNATIONALS</b>	As per Spec. no. RDSO/PE/SPEC/AC/0177(Rev.-0)-2013 with annexure-A, B.	<b>01 SET</b>
25.	Mounting of Inter Vehicle coupler	As per drg no.1.10113.0.74.000.001,Alt-B	<b>OK</b>
26.	Provision of Wheel Set Earthing equipment. Make:- NPP: <b>PRIME ELECT.</b> PP: <b>PRIME ELECT.</b>	EDTS101,REV-C,AM-1	<b>01 SET</b>
27.	Provision of Anti Skid Disk Brake System.(WSP) Make : <b>KNORR</b> Sr no : <b>0120154966</b>	As per MDTs 077,Rev.-2 M/s"FAIVELEY" or "Knorr Bremse", or "ESCORTS"	<b>01 SET</b>

<b>SSE/EL/QC</b> <b>वरिष्ठ अनुभाग अभियन्ता</b>	<b>AWM(ELECT.)/MCF/RBL</b> <b>SEE(P)/MCF/RBL</b>

गुणवत्ता नियंत्रण  
आ०रे०डि०का० / लालगंज / रायबरेली  
S.S.E./Elect-QC/M.C.F./LLJ/RBL

स० कार्य प्रबन्धक / विद्युत  
आ०रे०डि०का० / रायबरेली  
A.W.M./Electrical/MCF/RBL

