
		<b>Modern Coach Factory Raebareli</b> <b>आधुनिक रेल डिब्बा कारखाना, रायबरेली</b>		DOC NO.: MCF/RBL/QMF 8002 REV NO: 01 DATE: 17.04.2018		
ROLLING STOCK CERTIFICATE (DEEN DAYALU) Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21 /1261						
RLY	WCR	COACH NO	215519/C	DATE OF DISPATCH		15-Mar-21
Type	LWS	Shell No.	20F180	DISPATCH TO	Sr.DME/C&W/JBP	FUR.NO. DDG-637
1. Railway Board's Order No. 2019/M (C)/142/2, Date- 03.09.2019 2. Tare weight of coach : 40.66 Tonnes 3. Carrying Capacity : (a) Seating: 100 (c) Luggage: NIL 4. Special feature:						
S NO	ITEMS				MAKE/SUPPLIER	
A	Cushion transverse side luggage rack which can serve as seat during rush				M/S-NITIN NDLS	
B	Honey comb partition frame.				M/S-MILTON LTD	
C	DGFRP/GFRE paneling.				M/S-MCF/RBL	
D	Lavatory with DGFRP/GFRE paneling.				M/S-MCF/RBL	
E	Additional Hand hold.				M/S-MCF/RBL	
F	Counter top wash basin.				M/S-MCF/RBL	
G	Gel coating & Anti Graffiti measures.				M/S-MCF/RBL	
H	Air spring in secondary suspension (capacity-140KN).				M/S-AVADH RAIL INFRA	
I	Fire Extinguishers				M/S-AMTEX	
J	Vestibule ends for inter-coach movement of passenger and the service staff (LWSCN type End wall)					
K	Choke of 5/6 mm in DV side replace with 9 mm in both type (KBI & Faiv.) letter no. MC/LHB/Brake, DT. 27.09.18					
5. SHELL LEADING DIMENSIONS:						
S NO	DESCRIPTION				DIMENSION (MM)	
1	Maximum length over body				23700	
2	Maximum width over body				3240	
3	Maximum height from Rail Level				4039	
4	CBC height/Buffer height from Rail level 1105 +0/-10				NPP/PP	1104/1103
6. TRACEABILITY OF SHELL ITEMS:						
S NO	ITEM	MAKE/SUPPLIER	SERIAL NO			
1	Under frame	Front	PP END	M/S-SICO	----	
		Part	NPP END	M/S-SFPL	----	
		Complete	MCF/RBL-AIRCON	20F180		
2	Lav. side wall	PP END	M/S-DTL PUNE	LAV.1	-----	LAV.2
		NPP END	M/S-DTL PUNE	LAV.3	-----	LAV.4
3	Side wall	LH SIDE	MCF/RBL-V4U LKO	48		
		RH SIDE	MCF/RBL-V4U LKO	48		
4	End wall	PP END	M/S-OMAX REWARI	-----		
		NPP END	M/S-OMAX REWARI	-----		
5	Roof	M/S-INDIRA	42			
6	Centre Buffer Coupler	M/S-FRONTIETR	PP END/ NPP END	110P1/44P1		
7. AIR BRAKE TEST REPORT:						
S NO	ITEM	DESCRIPTION	SPEC. VALUE	OBSERVED		
1	Full brake application	Reduce pressure of BP from 5.0 to 3.4 kg/cm <sup>2</sup> .	6 – 10 sec.	8 Sec		
		Max. pressure in BC	3.0 ±0.15 kg/cm <sup>2</sup> .	3.0 kg/cm <sup>2</sup>		
		All Brake are applied	OK	OK		
2	Insensitivity	Exhaust BP @ 0.3 kg/cm <sup>2</sup> /min.	No brake application	OK		
3	Sensitivity	Exhaust BP @ 0.1 kg/cm <sup>2</sup> /Sec, after 06 Sec.	Brake must apply	OK		
8. PAINTING DETAILS:						
S NO	DESCRIPTION	TYPE OF PAINT	MAKE	APPLICATION BY MCF/ CONTRACTOR (SUPPLY & APPLY)	AVERAGE GLOSS VALUE	DATE OF COMPLETION
1	Paint	P.U	VIBGYOR	M/S-VIBGYOR	75/89	8-Mar-21
2	Insulation	Satisfactory				

  
03/07/21  
SSE/QC/MCF/RBL

वरि०अनु० अभियंता  
गुणवत्ता विभाग  
रेलवे कारखाना, रायबरेली (लालगंज)





MODERN COACH FACTORY, RAEBARELI

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO.: 01

DATE: 16.05.2016

**ROLLING STOCK CERTIFICATE****Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21 - 1261**

RLY	W	C	R	-	Coach No.	2	1	5	5	1	9	/	C	-	DATE OF DISPATCH	1	5	0	3	2	0	2	1
DISPATCH	Sr.DME/C&W/IBP				Type	L	W	S	-	-	-	Shell No.	2	0	F	1	8	0	FUR.NO	DDG- 637			

**9. DETAIL OF BOGIES:**

ITEMS	NPP Side				PP Side			
Bogie No	202534				202533			
Bogie Type	LWS				LWS			
Frame no.	BEEKEY ENGG- 22				BEEKEY ENGG- 24			
Bolster no.	MCF/RBL/LS-5 - 2892				MCF/RBL/LS-5 - 2890			
Axle No	20W - 2297 RWF		20 W - 7241 RWF		21 C - 3905 RWF		20 B - 5522 RWF	
Wheel Dia	917.659	917.374	917.64	917.348	917.61	917.40	917.501	917.516
Wheel Disc No	TZ 05-18 19232-8PN7	TZ 03-19 29550-9MH9	TZ 05-18 23853-8NG1	TZ 12-18 13522-8WR2	TZ 04-19 38962-90H7	TZ 05-19 41413-09PJ7	TZ 05-19 18204-8MV0	TZ 08-19 74107-9SJ7
R.B. Nos.	06-20 411966	03-20 409427	02-20 406706	06-20 505477	03-20 410077	03-20 407440	06-20 412427	06-20 410725
CT R B Make	TIMKEN		TIMKEN		TIMKEN		TIMKEN	

**10. SECONDARY SUSPENSION LOAD DEFLECTION VALUES :-**

DESCRIPTION	Bogie NPP side		Bogie PP side	
	Secondary 1	Secondary 2	Secondary 1	Secondary 2
Make & Nos.	AVADH RAIL 08-20 10569	AVADH RAIL 03-20 8304	AVADH RAIL 08-20 10549	AVADH RAIL 08-20 11090

**11. TRACEABILITY OF BOGIE ITEMS :-**

S. NO	ITEM	MAKE/ SUPPLIER	SERIAL NO.	
			NPP SIDE	PP SIDE
1.	Yaw Damper	ESCORT	8030,8017	7930,8021
2.	Primary outer Spring	CMGBD/CMFSK	11-19 F07-894-(166,877,165,894)	06-20 F07-200-(139,155,107,146)
3.	Primary Inner Spring	CMGBD/CMFSK	01-20 F06-400-(305,872,357,360)	07-20 F06-216-(1744,1635,1765,1845)
4.	Primary Damper	GABRIEL	05-20 (1754,18200,1788,18135)	02-20 (18144,18234,18137,18229)
5.	Secondary Damper	IAI	01-20 (296185,326653)	01-20 (296176,296186)
6.	Lateral Damper	KONI	03-19 02155	04-19 00538
7.	Brake Cylinder	FAV	C19-696,A21(180,185,126)	B21(003,105),A21-172,K20-262
8.	Brake Caliper	FAV	B21(374,372,371,373)-B	B21(425,423,467,470)-B
9.	Brake Disc	FAV	08-20(4053,4083,3470,3474)D133561-300	08-20(2479,3923,4054,4056)D133561-300
10.	Ball Joint Control Arm	BONY/BASANT		
11.	Lateral Bump Stop	GMT		
12.	Traction Centre make	RNG		
13.	Traction lever make	TAJ		
14.	Ball joint traction lever	BASANT		
15.	Ball joint traction centre	AR		
16.	Leveling Valve	FAV	G20-692,G20-520	G20-710,G20-734
17.	Check Valve	FAV	G20-205	M19-157
18.	Anti roll bar Make	SF		
19.	Roll Link make	RF/BASANT		
20.	Fork make	SF		
21.	Control Arm Upper	SF/CC	881,2117,1718,302	20G636,20G746,G20577,20G523
22.	Control Arm Lower	SF/CC	128,150,53,286	20G110,20G593,20G809,20G596
23.	Phonic Wheel	ESCORT	ESCORT	ESCORT

Signature of SSE/Bogie/QC





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002  
REV NO: 01  
DATE: 17.04.2018

ROLLING STOCK CERTIFICATE (DEEN DAYALU)  
Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21

RLY	WCR	COACH NO	215519/C	DATE OF DISPATCH	15-Mar-21
Type	LWS	Shell No.	20F180	DISPATCH TO	Sr.DME/C&W/JBP
				FUR.NO.	DDG-637

12. TRACEABILITY OF FURNISHING ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO(NPP/PP)
1	Air Brake Module	M/S-FAIVELEY	B21027B
2	Distribution valve	M/S-FAIVELEY	B215510B
3	Pull box	M/S-KBI	
4	FIBA	M/S-KBI	12424/29,12341/29
5	Foot Step	M/S-FABRICON INDS KOLKATA	
6	Decoupling arrangement	M/S-PULSAR INDS KOLKATA	
7	Floor board	M/S-SHREE RAM PNL	
11	UIC Vestibule (NPPE)	M/S-SUNCREST KOLKATA	
12	Gangway bridge mounting (PPE)	M/s- MAHAVEER METAL WORKS, KXH	
13	Gangway bridge mounting (NPPE)	M/s- MAHAVEER METAL WORKS, KXH	
14	Body Side Window	M/S-SHATABDI VADODARA	
15	Emergency Window	M/S-SHATABDI VADODARA	
16	Lavatory/hopper Window	M/s-AIKON HP	
17	Roof Ceiling ACP	M/s-A.B.COMPOSITE	
18	Door way /gang way ceiling ACP	M/s-A.B.COMPOSITE	
19	Body Side Doors	M/s-MSL MOHALI(1,4)+SVARAN (2,3,5,6)	
20	Vestibule Door(PPE)	M/s-KALSI LDH	
21	Vestibule Door(NPPE)	M/s-KALSI LDH	
22	Bio Tank	M/s-RASANDIK-02 NOS+UNIFAB-02 NOS	
23	Pressurized flushing(ele.pneu.)	M/S-OASIS	
24	Over head water tank (4x390L)	M/S-FABRICATORS	
25	Bib cock/controlled discharge tap	M/S-AGMECO U.K.	
26	Lavatory Doors	M/S-JVR LDH	
27	Fire Extinguisher	M/S-AMTEX	26614/26547
28	Water purified (02 nos)	NIL	
29	Seat & Berth	M/S-OVPL MUMBAI	
30	Luggage Rack	M/S-NITIN HOME NDLS	
31	Light Luggage Rack	NIL	
32	Ventury grill	NIL	
33	RFID	NIL	

03/07/21  
SSE/QC/MCF/RBL  
वरिष्ठ अनु 0 अभियंता  
गुणवत्ता विभाग  
रायबरेली (लालगंज)



Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002  
REV NO: 01  
DATE: 17.04.2018

ROLLING STOCK CERTIFICATE (DEEN DAYALU)  
Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21

RLY	WCR	COACH NO	215519/C	DATE OF DISPATCH	15-Mar-21
Type	LWS	Shell No.	20F180	DISPATCH TO	Sr.DME/C&W/JBP
				FUR.NO.	DDG-637

13. MODIFICATION (IF ANY) : NIL

14. DEVIATION (IF ANY) : NIL

15. ITEM FITTED ON THE COACH ON TRIAL : NIL

S NO	ITEM PARTICULARS	PURPOSE	REPORT Frequency	REFERENCE & PERIOD OF TRIAL
--	--	----	----	----

16. WARRANTY:




S NO	COMPONENTS	WARRANTY
1	Brake Pad, wheels, flushing valves, push gravity cocks, moldings, window glasses, mirrors, curtain clutch wire etc. ( items which are consumable in nature)	NIL
2	Other coach furnishing sub assemblies(bought out items)	24 months from the date of dispatch of coach OR 30months from the date of supply of material whichever is earlier.

NOTE:

- This warranty covers free supply of parts which wear out and fails within warranty period of normal service.
- This doesn't covers faults arising out of accident, non standard maintenance practices, abnormal use or mishandling, vandal activity, arson & deficient/pilferage etc.
- This doesn't cover any consequential liabilities or damages/loss incurred by anybody; furthermore, it shall in no case extend to repayment, return of the coach or replacement of complete coach.
- Whether a defective part is to be replaced or repaired shall be at the discretion of MCF/RBL.
- For any complain/ suggestion please Mail at qualityrcfrbl@gmail.com
- Painting on supply & apply contract :- supply of material and application shall be warranted for a period of three years from Application for any manufacturing /Application as per clause -4,para- V of RDSO specification no .M&C/PCN/100/2013-Given below

S.No	Time period	Gloss Retention (initial gloss >85 unit at 60°)	Colour Retention rating on 0-10 scale (initial rating of painted panels/coach or ISC/RAL shade card shall be taken as 10)	Adherence of paints (with each other and with substrate ) Cross-cut tape adhesion test as per ASTM D:3359/97(or latest)
1	After 1 year	80% of initial gloss	7	5B
2	After 2 year	70% of initial gloss	6	5B
3	After 3 year	60% of initial gloss	5	4B

If any imperfection is noticed or any defect arises during the warranty -period due to improper material used or due to bad workmanship, the contractor shall be bounded to set right the defect/ imperfection on free of cost basis at the base depot of the coach.

 03/07/21	 3-7-2021	 3/7
SSE/QC/MCF/RBL	SME/AME/QC/MCF/RBL	Dy. Chief Quality Manager

वरिष्ठ अनुसंधान अभियंता

गुणवत्ता विभाग

मोडर्न रेल डिब्बा कारखाना (लालगंज)

Asst. Mechanical Engineer  
आ. रे. डि. का. रायबरेली  
MCF, RBL

Dy. Chief Quality Manager

आधुनिक रेल डिब्बा कारखाना, रायबरेली  
Modern Coach Factory, Raebareli





# Vibgyor Paints & Chemicals Pondicherry

Office : Sri Balaji Apartments, 87/47, Harrington Road,  
Shenoy Nagar, Chennai - 600 030.  
Web : [www.vibgyorpaintspondicherry.com](http://www.vibgyorpaintspondicherry.com)

ISO : 9001 : 2015  
ISO : 14001 : 2015  
Certified Company

## WARRANTY CERTIFICATE

To,

DY.CME/FUR/PAINT  
MODERN COACH FACTORY  
RAEBARELI, LALGANJ- 229120

Date:- 09/03/2021

SUBJECT: -PERFORMANCE WARRANTY CERTIFICATE

REF: PO NO: 06190055100701 dated 20.05.2020

NAME OF WORK: SUPPLY AND APPLY OF EXTERIOR PAINT OF LHB DEEN DAYALU COACHES

Dear Sir,

With reference to above, we do hereby confirm the warranty for Three years from the date of application of the delivered below mention coaches vide your above referred purchase order after application & date inspection at your end.

SL.NO	SHELL NO	FURNISHING NO	COACH NO	RAILWAY NO	DATE OF COMPLETION
9	LWSDG 20F180	DDG 637	215519	WCR	18/02/2021 08/03/2021

The warranty is applicable from date of despatch against the below mention defects as per RDSO Specification no. M&C/PCN/100/2013.

Gloss level value of applied paint initial 85unit (on the date of painting) and minimum 80% 70% 860N of initial gloss after one year, two years, three years respectively from the date of application.

Decolonization of paint film.  
Cracking of paint film  
Peeling of paint film  
Blistering of the paint film

*Amir*

Thanking You

For Vibgyor paints & chemicals Pondicherry  
Authorized Signatory





Modern Coach Factory Raebareli  
आधुनिकरेलडिब्बाकारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 01

DATE: 29.06.2020


PAGE 1 OF 4

FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB EOG NON AC GS COACH  
(ANTYODAYA & DEENDAYALU).

ELECTRICAL TEST CERTIFICATE FOR LHB EOG NON AC GS COACH.

TYPE COACH	LWS/DDG	SHELL/COACH NO	215519/C
RAILWAY	WCR	ELECT. FIT DATE	12-03-2021 MCF FUR. NO.
			DDG - 637
Sr. no.	Description of tests		Remarks
1.	WORKING OF COMPARTMENT LIGHTS.		OK
2.	WORKING OF MOBILE CHARGING SOCKETS		OK
3.	WORKING OF ACCIDENTAL EMERGENCY LIGHTS& PACIL		OK
4.	RAILWAY CARRIAGE FAN		OK
5.	WHEEL SLIDE PROTECTION SYSTEM ( WSP )		OK
6.	WORKING OF 9 KVA TRANSFORMER		OK
7.	WORKING OF REGULATED BATTERY CHARGER/EMERGENCY BATTERY CHARGER.		OK
8.	SAFETY :		--
8.1.	FUSES AND THEIR RATING		OK
8.2	CONTROL CIRCUIT		OK
8.3	POWER CIRCUIT		OK

  
Senior Section Engineer  
Quality control / Electrical  
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli  
आधुनिकरेलडिब्बाकारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001


REV NO: 01

DATE: 29.06.2020

PAGE 2 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC GS COACHES  
(ANTYODAYA & DEENDAYALU).

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
01.	Fitment of Switch board cabinet.(set of panel) Make/Sr.no.: <b>HIND</b> On Board: <b>H355.20E.0759</b> HT Panel: <b>H355.20E.0751</b>	EDTS 333, Rev'01'.Am-1	<b>01 SET</b>
02.	Provision of 9 KVA 750/415/190V, 03Ø AC. Make : <b>VIMAL</b> Sr no.: <b>VTC 3089 LHB 4470</b>	RDSO/PE/SPEC/TL 0158, 2010, Rev'0',Ty I.	<b>01</b>
03.	Mounting of 09KVA TFR.	As per drg no 1.10113.0.76.300.001,Alt -B.	OK
04.	Provision of wire rope assembly for Transformer.	As per EDML-152, Rev.-Nil.	OK
05.	4.5 Kw Under slung type Constant Voltage Regulated Battery charger cum Emergency battery charger Make: <b>SIGNOTRON</b> Sr. no.: <b>08201730</b>	As per spec no. RDSO/PE/SPEC/AC/0183-2015(REV.-1)	<b>01</b>
06.	Provision of Feeder Junction Box Make : <b>MV ELECTROSYSTEMS</b>	EDTS-328 REV-C,AM-4,Type-II,COR-2	<b>01 SET</b>
07.	Provision of IVC dummy Socket assembly.	As per Drg. No. LW71302,Alt-nil	<b>01 SET</b>
08.	Battery fuse box +ve Make : <b>INDORAIL</b>	As per LW 71001,Alt- H	<b>01</b>
09.	Battery fuse box -ve Make : <b>AECO</b>	As per LW 71002,Alt-I	<b>01</b>
10.	Provision of Battery boxes/ <b>Cradles.</b> Make: <b>HITECH</b>	As per Drg. No. 110113.0.76.700.005 W/O item 5,22,23,26 & 27,Alt-C or Latest.	<b>01</b>
11.	Provision of batteries Type:110 V, 120 AH VRLA SMF Battery Set. Make: <b>AMARA RAJA</b> Lug Date: <b>06/20</b>	As per RDSO/PE/SPEC/AC/0009-2014 (Rev-2) with inner cell connectors or Latest.	<b>01</b>

  
Senior Section Engineer  
Quality control / Electrical  
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli  
आधुनिकरेलडिब्बाकारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 01

DATE: 29.06.2020

PAGE 3 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC GS COACHES  
(ANTYODAYA & DEENDAYALU).

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
12.	Fitment of Railway carriage Fan 400mm Sweep, 110V AC with crash worthy features. Make: VIDISHA	As per Drg. No. ICF/SK-7-6-158, alt-g. RDSO/PE/SPEC/TL/0021-2005 (Rev-3) with RCF annex-1, am-1.	30
13.	Fitment of LED Light fittings for Cabin, Doorway and Gangway area. 9 watt. Make: RT VISION	As per RDSO/PE/SPEC/TL/0091-2016, Rev-1 with RCF Annex-1 .Type-B1. Drg. No. CC76453.	28
14.	Fitment of LED Light fittings for Lavatory Lights. 9 Watt. Make: RT VISION	As per RDSO/PE/SPEC/TL/0091-2016, Rev-1 with RCF Annex-1 Type-D. Drg. No. LW76092.	04
15.	Fitment of LED Light fittings for PACIL. Make: AGASTYA	As per RDSO/SPEC/TL/0091-2016, Rev-1 with RCF Annex-1 Type-I. Drg. No. LW76098.	02
16.	Fitment of Accidental Emergency Light (AEL) Make: INTEG	As per RDSO/SPEC/AC/0180-2016, Rev-0, Type-II.	04
17.	Provision of Cable binder	Drg. No. CC76120, Item - 1, 2, 3. 100mm, 200mm, 300mm respectively.	OK
18.	Provision of Cable Jacket System.	EDTS-138, Cor-2, Item-5, 7, 8, 9, 11.	OK
19.	Provision of Switch plate assembly along with mobile charging sockets. Make: SSK	EDML-086, Rev-6, Am-1, Table-1, Item-1.	10

*Senior Section Engineer*  
Quality control / Electrical  
Modern Coach Factory Raebareli







	<b>Modern Coach Factory Raebareli</b> <b>आधुनिकरेलडिब्बाकारखाना, रायबरेली</b>	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 4 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC GS COACHES  
(ANTYODAYA & DEENDAYALU).

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
20.	Provision of Switch plate assembly along with mobile charging sockets. Make: <b>SSK</b>	EDML-086, Rev-6, Am-1, Table-1, Item-2.	<b>10</b>
21.	Provision of High Capacity Inter – Vehicular Coupler Unit (ZS Coupling) (500 A, 750 V, 3ph, 50 Hz). Make: 1.(NPP): <b>PRIME ELECT.</b> 2.(PP): <b>PRIME ELECT.</b>	As per Spec. no. RDSO/PE/SPEC/AC/0177(Rev.-0)-2013 with annexure-A, B.	<b>1 SET</b>
22.	Mounting of Inter Vehicle coupler	As per drg no.1.10113.0.74.000.001,Alt-B	<b>OK</b>
23.	Provision of Wheel Set Earthing equipment. Make:- NPP: <b>PRIME ELECT.</b> PP: <b>PRIME ELECT.</b>	EDTS101,REV-C,AM-1	<b>1 SET</b>
24.	Provision of Anti Skid Disk Brake System.(WSP) Make : <b>FAIVELEY</b> Sr no : <b>13118</b>	As per MDTs 077,Rev.-2 M/s"FAIVELEY" or "Knorr Bremse", or "ESCORTS" or" JWL-DAKO-CZ"	<b>01 SET</b>

<b>SSE/EL/QC</b> <b>वरिष्ठ अनुभाग अभियन्ता</b> <b>गुणवत्ता नियंत्रण</b> <b>आपरेडिङका० / लालगंज / रायबरेली</b> <b>S.S.E./Elect-QC/M.C.F./LJ/RBL</b>	<b>AWM(ELECT.)/MCF/RBL</b> <b>SEE(P)/MCF/RBL</b>