	Modern Coach Factory Raebareilly	DOC NO.: MCF/RBL/QMF 8002
	आधुनिक रेल डिब्बा कारखाना, रायबरेली	REV NO: 01
		DATE: 17.04.2018

ROLLING STOCK CERTIFICATE (DEEN DAYALU)

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21 /1288

RLY	WCR	COACH NO	215649/C	DATE OF DISPATCH	15-Mar-21
Type	LWS	Shell No.	20F149	DISPATCH TO	Sr.DME/C&W/JBP
				FUR.NO.	DDG-650

1. Railway Board's Order No. 2020/M (C)/142/2, Date- 09.07.2020
2. Tare weight of coach : 40.66 Tonnes
3. Carrying Capacity : (a) Seating: 100 (c) Luggage: NIL
4. Special feature:

S NO	ITEMS	MAKE/SUPPLIER
A	Cushion transverse side luggage rack which can serve as seat during rush	M/S-CMT VADODARA
B	Honey comb partition frame.	M/S-CMT VADODARA
C	DGFRP/GFRE paneling.	M/S-CMT VADODARA
D	Lavatory with DGFRP/GFRE paneling.	M/S-CMT VADODARA
E	Additional Hand hold.	M/S-CMT VADODARA
F	Counter top wash basin.	M/S-CMT VADODARA
G	Gel coating & Anti Graffiti measures.	M/S-CMT VADODARA
H	Air spring in secondary suspension (capacity-140KN).	M/S-RESISTOFLEX
I	Fire Extinguishers	M/S-A-ONE
J	Vestibule ends for inter-coach movement of passenger and the service staff (LWSCN type End wall)	
K	Choke of 5/6 mm in DV side replace with 9 mm in both type (KBI & Faiv.) letter no. MC/LHB/Brake, DT. 27.09.18	

5. SHELL LEADING DIMENSIONS:

S NO	DESCRIPTION	DIMENSION (MM)
1	Maximum length over body	23700
2	Maximum width over body	3240
3	Maximum height from Rail Level	4039
4	CBC height/Buffer height from Rail level 1105 +0/-10	NPP/PP 1105/1105

6. TRACEABILITY OF SHELL ITEMS:


S NO	ITEM	MAKE/SUPPLIER	SERIAL NO
1	Under frame	Front PP END	M/S-AMIT ENGG 79
		Part NP END	M/S-AMIT ENGG 82
		Complete	MCF/RBL-V4U TECHIE 20F149
2	Lav. side wall	PP END	M/S-ATHANCY ALD LAV.1
		NPP END	M/S-ATHANCY ALD LAV.2
3	Side wall	LH SIDE	MCF/RBL-V4U LKO 41
		RH SIDE	MCF/RBL-V4U LKO 41
4	End wall	PP END	M/S-P.D.STEEL
		NPP END	M/S-P.D.STEEL
5	Roof	M/S-INDIRA	38
6	Centre Buffer Coupler	M/S-FRONTIETR	PP END/ NPP END 143/P1,159P2

7. AIR BRAKE TEST REPORT:

S NO	ITEM	DESCRIPTION	SPEC. VALUE	OBSERVED
1	Full brake application	Reduce pressure of BP from 5.0 to 3.4 kg/cm <sup>2</sup> .	6 – 10 sec.	8 Sec
		Max. pressure in BC	3.0 ±0.15 kg/cm <sup>2</sup> .	3.0 kg/cm <sup>2</sup>
		All Brake are applied	OK	OK
2	Insensitivity	Exhaust BP @ 0.3 kg/cm <sup>2</sup> /min.	No brake application	OK
3	Sensitivity	Exhaust BP @ 0.1 kg/cm <sup>2</sup> /Sec, after 06 Sec.	Brake must apply	OK

8. PAINTING DETAILS:

S NO	DESCRIPTION	TYPE OF PAINT	MAKE	APPLICATION BY MCF/ CONTRACTOR (SUPPLY & APPLY)	AVERAGE GLOSS VALUE	DATE OF COMPLETION
1	Paint	P J	VIBGYOR	M/S-VIBGYOR	75/89	15-Mar-21
2	Insulation			Satisfactory		



SSE/QC/MCF/RBL

वरिष्ठ अनुसंधान विभाग

गुणवत्ता विभाग

रेलवे कारखाना, रायबरेली (लालगंज)





MODERN COACH FACTORY, RAEBARELI

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO.: 01

DATE: 16.05.2016

**ROLLING STOCK CERTIFICATE****Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21 - 1288**

RLY	W	R	-	Coach No.	2	1	5	6	4	9	/	C	-	DATE OF DISPATCH	1	9	0	3	2	0	2	1
-----	---	---	---	-----------	---	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH	Sr.DME/C&W/JBP-	Type	L	W	S	-	-	Shell No.	2	0	F	1	4	9	FUR .NO	DDG- 650
----------	-----------------	------	---	---	---	---	---	-----------	---	---	---	---	---	---	---------	----------

**9. DETAIL OF BOGIES:**

ITEMS	NPP Side				PP Side			
Bogie No	202600				202599			
Bogie Type	LWS				LWS			
Frame no.	AML-343				AML-344			
Bolster no.	Amit -565				AMIT-618			
Axle No	21 C - 3794 RWF		21 C - 4182 RWF		21 C - 3815 RWF		21 C - 4477 RWF	
Wheel Dia	917.496	917.536	917.532	917.531	917.434	917.489	917.519	917.538
Wheel Disc No	TZ 09-20 30661-OTC4	TZ 09-20 43929-OPM3	TZ 09-20 34081-OTC2	TZ 09-20 28662-OTD9	TZ 09-20 31959-OTE8	TZ 09-20 25493-OTC1	TZ 09-20 32269-0SE7	TZ 09-20 32324-OTC2
R.B. Nos.	03-20 300239	06-20 411712	06-20 411969	06-20 412814	06-20 412248	06-20 412577	06-20 412218	06-20 412404
CT R B Make	TIMKEN		TIMKEN		TIMKEN		TIMKEN	

**10. SECONDARY SUSPENSION LOAD DEFLECTION VALUES :-**

DESCRIPTION	Bogie NPP side		Bogie PP side	
	Secondary 1	Secondary 2	Secondary 1	Secondary 2
Make & Nos.	RESISTROFLEX 07-20 15451	RESISTROFLEX. 06-20 15197	RESISTROFLEX 07-20 15457	RESISTROFLEX. 07-20 15165

**11. TRACEABILITY 9OF BOGIE ITEMS :-**

S. NO	ITEM	MAKE/ SUPPLIER	SERIAL NO.	
			NPP SIDE	PP SIDE
1.	Yaw Damper	ESCORT	7932,8023	7657,7931
2.	Primary outer Spring	CMAFJ	08-20 1100-(40,48,38,39)	08-20 1100-(70,47,64,45,)
3.	Primary Inner Spring	CMAFJ	08-20 1101-(271,348,370,369)	08-20 1101-(371,374,376,373)
4.	Primary Damper	IAI	01-20 (299569,300056,298688,299705)	01-20 (299571,298473,300873,299539)
5.	Secondary Damper	IAI	01-20 (295692,295634)	01-20 (295543,295605)
6.	Lateral Damper	KONI	04-19 02091	04-19 01461
7.	Brake Cylinder	ESCORT	61971,62414,62413,61979	61634,62437,62435,61633
8.	Brake Caliper	ESCORT	39204,39139,39138,39205	38877,39157,39156,38876
9.	Brake Disc	KBI	2421016 0001-28/20,24241016 0002-48/20 24241012 0045-47/20,24241012 0046-47/20	24243858 0027-51/20,24243858 0026-51/20 24241013 0050-47/20,24241013 0051-47/20
10.	Ball Joint Control Arm	GMT		
11.	Lateral Bump Stop	GMT		
12.	Traction Centre make	RNG		
13.	Traction lever make	TAJ		
14.	Ball joint traction lever	GMT/BONY		
15.	Ball joint traction centre	BONY		
16.	Leveling Valve	FAV	C20962,C20803	G20-791,G20-659
17.	Check Valve	FAV	L19-221	G20-069
18.	Anti roll bar Make	RF		
19.	Roll Link make	RF+GMT		
20.	Fork make	RNG		
21.	Control Arm Upper	SFL	154,31,44,98	131,138,83,78
22.	Control Arm Lower	SFL	100,28,68,265	122,22,46,122
23.	Phonic Wheel	ESCORT	ESCORT	ESCORT

Signature of SSE/Bogie/QC





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002  
REV NO: 01  
DATE: 17.04.2018





ROLLING STOCK CERTIFICATE (DEEN DAYALU)  
Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21

RLY	WCR	COACH NO	215649/C	DATE OF DISPATCH	15-Mar-21
Type	LWS	Shell No.	20F149	DISPATCH TO	Sr.DME/C&W/JBP
				FUR.NO.	DDG-650

12. TRACEABILITY OF FURNISHING ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO(NPP/PP)
1	Air Brake Module	M/S-ESCORT	2021020846
2	Distribution valve	M/S-ESCORT	2102A846
3	Pull box	M/S-KBI	
4	FIBA	M/S-KBI	12332/29,12325/29
5	Foot Step	M/S-FABRICON INDS KOLKATA	
6	Decoupling arrangement	M/S-PULSAR INDS KOLKATA	
7	Floor board	M/S-SHREE RAM PNL	
11	UIC Vestibule (NPPE)	M/S-ELASTOMER MUMBAI	
12	Gangway bridge mounting (PPE)	M/s- MAHAVEER METAL WORKS, KXH	
13	Gangway bridge mounting (NPPE)	M/s- MAHAVEER METAL WORKS, KXH	
14	Body Side Window	M/S-CMT VADODARA	
15	Emergency Window	M/S-CMT VADODARA	
16	Lavatory/hopper Window	M/S-CMT VADODARA	
17	Roof Ceiling ACP	M/S-CMT VADODARA	
18	Door way /gang way ceiling ACP	M/S-CMT VADODARA	
19	Body Side Doors	M/S-JVR LDH(1)+SVARN(2,4)+SUKATA(3,6)+JBM(5)	
20	Vestibule Door(PPE)	M/s-JBM FARIDABAD	
21	Vestibule Door(NPPE)	M/s-JBM FARIDABAD	
22	Bio Tank	M/s-RASANDIK-02 NOS+JSL LIFE -02 NOS	
23	Pressurized flushing(ele.pneu.)	M/S-OASIS	
24	Over head water tank (4x390L)	M/S-FABRICATORS	
25	Bib cock/controlled discharge tap	M/S-JAQUAR ALWAR	
26	Lavatory Doors	M/S-CMT VADODARA	
27	Fire Extinguisher	M/S-A-ONE	137/127
28	Water purified (02 nos)	M/S-CMT VADODARA	
29	Seat & Berth	M/S-CMT VADODARA	
30	Luggage Rack	M/S-CMT VADODARA	
31	Light Luggage Rack	NIL	
32	Ventury grill	M/S-CMT VADODARA	
33	RFID	NIL	

03/07/21  
SSE/QC/MCF/RBL  
वारं अनु 0 अभियंता  
गुणवत्ता विभाग  
रेल डिब्बा कारखाना, रायबरेली (लालगंज)

		<b>Modern Coach Factory Raebareilly</b> <b>आधुनिक रेल डिब्बा कारखाना, रायबरेली</b>		DOC NO.: MCF/RBL/QMF 8002 REV NO: 01 DATE: 17.04.2018	
ROLLING STOCK CERTIFICATE (DEEN DAYALU) Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21					
RLY	WCR	COACH NO	215649/C	DATE OF DISPATCH	
Type	LWS	Shell No.	20F149	DISPATCH TO	Sr.DME/C&W/JBP
				FUR.NO.	DDG-650
13. MODIFICATION (IF ANY) : NIL					
14. DEVIATION (IF ANY) : NIL					
15. ITEM FITTED ON THE COACH ON TRIAL : NIL					
S NO	ITEM PARTICULARS		PURPOSE	REPORT Frequency	REFERENCE & PERIOD OF TRIAL
--	--		---	----	----
16. WARRANTY:					
S NO	COMPONENTS			WARRANTY	
1	Brake Pad, wheels, flushing valves, push gravity cocks, moldings, window glasses, mirrors, curtain clutch wire etc. ( items which are consumable in nature)			NIL	
2	Other coach furnishing sub assemblies(bought out items)			24 months from the date of dispatch of coach OR 30months from the date of supply of material whichever is earlier.	
NOTE:					
1. This warranty covers free supply of parts which wear out and fails within warranty period of normal service.					
2. This doesn't covers faults arising out of accident, non standard maintenance practices, abnormal use or mishandling, vandal activity, arson & deficient/pilferage etc.					
3. This doesn't cover any consequential liabilities or damages/loss incurred by anybody; furthermore, it shall in no case extend to repayment, return of the coach or replacement of complete coach.					
4. Whether a defective part is to be replaced or repaired shall be at the discretion of MCF/RBL.					
5. For any complain/ suggestion please Mail at qualityrcfrbl@gmail.com					
6. Painting on supply & apply contract :- supply of material and application shall be warranted for a period of three years from Application for any manufacturing /Application as per clause -4,para- V of RDSO specification no .M&C/PCN/100/2013-Given below					
S.No	Time period	Gloss Retention (initial gloss >85 unit at 60°)	Colour Retention rating on 0-10 scale (initial rating of painted panels/coach or ISC/RAL shade card shall be taken as 10)	Adherence of paints (with each other and with substrate ) Cross-cut tape adhesion test as per ASTM D:3359/97(or latest)	
1	After 1 year	80% of initial gloss	7	5B	
2	After 2 year	70% of initial gloss	6	5B	
3	After 3 year	60% of initial gloss	5	4B	
If any imperfection is noticed or any defect arises during the warranty -period due to improper material used or due to bad workmanship, the contractor shall be bounded to set right the defect/ imperfection on free of cost basis at the base depot of the coach.					
 03/07/21		 3-7-2021		 3-7-2021	
SSM/OC/MCF/RBL गुणवत्ता विभाग रेलवे, रायबरेली (लालगंज)		SME/AME/QC/MCF/RBL Asst. Mechanical Engineer आ. रे. डि. का. रायबरेली MCF, RBL		Dy. QC/MCF/RBL गुणवत्ता प्रबंधक आधुनिक रेल डिब्बा कारखाना, रायबरेली Modern Coach Factory, Raebareilly	





# Vibgyor Paints & Chemicals Pondicherry

Office : Sri Balaji Apartments, 87/47, Harrington Road,  
Shenoy Nagar, Chennai - 600 030.  
Web : [www.vibgyorpaintspondicherry.com](http://www.vibgyorpaintspondicherry.com)



## WARRANTY CERTIFICATE

To,

DY.CME/FUR/PAINT  
MODERN COACH FACTORY  
RAEBARELI, LALGANJ- 229120

Date:- 16/03/2021

SUBJECT: -PERFORMANCE WARRANTY CERTIFICATE

REF: PO NO: 06190055100701 dated 20.05.2020

NAME OF WORK: SUPPLY AND APPLY OF PU PAINT FOR LHB TYPE RAJDHANI COACHES

Dear Sir,

With reference to above, we do hereby confirm the warranty for Three years from the date of application of the delivered below mention coaches vide your above referred purchase order after application & date inspection at your end.

SL.NO	SHELL NO	FURNISHING NO	COACH NO	RAILWAY NO	DATE OF COMPLETION
21	LWSDG 20F149	DDG 650	215649	WCR	22/02/2021 15/03/2021

The warranty is applicable from date of despatch against the below mention defects as per RDSO Specification no. M&C/PCN/100/2013.

Gloss level value of applied paint initial 85unit (on the date of painting) and minimum 80% 70% 860N of initial gloss after one year, two years, three years respectively from the date of application.

Decolonization of paint film.  
Cracking of paint film  
Peeling of paint film  
Blistering of the paint film



Thanking You

For Vibgyor paints & chemicals Pondicherry  
Authorized Signatory

Factory : S-51, Phase III, Sipcot Industrial Complex, Nellikuppam, Ranipet - 632 405.  
Ph : +91-4172-241478, Fax : +91-4172-242478, E-mail : [vpcpdyr@yahoo.in](mailto:vpcpdyr@yahoo.in), [ramuvibgyor@yahoo.in](mailto:ramuvibgyor@yahoo.in)

**We have Solutions for Ecofriendly Industrial Coatings**





	<b>Modern Coach Factory Raebareli</b> <b>आधुनिक रेल डिब्बा कारखाना, रायबरेली</b>	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 1 OF 4

<b>FOR ELECTRICAL ITEMS</b>
-----------------------------

ROLLING STOCK CERTIFICATE OF LHB EOG NON AC GS COACH  
(ANTYODAYA & DEENDAYALU).


ELECTRICAL TEST CERTIFICATE FOR LHB EOG NON AC GS COACH.

ELECTRICAL TEST CERTIFICATE FOR LHB EOG NON AC GS COACH.						
TYPE COACH	LWS/DDG		SHELL/COACH NO		215649/C	
RAILWAY	WCR	ELECT. FIT DATE	15-03-2021	MCF FUR. NO.	DDG - 650	
Sr. no.	Description of tests					Remarks
1.	WORKING OF COMPARTMENT LIGHTS.					OK
2.	WORKING OF MOBILE CHARGING SOCKETS					OK
3.	WORKING OF ACCIDENTAL EMERGENCY LIGHTS& PACIL					OK
4.	RAILWAY CARRIAGE FAN					OK
5.	WHEEL SLIDE PROTECTION SYSTEM ( WSP )					OK
6.	WORKING OF 9 KVA TRANSFORMER					OK
7.	WORKING OF REGULATED BATTERY CHARGER/EMERGENCY BATTERY CHARGER.					OK
8.	SAFETY :					--
8.1.	FUSES AND THEIR RATING					OK
8.2.	CONTROL CIRCUIT					OK
8.3.	POWER CIRCUIT					OK

Senior Section Engineer  
Quality control / Electrical  
Modern Coach Factory Raebareli






	<b>Modern Coach Factory Raebareli</b> <b>आधुनिकरेलडिब्बाकारखाना, रायबरेली</b>	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 2 OF 4


**ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC GS COACHES**  
**(ANTYODAYA & DEENDAYALU).**

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
01.	Fitment of Switch board cabinet.(set of panel) Make/Sr.no.: <b>SSK</b> On Board: <b>20/06/050</b> HT Panel: <b>20/06/036</b>	EDTS 333, Rev`01`.Am-1	<b>01 SET</b>
02.	Provision of 9 KVA 750/415/190V, 03Ø AC. Make : <b>VIMAL</b> Sr no.: <b>VTC 3089 LHB 4481</b>	RDSO/PE/SPEC/TL 0158, 2010, Rev`0`,Ty I.	<b>01</b>
03.	Mounting of 09KVA TFR.	As per drg no 1.10113.0.76.300.001,Alt -B.	OK
04.	Provision of wire rope assembly for Transformer.	As per EDML-152, Rev.-Nil.	OK
05.	4.5 Kw Under slung type Constant Voltage Regulated Battery charger cum Emergency battery charger Make: <b>PI</b> Sr. no.: <b>19120274</b>	As per spec no. RDSO/PE/SPEC/AC/0183-2015(REV.-1)	<b>01</b>
06.	Provision of Feeder Junction Box Make : <b>MV ELECTROSYSTEMS</b>	EDTS-328 REV-C,AM-4,Type-II,COR-2	<b>01 SET</b>
07.	Provision of IVC dummy Socket assembly.	As per Drg. No. LW71302,Alt-nil	<b>01 SET</b>
08.	Battery fuse box +ve Make : <b>INDORAIL</b>	As per LW 71001,Alt- H	<b>01</b>
09.	Battery fuse box -ve Make : <b>AECO</b>	As per LW 71002,Alt-I	<b>01</b>
10.	Provision of Battery boxes/ <b>Cradles.</b> Make: <b>HITECH</b>	As per Drg. No. 110113.0.76.700.005 W/O item 5,22,23,26 & 27,Alt-C or Latest.	<b>01</b>
11.	Provision of batteries Type:110 V, 120 AH VRLA SMF Battery Set. Make: <b>AMARA RAJA</b> Lug Date: <b>06/20</b>	As per RDSO/PE/SPEC/AC/0009-2014 (Rev-2) with inner cell connectors or Latest.	<b>01</b>

  
**Senior Section Engineer**  
**Quality control / Electrical**  
**Modern Coach Factory Raebareli**





	DOC NO.: MCF/RBL/QEF/8001	
	REV NO: 01	
	DATE: 29.06.2020	

Modern Coach Factory Raebareli  
आधुनिकरेलडिब्बाकारखाना, रायबरेली

PAGE 3 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC GS COACHES  
(ANTYODAYA & DEENDAYALU).

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
12.	Fitment of Railway carriage Fan 400mm Sweep, 110V AC with crash worthy features. Make: <b>SARIA</b>	As per Drg. No. ICF/SK-7-6-158,alt-g. RDSO/PE/SPEC/TL/0021-2005 (Rev-3) with RCF annex-1,am-1.	<b>30</b>
13.	Fitment of LED Light fittings for Cabin, Doorway and Gangway area. 9 watt. Make: <b>RT VISION</b>	As per RDSO/PE/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1 .Type-B1. Drg. No. CC76453.	<b>28</b>
14.	Fitment of LED Light fittings for Lavatory Lights. 9 Watt. Make: <b>RT VISION</b>	As per RDSO/PE/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1Type-D. Drg. No. LW76092.	<b>04</b>
15.	Fitment of LED Light fittings for PACIL. Make: <b>AGASTYA</b>	As per RDSO/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1Type-I. Drg. No. LW76098.	<b>02</b>
16.	Fitment of Accidental Emergency Light (AEL) Make: <b>INTEG</b>	As per RDSO/SPEC/AC/0180-2016,Rev-0 ,Type-II.	<b>04</b>
17.	Provision of Cable binder	Drg. No. CC76120,Item - 1,2,3.100mm,200mm,300mm respectively.	<b>OK</b>
18.	Provision of Cable Jacket System.	EDTS-138,Cor-2,Item-5,7,8,9,11.	<b>OK</b>
19.	Provision of Switch plate assembly along with mobile charging sockets. Make: <b>SSK</b>	EDML-086, Rev-6, Am-1, Table-1, Item-1.	<b>10</b>

*Senior Section Engineer*  
Quality control / Electrical  
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli  
आधुनिकरेलडिब्बाकारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 01

DATE: 29.06.2020

PAGE 4 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC GS COACHES  
(ANTYODAYA & DEENDAYALU).

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
20.	Provision of Switch plate assembly along with mobile charging sockets. Make: <b>SSK</b>	EDML-086, Rev-6, Am-1, Table-1, Item-2.	<b>10</b>
21.	Provision of High Capacity Inter – Vehicular Coupler Unit (ZS Coupling) (500 A, 750 V, 3ph, 50 Hz). Make: 1.(NPP): <b>PRIME ELECT.</b> 2.(PP): <b>PRIME ELECT.</b>	As per Spec. no. RDSO/PE/SPEC/AC/0177(Rev.-0)-2013 with annexure-A, B.	<b>1 SET</b>
22.	Mounting of Inter Vehicle coupler	As per drg no.1.10113.0.74.000.001,Alt-B	<b>OK</b>
23.	Provision of Wheel Set Earthing equipment. Make:- NPP: <b>DARSHAN ENTERPRISES</b> PP: <b>DARSHAN ENTERPRISES</b>	EDTS101,REV-C,AM-1	<b>1 SET</b>
24.	Provision of Anti Skid Disk Brake System.(WSP) Make : <b>ESCORTS</b> Sr no : <b>200600-62308-0072</b>	As per MDTS 077,Rev.-2 M/s"FAIVELEY" or "Knorr Bremse", or "ESCORTS" or" JWL-DAKO-CZ"	<b>01 SET</b>

<b>SSE/EL/QC</b>	<b>AWM(ELECT.)/MCF/RBL</b>
<b>वरिष्ठ अनुभाग अभियन्ता</b>	<b>SEE(P)/MCF/RBL</b>

गुणवत्ता नियंत्रण  
आ०रे०डि०का० / लालगंज / रायबरेली  
S.S.E./Elect-QC/M.C.F./LLJ/RBL

स० कार्य प्रबन्धक / विद्युत  
आ०रे०डि०का० / रायबरेली  
A.W.M./Electrical/MCF/RBL