
		Modern Coach Factory Raebareli				DOC NO.: MCF/RBL/QMF 8002	
		आधुनिक रेल डिब्बा कारखाना, रायबरेली				REV NO: 01	
						DATE: 17.04.2018	
<p align="center">ROLLING STOCK CERTIFICATE</p> <p align="center">Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/1214</p>							
RLY	WR	COACH NO	215157/C			DATE OF DISPATCH	8-Mar-21
Type	LWSCN1	Shell No.	20G036	DISPATCH TO	Sr.DME/C&W/MMCT	FUR.NO.	LSCN-1845
<p>1. Railway Board's Order No. : 2020/M(C)/142/2,Dated-27.01.2021</p> <p>2. Tare Weight of Coach : 41.24 Tonnes</p> <p>3. Carrying Capacity : (a) Seating: 80 (b) Sleeping: 80 (c) Luggage: NIL</p>							
4. Special feature:							
A Choke of 5/6 mm in DV side replace with 9 mm in both type (KBI & Faiv.)letter no. MC/LHB/Brake, DT. 27.09.18							
5. SHELL LEADING DIMENSIONS:							
S NO	DESCRIPTION					DIMENSION (MM)	
1	Maximum length over body					23700	
2	Maximum width over body					3240	
3	Maximum height from Rail Level					4039	
4	CBC height/Buffer height from Rail level 1105 +0/-10					NPP / PP	1100/1095
6. TRACEABILITY OF SHELL ITEMS:							
S NO	ITEM	MAKE/SUPPLIER	SERIAL NO				
1	Under frame	Front Part	PP END	M/S-SICO	-----		
			NPP END	M/S-SICO	-----		
		Complete		M/S-SICO	-----		
2	Lav. side wall	M/S-DTL PUNE	LAV.1	-----	LAV.2	-----	
		M/S-DTL PUNE	LAV.4	-----	LAV.3	-----	
3	Side wall	LH SIDE	MCF/RBL-V4U-LKO	116			
		RH SIDE	MCF/RBL-V4U-LKO	116			
4	End wall	PP END	M/S-OMAX	-----			
		NPP END	M/S-OMAX	-----			
5	Roof	MCF/RBL-CONT.	250				
6	Centre Buffer Coupler	M/S-FRONTIER	PP	52P1	NPP	160P1	
7. AIR BRAKE TEST REPORT:							
S NO	ITEM	DESCRIPTION	SPEC. VALUE	OBSERVED			
1	Full brake application	Reduce pressure of BP from 5.0 to 3.4 kg/cm ² .	6 – 10 sec.	7 sec			
		Max. pressure in BC	3.0 ±0.15 kg/cm ² .	3.0 kg/cm ²			
		All Brake are applied	OK	OK			
2	Insensitivity	Exhaust BP @ 0.3 kg/cm ² /min.	No brake application	OK			
3	Sensitivity	Exhaust BP @ 0.1 kg/cm ² /Sec, after 06 Sec.	Brake must apply	OK			
8. PAINTING DETAILS:							
S NO	DESCRIPTION	TYPE OF PAINT	MAKE	APPLICATION BY MCF/ CONTRACTOR (SUPPLY & APPLY)	AVERAGE GLOSS VALUE	DATE OF COMPLETION	
1	Paint	P.U	GSI	M/S-GSI (S&A)	99/95	20-Feb-21	
2	Insulation	Satisfactory					


 15/06/21
 वरिष्ठ अभियंता
 SSE/QC/MCF/RBL
 गुणवत्ता विभाग
 २० डि० रायबरेली (लालगंज)





MODERN COACH FACTORY, RAEBARELI

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO.: 01

DATE: 16.05.2016

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/1214

RLY	-	W	R	Coach No.	2	1	5	1	5	7	/	C	-	DATE OF DISPATCH	0	8	0	3	2	0	2	1
-----	---	---	---	-----------	---	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH	SR.DME/C&W/MMCT	Type	L	W	S	C	N	1	Shell No.	2	0	G	0	3	6	FUR .NO	LSCN-1845
----------	-----------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	---	---------	-----------

8. DETAIL OF BOGIES:

ITEMS	NPP Side				PP Side			
Bogie No	202089				202090			
Bogie Type	FIAT				FIAT			
Frame no.	MCF/RBL/LS-5 - 2486				MCF/RBL/LS-5 - 2482			
Bolster no.	TACPL - 74/120				MCF/RBL/LS-5 - 2803			
Axle No	20 B - 0447 RWF		20 B - 2378 RWF		20 B - 0378 RWF		20 B - 0120 RWF	
Wheel Dia	917.38	917.321	917.424	917.323	917.35	917.318	917.353	917.239
Wheel Disc No	TZ 05-19 45835-9M18	TZ 05-19 42764-9PH5	TZ 05-19 49171-9RJ2	TZ 05-19 41973-9PH9	TZ 05-19 49267-9PG9	TZ 05-19 44487-9PI2	TZ 05-19 48339-9PD7	TZ 05-19 41491-9PE1
R.B. Nos.	07-20 415617	03-20 407965	06-20 413127	03-20 503113	06-20 415500	03-20 409849	07-20 415531	03-20 503996
CT R B Make	TIMKEN		TIMKEN		TIMKEN		TIMKEN	

9. SECONDARY SUSPENSION LOAD DEFLECTION VALUES :-

DESCRIPTION	Bogie NPP side		Bogie PP side	
	Secondary 1	Secondary 2	Secondary 1	Secondary 2
Make & Nos.	AVADH RAIL Sr.NO.07-20 10275	AVADH RAIL Sr.NO.07-20 10295	AVADH RAIL Sr.NO.07-20 10268	AVADH RAIL Sr.NO. 07-20 10258

10. TRACEABILITY OF BOGIE ITEMS :-

S. NO	ITEM	MAKE/ SUPPLIER	SERIAL NO.	
			NPP SIDE	PP SIDE
1.	Yaw Damper	IAI	337752,337804	337911,338122
2.	Primary outer Spring	CMGBD	01-20-F07-403-(345,35), 12-19-F07-402-(510,514)	12-19-F07-402-(31,104,472,343)
3.	Primary Inner Spring	CMGBD	01-20-F06-400-(701,14,926,894)	01-20-F06-400-(955,862,4,864)
4.	Primary Damper	IAI	12-19(290510,290762,290662,289221)	12-19-(291010,288585,289971,289176)
5.	Secondary Damper	GABRIEL	07-20-(2488,2487)	07-20 (2491,2989)
6.	Lateral Damper	G.B	05-20 (01831)	05-20 01833
7.	Brake Cylinder	KBI	C-(9045,7686,7647,9008)K-29	C-(9033,7688,7699,9044)K-29
8.	Brake Caliper	KBI	C-(4928,4740,4875,4709)-29	C-(4739,4925,4927,4741)-29
9.	Brake Disc	FAV	07-20(1793,1794,1631,1633)D133561-300	07-20(1200,1199,1198,1197)D133561-300
10.	Ball Joint Control Arm	AR		
11.	Lateral Bump Stop	BONY		
12.	Traction Centre make	SF		
13.	Traction lever make	TAJ		
14.	Ball joint traction lever	GMT		
15.	Ball joint traction centre	GMT		
16.	Leveling Valve	ESCORT	01-19,01-19	01-19,01-19
17.	Check Valve	ESCORT	01-19	01-19
18.	Anti roll bar Make	RF		
19.	Roll Link make	RF+GMT		
20.	Fork make	RF		
21.	Control Arm Upper	RV/CC	271219-1,271219-1,281219-2,201219-1	271219-1, 271219-1,281219-4,(CC-20A-515)
22.	Control Arm Lower	RV	231219-2,231219-1,231219-2,231219-2	231219-1,231219-4,271219-2,231219-2
23.	Phonic Wheel	FAV	FT/UE-L20, FT/FEP-600	FT/KEP - 600, FT/KEP - 600

Signature of SSE/Bogie/QC



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002
REV NO: 01
DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/1214

RLY	WR	COACH NO	215157/C	DATE OF DISPATCH	8-Mar-21
Type	LWSCN1	Shell No.	20G036	DISPATCH TO	Sr.DME/C&W/MMCT
				FUR.NO.	LSCN-1845

12. TRACEABILITY OF FURNISHING ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO(NPP/PP)
1	Air Brake Module	M/s-KBI	6175 05/21
2	Distribution valve	M/s-KBI	2021A12890
3	Pull box	M/s-KBI	
4	FIBA	M/s-ESCORTS	19110321,19110244
5	Foot Step	M/s- FABRICON KOLKATA	
6	Decoupling arrangement	M/s-PULSER KOLKATA	
7	Floor board	M/s-SHREE RAM PNL	
8	PVC	M/s-RESPONSIVE INDS DELHI	
9	Lavatory inlay	M/s-SEEMA BHOPAL	
10	UIC Vestibule (PPE)	M/S-ELASTOMER MUMBAI	
11	UIC Vestibule (NPPE)	M/S-ELASTOMER MUMBAI	
12	Gangway bridge mounting (PPE)	M/s- MAHAVEER METAL WORKS, KXH	
13	Gangway bridge mounting (NPPE)	M/s- MAHAVEER METAL WORKS, KXH	
14	Body Side Window	M/S-SHATABDI VADODARA	
15	Emergency Window	M/S-SAWALIKA KOLKATA	
16	Lavatory/hopper Window	M/s-AIKON H.P.	
17	Side panel	M/s-HFGW VADODARA	
18	Roof Ceiling	M/s-A.B COMPOSITE	
19	Door way Ceiling	M/s-A.B COMPOSITE	
20	Body Side Doors	M/s-JBM FARIDABAD (2,4)+JVR LDH(1,3)	
21	Vestibule Door(PPE)	M/s-JBM FARIDABAD	
22	Vestibule Door(NPPE)	M/s-JBM FARIDABAD	
23	Bio Tank	M/s-FLASH FORGE	
24	Presurized Flushing(Elect.pneumatic)	M/s-AMIT ENGG BADDI	
25	Auxiliary Water Tank	M/s-SHIVALIK FAST MOHALI	
26	Under Slung Water Tank (2X685L)	M/s-SHIVALIK FAST MOHALI	
27	Under Slung Water Tank (1x685 L)	M/s-AMIT ENGG. MOHALI	
28	Health Faucet	M/s- KAPCO VALVES JUC	
29	Lotah Filler Tap	M/s- KAPCO VALVES JUC	
30	Controlled discharge tap	M/s-AGMECO LTD	
31	Lavatory Doors	M/s-MSL MOHALI(1,3)+JVR LDH(2,4)	
32	Seat & Berth	M/s-OVPL SILICON MUMBAI	
33	Ventury grill	NIL	
34	RFID	NIL	

15/06/21
वरिष्ठ अधिकारी
SSE/QC/MCF/RBL

गुणवत्ता विभाग
रेडि०का०, रायबरेली (लालगंज)





Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002
REV NO: 01
DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/1214

RLY	WR	COACH NO	215157/C	DATE OF DISPATCH	8-Mar-21
Type	LWSCN1	Shell No.	20G036	DISPATCH TO	Sr.DME/C&W/MMCT
				FUR.NO.	LSCN-1845

13. MODIFICATION (IF ANY) : NIL

14. DEVIATION (IF ANY) : NIL

15. ITEM FITTED ON THE COACH ON TRIAL : NIL

S NO	ITEM PARTICULARS	PURPOSE	REPORT Frequency	REFERENCE & PERIOD OF TRIAL
--	-----	-----	-----	-----

16. WARRANTY:




S NO	COMPONENTS	WARRANTY
1	Brake Pad, wheels, flushing valves, push gravity cocks, moldings, window glasses, mirrors, curtain clutch wire etc. (items which are consumable in nature)	NIL
2	Other coach furnishing sub assemblies(bought out items)	24 months from the date of dispatch of coach OR 30months from the date of supply of material whichever is earlier.

NOTE:

1. This warranty covers free supply of parts which wear out and fails within warranty period of normal service.
2. This doesn't covers faults arising out of accident, non standard maintenance practices, abnormal use or mishandling, vandal activity, arson & deficient/pilferage etc.
3. This doesn't cover any consequential liabilities or damages/loss incurred by anybody; furthermore, it shall in no case extend to repayment, return of the coach or replacement of complete coach.
4. Whether a defective part is to be replaced or repaired shall be at the discretion of MCF/RBL.
5. For any complain/ suggestion please Mail at qualityrcfrbl@gmail.com
6. Painting on supply & apply contract :- supply of material and application shall be warranted for a period of three years from Application for any manufacturing /Application as per clause -4, para- V of RDSO specification no .M&C/PCN/100/2013-Given below

S.No	Time period	Gloss Retention (initial gloss >85 unit at 60°)	Colour Retention rating on 0-10 scale (initial rating of painted panels/coach or ISC/RAI shade card shall be taken as 10)	Adherence of paints (with each other and with substrate) Cross-cut tape adhesion test as per ASTM D:3359/97(or latest)
1	After 1 year	80% of initial gloss	7	5B
2	After 2 year	70% of initial gloss	6	5B
3	After 3 year	60% of initial gloss	5	4B

If any imperfection is noticed or any defect arises during the warranty -period due to improper material used or due to bad workmanship, the contractor shall be bounded to set right the defect/ imperfection on free of cost basis at the base depot of the coach.

 15/06/21 वरिष्ठ अभियंता SSE/QC/MCF/RBL गुणवत्ता विभाग 70डि0का0, रायबरेली (लालगंज)	 16/6. SME/AME/QC/MCF/RBL Assistant Manager / Quality आधुनिक रेल डिब्बा कारखाना, रायबरेली Modern Coach Factory, Raebareli	 16/6/2021 उप मुख्य गुणवत्ता प्रबंधक Dy. QM/MCF/RBL आधुनिक रेल डिब्बा कारखाना, रायबरेली Modern Coach Factory, Raebareli
--	---	---





GSTIN : 03ACBPK3400D1ZM
Excise Regn. No. ACBPK3400DXM001

G. S. INDUSTRIES

APPROVED BY

**N.S.I.C.
R.D.S.O.
ISO 9001-2015
ISO 14001-2015**

D-146, FOCAL POINT EXTENSION, JALANDHAR-144004

PHONE : (O) 0181-5081474

(M) 99882-65025, 99884-55459

Website : www.gspaints.com

e-mail : info@gspaints.com

WARRANTY CERTIFICATE

Date: 1/3/21

To,
DY.CME/FUR/PROGRESS
MODERN COACH FACTORY,
RAEBARELI, LALGANJ-229120

Sub:- PERFORMANCE WARRANTY CERTIFICATE
PO NO. 31061800101632 DATED 01.10.2019

NAME OF WORK: - SUPPLY AND APPLY OF PU BASED WET ON WET APPLICABLE EXTERIOR PAINTING SYSTEM FOR LHB COACHES. AS PER SCOPE OF WORK AND MMDTS-18034 REV-02 WITH AMENDMENT NO. MP/RBL/B8 DT 28/05/2019 (EPOXY ELASTIFIED PAINT INSIDE THE COACH NOT TO BE CARRIED OUT ,PAINTING CYCLE TIME WILL BE 30 HRS AS MENTION IN MMDTS-18034 REV-02)

DEAR SIR,

With reference to above, we do here by confirm the warranty for six years of the date of application of delivered below mentioned coaches vide your above referred purchase order after application & due inspection at your end.


SR.	SHELL NO.	FURNISHING NO.	COACH NO.	Railway NO.	DATE OF COMPLETION
270	LWSCN 206036	2SCN-1845	215157	NR	14/02/2021 20/02/2021

The warranty is applicable from date of dispatch against the below mention defects as per MCF specification no. MMDTS 18034 REV-2

- Gloss level value of applied paint-initial 95 unit(on the date of painting) and minimum 90%,85%,75% & 70% of initial gloss after 6 months, one years, four years and six years respectively from the date of application.
- Decolonization of paint film.
- Cracking of paint film.
- Peeling of paint film.
- Blistering of the paint film.
- The coach is warranted 6years for gloss retention, premature failure in colour retention (colour fading) or thatches/peel-off and blistering etc.,

Thanking you,



	Modern Coach Factory Raebareli आधुनिकरेलडिब्बाकारखाना, रायबरेली	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 1 OF 4

FOR ELECTRICAL ITEMS


ROLLING STOCK CERTIFICATE OF LHB EOG NON AC SCN COACH.

ELECTRICAL TEST CERTIFICATE FOR LHB EOG NON AC SCN COACH.						
TYPE COACH		LWSCN		SHELL/COACH NO		215157/C
RAILWAY	WR	ELECT. FIT DATE	28-02-2021	MCF EUR. NO.	LSCN-1845	
Sr. no.	Description of tests				Remarks	
1.	PUMP EQUIPMENTS				OK	
2.	LIGHTS, NL, LAP CHARGING SOCKETS				OK	
3.	WORKING OF ACCIDENTAL, EMERGENCY LIGHTS.				OK	
4.	RAILWAY CARRIAGE FAN				OK	
5.	WHEEL SLIDE PROTECTION SYSTEM (WSP)				OK	
6.	WORKING OF 9 KVA TRANSFORMER				OK	
7.	WORKING OF REGULATED BATTERY CHARGER/EMERGENCY BATTERY CHARGER.				OK	
8.	SAFETY :				----	
8.1.	FUSES AND THEIR RATING				OK	
8.2.	CONTROL CIRCUIT				OK	
8.3.	POWER CIRCUIT				OK	

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli






	Modern Coach Factory Raebareli आधुनिकरेलडिब्बाकारखाना, रायबरेली	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 2 OF 4


ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC SCN COACHES

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
01.	Fitment of Switch board cabinet.(set of panel) Make/Sr.no.: MV On Board: 19090179 HT Panel: 19090174	EDTS 355, Rev`01'.Am-3	01 SET
02.	Provision of 9 KVA 750/415/190V, 03Ø AC. Make: VIMAL Sr no.: VTC 3089 LHB 4404	RDSO/PE/SPEC/TL 0158, 2010, Rev`0`,Ty I.	01
03.	Mounting of 09KVA TFR.	As per drg no 1.10113.0.76.300.001,Alt -B.	OK
04.	Provision of Pump equipment with pump box. Make: HIND Sr no : 20/3/010 Pump 1: 20/3/207 Pump 2: 20/3/208	As per spec no. EDTS186,REV-A,AM-2	01 SET
05.	Provision & Mounting of Pump controller. Make: HIND SL.no.: 20/3/133	As per Spec. EDTS186 Rev-a Am-2, &drg no. CC71328 & LW70020	01
06.	4.5 Kw Under slung type Constant Voltage Regulated Battery charger cum Emergency battery charger Make: SIGNOTRON Sr. no.: 09190385	As per spec no. RDSO/PE/SPEC/AC/0183-2015(REV.- 1)	01
07.	Provision of Feeder Junction Box Make : INDORAIL	EDTS-328 REV-C,AM-4,Type- II,COR-2	01 SET
08.	Provision of IVC dummy Socket assembly.	As per Drg. No. LW71302,Alt-nil	01 SET
09.	Battery fuse box +ve Make : INDORAIL	As per LW 71001,Alt- H	01
10.	Battery fuse box -ve Make : AECO	As per LW 71002,Alt-I	01
11.	Provision of Battery boxes/ Cradles. Make: HITECH	As per Drg. No. 110113.0.76.700.005 W/O item 5,22,23,26 & 27,Alt-C or Latest.	01
12.	Provision of batteries Type:110 V, 120 AH VRLA SMF Battery Set. Make: AMARA RAJA Lug Date: 06/20	As per RDSO/PE/SPEC/AC/0009-2014 (Rev-2) with inner cell connectors or Latest.	01 SET


Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli






	Modern Coach Factory Raebareli आधुनिकरेलडिब्बाकारखाना, रायबरेली	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020


PAGE 3 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC SCN COACHES

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
13.	Fitment of Railway carriage Fan 400mm Sweep, 110V AC with crash worthy features. Make: ORIENT	As per Drg. No. ICF/SK-7-6-158, alt-g. RDSO/PE/SPEC/TL/0021-2005 (Rev-3) with RCF annex-1, am-1.	30
14.	Fitment of LED Light fittings for Cabin, Doorway and Gangway area. 9 watt. Make : HITECH	As per RDSO/PE/SPEC/TL/0091-2016, Rev-1 with RCF Annex-1 .Type-B1. Drg. No. CC76453.	26
15.	Fitment of LED Light fittings for Night Light with berth indication Type-E (1 watt). Make: RT VISION	As per RDSO/PE/SPEC/TL/0091-2016, Rev-1 with RCF Annex-1, ICF/STB-7-6-053. Type- E. Drg. No. CC76461	10
16.	Fitment of LED Light fittings for Lavatory Lights. 9 Watt. Make: DR AUTO	As per RDSO/PE/SPEC/TL/0091-2016, Rev-1 with RCF Annex-1 Type-D. Drg. No. LW76092.	04
17.	Fitment of LED Light fittings for PACIL. Make: AGASTYA	As per RDSO/SPEC/TL/0091-2016, Rev-1 with RCF Annex-1 Type-I. Drg. No. LW76098.	02
18.	Fitment of Accidental Emergency Light (AEL) Make: INTEG	As per RDSO/SPEC/AC/0180-2016, Rev-0 , Type-II.	04
19.	Provision of Cable binder	Drg. No. CC76120, Item - 1, 2, 3. 100mm, 200mm, 300mm respectively.	OK
20.	Provision of Cable Jacket System.	EDTS-138, Cor-2, Item-5, 7, 8, 9, 11.	OK


Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli





	Modern Coach Factory Raebareli आधुनिकरेलडिब्बाकारखाना, रायबरेली	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 4 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC SCN COACHES

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
21.	Provision of Switch plate assembly along with mobile charging sockets. Make: SALZER	EDML-086, Rev-6, Am-1, Table-1, Item-1.	10
22.	Provision of Switch plate assembly along with mobile charging sockets. Make: SALZER	EDML-086, Rev-6, Am-1, Table-1, Item-2.	10
23.	Provision of Switch plate assembly along with mobile charging sockets. Make: SALZER	EDML-086, Rev-5, Am-1, Table-1, Item-3.	20
24.	Provision of High Capacity Inter – Vehicular Coupler Unit (ZS Coupling) (500 A, 750 V, 3ph, 50 Hz). Make:- 1.(NPP): MAA LAXMI INDUSTRIES 2.(PP): MAA LAXMI INDUSTRIES	As per Spec. no. RDSO/PE/SPEC/AC/0177(Rev.-0)-2013 with annexure-A, B.	01 SET
25.	Mounting of Inter Vehicle coupler	As per drg no.1.10113.0.74.000.001,Alt-B	OK
26.	Provision of Wheel Set Earthing equipment. Make:- NPP: PRIME ELECT. PP: PRIME ELECT.	EDTS101,REV-C,AM-1	01 SET
27.	Provision of Anti Skid Disk Brake System.(WSP) Make : KNORR Sr no : 0120295531	As per MDTs 077,Rev.-2 M/s"FAIVELEY" or "Knorr Bremse", or "ESCORTS" or "JWL-DAKO-CZ"	01 SET

	
SSE/EL/QC वरिष्ठ अनुभाग अभियन्ता गुणवत्ता नियंत्रण आ०रे०डि०का० / लालगंज / रायबरेली S.S.E./Elect-QC/M.C.F./LLJ/RBL	AWM(ELECT.)/MCF/RBL SEE(P)/MCF/RBL

आ०रे०डि०का० / लालगंज / रायबरेली
S.S.E./Elect-QC/M.C.F./LLJ/RBL

स० कार्य प्रबन्धक / विद्युत
आ०रे०डि०का० / रायबरेली
A.W.M./Electrical/MCF/RBL

