



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002
REV NO: 01
DATE: 17.04.2018

ROLLING STOCK CERTIFICATE (DEEN DAYALU)

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21 /1285

RLY	WR	COACH NO	215656/C	DATE OF DISPATCH	19-Mar-21
Type	LWS	Shell No.	20F193	DISPATCH TO	Sr.DME/C&W/GIMB
				FUR.NO.	DDG-662

1. Railway Board's Order No. 2020/M (C)/142/2, Date- 21.08.2020

2. Tare weight of coach : 40.66 Tonnes

3. Carrying Capacity : (a) Seating: 100 (c) Luggage: NIL

4. Special feature:

S NO	ITEMS	MAKE/SUPPLIER
A	Cushion transverse side luggage rack which can serve as seat during rush	M/S-CMT VADODARA
B	Honey comb partition frame.	M/S-CMT VADODARA
C	DGFRP/GFRE paneling.	M/S-CMT VADODARA
D	Lavatory with DGFRP/GFRE paneling.	M/S-CMT VADODARA
E	Additional Hand hold.	M/S-CMT VADODARA
F	Counter top wash basin.	M/S-CMT VADODARA
G	Gel coating & Anti Graffiti measures.	M/S-CMT VADODARA
H	Air spring in secondary suspension (capacity-140KN).	M/S-RESISTOFLEX
I	Fire Extinguishers	M/S-A-ONE
J	Vestibule ends for inter-coach movement of passenger and the service staff (LWSCN type End wall)	
K	Choke of 5/6 mm in DV side replace with 9 mm in both type (KBI & Faiv.) letter no. MC/LHB/Brake, DT. 27.09.18	

5. SHELL LEADING DIMENSIONS:

S NO	DESCRIPTION	DIMENSION (MM)
1	Maximum length over body	23700
2	Maximum width over body	3240
3	Maximum height from Rail Level	4039
4	CBC height/Buffer height from Rail level 1105 +0/-10	NPP/PP 1098/1102

6. TRACEABILITY OF SHELL ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO
1	Under frame	Front Part	PP END M/S-NE NPP END M/S-NE
		Complete	MCF/RBL-V4U TECHIE 20F193
2	Lav. side wall	PP END M/S-INDIRA	LAV.1 ----- LAV.2 -----
		NPP END M/S-INDIRA	LAV.3 ----- LAV.4 -----
3	Side wall	LH SIDE	MCF/RBL-V4U LKO 66
		RH SIDE	MCF/RBL-V4U LKO 66
4	End wall	PP END	M/S-EEPL -----
		NPP END	M/S-EEPL -----
5	Roof	M/S-INDIRA	53
6	Centre Buffer Coupler	M/S-FRONTIETR	PP END/ NPP END 236/P1,225P1

7. AIR BRAKE TEST REPORT:

S NO	ITEM	DESCRIPTION	SPEC. VALUE	OBSERVED
1	Full brake application	Reduce pressure of BP from 5.0 to 3.4 kg/cm ² .	6 – 10 sec.	8 Sec
		Max. pressure in BC	3.0 ±0.15 kg/cm ² .	3.0 kg/cm ²
		All Brake are applied	OK	OK
2	Insensitivity	Exhaust BP @ 0.3 kg/cm ² /min.	No brake application	OK
3	Sensitivity	Exhaust BP @ 0.1 kg/cm ² /Sec, after 06.Sec.	Brake must apply	OK

8. PAINTING DETAILS:

S NO	DESCRIPTION	TYPE OF PAINT	MAKE	APPLICATION BY MCF/ CONTRACTOR (SUPPLY & APPLY)	AVERAGE GLOSS VALUE	DATE OF COMPLETION
1	Paint	P.U	GSI	M/S-GSI(WOW)	97/95	28-Feb-21
2	Insulation			Satisfactory		

02/07/21 अभियंता
SSE/QC/MCF/RBL
गुणवत्ता विभाग
रेडिओका, रायबरेली (लालगंज)



MODERN COACH FACTORY, RAEBARELI

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO.: 01

DATE: 16.05.2016

ROLLING STOCK CERTIFICATE**Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21 - 1285**

RLY	-	W	R	Coach No.	2	1	5	6	5	6	/	C	-	DATE OF DISPATCH	1	9	0	3	2	0	2	1
-----	---	---	---	-----------	---	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH	Sr.DME/C&W/GIMB	Type	L	W	S	-	-	-	Shell No.	2	0	F	1	9	3	FUR .NO	DDG- 662
----------	-----------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	---	---------	----------

9. DETAIL OF BOGIES:

ITEMS	NPP Side				PP Side			
Bogie No	202857				202858			
Bogie Type	LWS				LWS			
Frame no.	MCF/RBL/LS5- 2951				MCF/RBL/LS-5 - 2793			
Bolster no.	AMIT - 622				TACPL/KNP - 101/120			
Axle No	20 C -3328 RWF		20 b - 9062 RWF		21 C - 3564 RWF		21 C - 3531 RWF	
Wheel Dia	917.478	917.45	917.466	917.523	917.531	917.568	917.444	917.537
Wheel Disc No	TZ 11-19 86173-0WK4	TZ 09-20 34403-0TE0	TZ 09-20 27483-0TC3	TZ 09-20 32318-0SE7	TZ 09-20 32316-0SE7	TZ 09-20 32317-0SE7	TZ 09-20 28507-0SF8	TZ 09-20 27432-0TC3
R.B. Nos.	06-20 413688	06-20 413450	06-20 413186	06-20 413190	06-20 412880	06-20 413856	06-20 412689	06-20 412982
CT R B Make	TIMKEN		TIMKEN		TIMKEN		TIMKEN	

10. SECONDARY SUSPENSION LOAD DEFLECTION VALUES :-

DESCRIPTION	Bogie NPP side		Bogie PP side	
	Secondary 1	Secondary 2	Secondary 1	Secondary 2
Make & Nos.	RESISTROFLEX 07-20 15479	RESISTROFLEX 07-20 15477	RESISTROFLEX 06-20 15307	RESISTROFLEX 08-20 15987

11. TRACEABILITY OF BOGIE ITEMS :-

S. NO	ITEM	MAKE/SUPPLIER	SERIAL NO.	
			NPP SIDE	PP SIDE
1.	Yaw Damper	ESCORT	7491,7405	7450,7801
2.	Primary outer Spring	CMGBD	12-19-F07-401-(331,309,267,318)	12-19-F07-401-(327,329,719,389)
3.	Primary Inner Spring	CMGBD	01-20-F06-400-(721,686,856,798)	01-20-F06-400-(847,854,787,794)
4.	Primary Damper	IAI	06-20 (321381,321633,309123,320607)	06-20-(321727,321369,321438,321285)
5.	Secondary Damper	GABRIEL	07-20 (2957,2963)	07-20 (2955,2956)
6.	Lateral Damper	KONI	04-19 02112	04-19 01851
7.	Brake Cylinder	ESCORT	61974,62411,62417,61608	61610,62418,62412,61972
8.	Brake Caliper	ESCORT	39207,39136,39142,38531	38533,39143,39137,39206
9.	Brake Disc	KBI	24243858-(0076,0077)-51-20, 24241024-(0061,0060)-50-20	24247101-(0029,0028,0030)-3-21, 24247102-(0029)-3-21
10.	Ball Joint Control Arm	GMT		
11.	Lateral Bump Stop	PRAG		
12.	Traction Centre make	RNG		
13.	Traction lever make	JJ/TAJ		
14.	Ball joint traction lever	GMT		
15.	Ball joint traction centre	GMT		
16.	Leveling Valve	FAV	L19- 483, K19- 822	K19-785, C20 - 941
17.	Check Valve	FAV	M19- 176	M19 - 113
18.	Anti roll bar Make	RF/SF		
19.	Roll Link make	RF+GMT/EMSON		
20.	Fork make	RNG		
21.	Control Arm Upper	SFL	H-(12,5,87,81)	H-(97,82,92,72)
22.	Control Arm Lower	SFL	H-(64,115,38,78)	H-(77,68,215,127)
23.	Phonic Wheel	KBI	K-09-20	K-01-21

Signature of SSE/Bogie/QC



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002
REV NO: 01
DATE: 17.04.2018

ROLLING STOCK CERTIFICATE (DEEN DAYALU)
Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21

RLY	WR	COACH NO	215656/C	DATE OF DISPATCH	19-Mar-21
Type	LWS	Shell No.	20F193	DISPATCH TO	Sr.DME/C&W/GIMB
				FUR.NO.	DDG-662

12. TRACEABILITY OF FURNISHING ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO(NPP/PP)
1	Air Brake Module	M/S-ESCORT	2021020835
2	Distribution valve	M/S-ESCORT	2102A835
3	Pull box	M/S-FAIVELEY	
4	FIBA	M/S-KBI	12061/29,12062/29
5	Foot Step	M/S-FABRICON INDS KOLKATA	
6	Decoupling arrangement	M/S-PULSAR INDS KOLKATA	
7	Floor board	M/S-SHREE RAM PNL	
11	UIC Vestibule (NPPE)	M/S-ELASTOMER MUMBAI	
12	Gangway bridge mounting (PPE)	M/s- MAHAVEER METAL WORKS, KXH	
13	Gangway bridge mounting (NPPE)	M/s- MAHAVEER METAL WORKS, KXH	
14	Body Side Window	M/S-CMT VADODARA	
15	Emergency Window	M/S-CMT VADODARA	
16	Lavatory/hopper Window	M/S-CMT VADODARA	
17	Roof Ceiling ACP	M/S-CMT VADODARA	
18	Door way /gang way ceiling ACP	M/S-CMT VADODARA	
19	Body Side Doors	M/S-JVR LDH	
20	Vestibule Door(PPE)	M/s-JBM FARIDABAD	
21	Vestibule Door(NPPE)	M/s-JBM FARIDABAD	
22	Bio Tank	M/s-FLASH FORGE-02 NOS+JSL LIFE -02 NOS	
23	Pressurized flushing(ele.pneu.)	M/S-OASIS	
24	Over head water tank (4x390L)	M/S-FABRICATORS	
25	Bib cock/controlled discharge tap	M/S-JAQUAR ALWAR	
26	Lavatory Doors	M/S-CMT VADODARA	
27	Fire Extinguisher	M/S-A-ONE	216/206
28	Water purified (02 nos)	M/S-CMT VADODARA	
29	Seat & Berth	M/S-CMT VADODARA	
30	Luggage Rack	M/S-CMT VADODARA	
31	Light Luggage Rack	NIL	
32	Ventury grill	M/S-CMT VADODARA	
33	RFID	NIL	

02/07/21
SSE/QC/MCF/RBL

वरिष्ठ अभियंता
गुणवत्ता विभाग
कोडि०का०, रायबरेली (लालमंज)



Modern Coach Factory Raebareilly
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002
REV NO: 01
DATE: 17.04.2018

ROLLING STOCK CERTIFICATE (DEEN DAYALU)
Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21

RLY	WR	COACH NO	215656/C	DATE OF DISPATCH	19-Mar-21
Type	LWS	Shell No.	20F193	DISPATCH TO	Sr.DME/C&W/GIMB
				FUR.NO.	DDG-662

13. MODIFICATION (IF ANY) : NIL

14. DEVIATION (IF ANY) : NIL

15. ITEM FITTED ON THE COACH ON TRIAL : NIL

S NO	ITEM PARTICULARS	PURPOSE	REPORT Frequency	REFERENCE & PERIOD OF TRIAL
--	--	---	----	----

16. WARRANTY:




S NO	COMPONENTS	WARRANTY
1	Brake Pad, wheels, flushing valves, push gravity cocks, moldings, window glasses, mirrors, curtain clutch wire etc. (items which are consumable in nature)	NIL
2	Other coach furnishing sub assemblies(bought out items)	24 months from the date of dispatch of coach OR 30months from the date of supply of material whichever is earlier.

NOTE:

- This warranty covers free supply of parts which wear out and fails within warranty period of normal service.
- This doesn't covers faults arising out of accident, non standard maintenance practices, abnormal use or mishandling, vandal activity, arson & deficient/pilferage etc.
- This doesn't cover any consequential liabilities or damages/loss incurred by anybody; furthermore, it shall in no case extend to repayment, return of the coach or replacement of complete coach.
- Whether a defective part is to be replaced or repaired shall be at the discretion of MCF/RBL.
- For any complain/ suggestion please Mail at qualityrcfbl@gmail.com
- Painting on supply & apply contract :- supply of material and application shall be warranted for a period of three years from Application for any manufacturing /Application as per clause -4, para- V of RDSO specification no .M&C/PCN/100/2013-Given below

S.No	Time period	Gloss Retention (initial gloss >85 unit at 60°)	Colour Retention rating on 0-10 scale (initial rating of painted panels/coach or ISC/RAL shade card shall be taken as 10)	Adherence of paints (with each other and with substrate) Cross-cut tape adhesion test as per ASTM D:3359/97(or latest)
1	After 1 year	80% of initial gloss	7	5B
2	After 2 year	70% of initial gloss	6	5B
3	After 3 year	60% of initial gloss	5	4B

If any imperfection is noticed or any defect arises during the warranty -period due to improper material used or due to bad workmanship, the contractor shall be bounded to set right the defect/ imperfection on free of cost basis at the base depot of the coach.

 02/07/21	 3-7-2021	 3/7
SSE/QC/MCF/RBL	SME/AME/QC/MCF/RBL	Dy. QM/MCF/RBL

महोदय
गुणवत्ता विभाग
७०डि०का०, रायबरेली (लालगंज)

सहायक
Asst. Mechanical Engineer
आ. र. डि. का. रायबरेली
MCF, RBL

उप निरीक्षक
Dy. Chief Quality Engineer
आधुनिक रेल डिब्बा कारखाना, रायबरेली
Modern Coach Factory, Raebareilly



GSTIN : 07
Excise Regn.

G. S. INDUS.

APPROVED BY

**N.S.I.C.
R.D.S.O.
ISO 9001-2015
ISO 14001-2015**

D-146, FOCAL POINT EXTENSION, JALAND.

PHONE : (O) 016
(M) 99882-65025, 9986
Website : www.gspaints
e-mail : info@gspaints.co

WARRANTY CERTIFICATE

To,
DY.CME/FUR/PROGRESS
MODERN COACH FACTORY,
RAEBARELI, LALGANJ-229120

Date - 16/3/2021

Sub:- PERFORMANCE WARRANTY CERTIFICATE

PO NO. 31061800101632 DATED 01.10.2019

NAME OF WORK: - SUPPLY AND APPLY OF PU BASED WET ON WET APPLICABLE EXTERIOR PAINTING SYSTEM FOR LHB COACHES. AS PER SCOPE OF WORK AND MMDTS-18034 REV-02 WITH AMENDMENT NO. MP/RBL/B8 DT 28/05/2019 (EPOXY ELASTIFIED PAINT INSIDE THE COACH NOT TO BE CARRIED OUT, PAINTING CYCLE TIME WILL BE 30 HRS AS MENTION IN MMDTS-18034 REV-02)

DEAR SIR,

With reference to above, we do here by confirm the warranty for six years of the date of application of delivered below mentioned coaches vide your above referred purchase order after application & due inspection at your end.

SR.	SHELL NO.	FURNISHING NO.	COACH NO.	Railway NO.	DATE OF COMPLETION
1. 285	LWSDG 20 F 193	DDG- 662	215656	WR	26/2/2021 28/2/2021

The warranty is applicable from date of dispatch against the below mention defects as per MCF specification no. MMDTS 18034 REV-2

- Gloss level value of applied paint-initial 95 unit(on the date of painting) and minimum 90%,85%,75% & 70% of initial gloss after 6 months, one years, four years and six years respectively from the date of application.
- Decolonization of paint film.
- Cracking of paint film.
- Peeling of paint film.
- Blistering of the paint film.
- The coach is warranted 6year for gloss retention, premature failure in colour retention

For G. S. INDUSTRIES

Auth. Signature



Modern Coach Factory Raebareli
आधुनिकरेलडिब्बाकारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 01

DATE: 29.06.2020

PAGE 1 OF 4

FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB EOG NON AC GS COACH
(ANTYODAYA & DEENDAYALU).

ELECTRICAL TEST CERTIFICATE FOR LHB EOG NON AC GS COACH.

TYPE COACH	LWS/DDG	SHELL/COACH NO	215656/C
RAILWAY	WR	ELECT. FIT DATE	17-03-2021
		MCF FUR. NO.	DDG - 662
Sr. no.	Description of tests		Remarks
1.	WORKING OF COMPARTMENT LIGHTS.		OK
2.	WORKING OF MOBILE CHARGING SOCKETS		OK
3.	WORKING OF ACCIDENTAL EMERGENCY LIGHTS& PACIL		OK
4.	RAILWAY CARRIAGE FAN		OK
5.	WHEEL SLIDE PROTECTION SYSTEM (WSP)		OK
6.	WORKING OF 9 KVA TRANSFORMER		OK
7.	WORKING OF REGULATED BATTERY CHARGER/EMERGENCY BATTERY CHARGER.		OK
8.	SAFETY :		--
8.1.	FUSES AND THEIR RATING		OK
8.2.	CONTROL CIRCUIT		OK
8.3.	POWER CIRCUIT		OK

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli




Modern Coach Factory Raebareli
आधुनिकरेलडिब्बाकारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001
REV NO: 01
DATE: 29.06.2020


PAGE 2 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC GS COACHES
(ANTYODAYA & DEENDAYALU).

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
01.	Fitment of Switch board cabinet.(set of panel) Make/Sr.no.: SSK On Board: 20/06/046 HT Panel: 20/06/046	EDTS 333, Rev'01'.Am-1	01 SET
02.	Provision of 9 KVA 750/415/190V, 03Ø AC. Make : VIMAL Sr no.: VTC 3089 LHB 4595	RDSO/PE/SPEC/TL 0158, 2010, Rev'0',Ty I.	01
03.	Mounting of 09KVA TFR.	As per drg no 1.10113.0.76.300.001,Alt -B.	OK
04.	Provision of wire rope assembly for Transformer.	As per EDML-152, Rev.-Nil.	OK
05.	4.5 Kw Under slung type Constant Voltage Regulated Battery charger cum Emergency battery charger Make: SIGNOTRON Sr. no.: 08201741	As per spec no. RDSO/PE/SPEC/AC/0183-2015(REV.- 1)	01
06.	Provision of Feeder Junction Box Make : MV ELECTROSYSTEMS	EDTS-328 REV-C,AM-4,Type- II,COR-2	01 SET
07.	Provision of IVC dummy Socket assembly.	As per Drg. No. LW71302,Alt-nil	01 SET
08.	Battery fuse box +ve Make : RSI	As per LW 71001,Alt- H	01
09.	Battery fuse box -ve Make : RSI	As per LW 71002,Alt-I	01
10.	Provision of Battery boxes/ Cradles. Make: HITECH	As per Drg. No. 110113.0.76.700.005 W/O item 5,22,23,26 & 27,Alt-C or Latest.	01
11.	Provision of batteries Type:110 V, 120 AH VRLA SMF Battery Set. Make: AMARA RAJA Lug Date: 06/20	As per RDSO/PE/SPEC/AC/0009-2014 (Rev-2) with inner cell connectors or Latest.	01


Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli



	Modern Coach Factory Raebareli आधुनिकरेलडिब्बाकारखाना, रायबरेली	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020


PAGE 3 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC GS COACHES
(ANTYODAYA & DEENDAYALU).

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
12.	Fitment of Railway carriage Fan 400mm Sweep, 110V AC with crash worthy features. Make: KAPSONS	As per Drg. No. ICF/SK-7-6-158, alt-g. RDSO/PE/SPEC/TL/0021-2005 (Rev-3) with RCF annex-1, am-1.	30
13.	Fitment of LED Light fittings for Cabin, Doorway and Gangway area. 9 watt. Make: RT VISION	As per RDSO/PE/SPEC/TL/0091-2016, Rev-1 with RCF Annex-1 .Type-B1. Drg. No. CC76453.	28
14.	Fitment of LED Light fittings for Lavatory Lights. 9 Watt. Make: RT VISION	As per RDSO/PE/SPEC/TL/0091-2016, Rev-1 with RCF Annex-1 Type-D. Drg. No. LW76092.	04
15.	Fitment of LED Light fittings for PACIL. Make: AGASTYA	As per RDSO/SPEC/TL/0091-2016, Rev-1 with RCF Annex-1 Type-I. Drg. No. LW76098.	02
16.	Fitment of Accidental Emergency Light (AEL) Make: INTEG	As per RDSO/SPEC/AC/0180-2016, Rev-0 ,Type-II.	04
17.	Provision of Cable binder	Drg. No. CC76120, Item - 1,2,3.100mm,200mm,300mm respectively.	OK
18.	Provision of Cable Jacket System.	EDTS-138, Cor-2, Item-5,7,8,9,11.	OK
19.	Provision of Switch plate assembly along with mobile charging sockets. Make: SSK	EDML-086, Rev-6, Am-1, Table-1, Item-1.	10

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli



	Modern Coach Factory Raebareli आधुनिकरेलडिब्बाकारखाना, रायबरेली	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 4 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC GS COACHES
(ANTYODAYA & DEENDAYALU).

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
20.	Provision of Switch plate assembly along with mobile charging sockets. Make: SSK	EDML-086, Rev-6, Am-1, Table-1, Item-2.	10
21.	Provision of High Capacity Inter – Vehicular Coupler Unit (ZS Coupling) (500 A, 750 V, 3ph, 50 Hz). Make: 1.(NPP): PRIME ELECT. 2.(PP): PRIME ELECT.	As per Spec. no. RDSO/PE/SPEC/AC/0177(Rev.-0)-2013 with annexure-A, B.	1 SET
22.	Mounting of Inter Vehicle coupler	As per drg no.1.10113.0.74.000.001,Alt-B	OK
23.	Provision of Wheel Set Earthing equipment. Make:- NPP: DARSHAN ENTERPRISES PP: DARSHAN ENTERPRISES	EDTS101,REV-C,AM-1	1 SET
24.	Provision of Anti Skid Disk Brake System.(WSP) Make : ESCORTS Sr no : 200600-62308-0094	As per MDTs 077,Rev.-2 M/s"FAIVELEY" or "Knorr Bremse", or "ESCORTS" or" JWLD-AKO-CZ"	01 SET

	
SSE/EL/QC वरिष्ठ अनुभाग अभियन्ता गुणवत्ता नियंत्रण	AWM(ELECT.)/MCF/RBL SEE(P)/MCF/RBL

आ०रे०डि०का० / लालगंज / रायबरेली
S.S.E./Elect-QC/M.C.F./LLJ/RBL

स० कार्य प्रबन्धक / विद्युत
 आ०रे०डि०का० / रायबरेली
A.W.M./Electrical/MCF/RBL