
		Modern Coach Factory Raebareli आधुनिक रेल डिब्बा कारखाना, रायबरेली			DOC NO.: MCF/RBL/QMF 8002 REV NO: 01 DATE: 17.04.2018		
ROLLING STOCK CERTIFICATE (DEEN DAYALU) Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21 /1283							
RLY	WR	COACH NO	215658/C	DATE OF DISPATCH		19-Mar-21	
Type	LWS	Shell No.	20F167	DISPATCH TO	Sr.DME/C&W/GIMB	FUR.NO.	DDG-682
1. Railway Board's Order No. 2020/M (C)/142/2, Date- 21.08.2020 2. Tare weight of coach : 40.66 Tonnes 3. Carrying Capacity : (a) Seating: 100 (c) Luggage: NIL 4. Special feature:							
S NO	ITEMS					MAKE/SUPPLIER	
A	Cushion transverse side luggage rack which can serve as seat during rush					M/S-VIBGYOR INDS DELHI	
B	Honey comb partition frame.					M/S-VIBGYOR INDS DELHI	
C	DGFRP/GFRE paneling.					M/S-VIBGYOR INDS DELHI	
D	Lavatory with DGFRP/GFRE paneling.					M/S-VIBGYOR INDS DELHI	
E	Additional Hand hold.					M/S-VIBGYOR INDS DELHI	
F	Counter top wash basin.					M/S-VIBGYOR INDS DELHI	
G	Gel coating & Anti Graffiti measures.					M/S-VIBGYOR INDS DELHI	
H	Air spring in secondary suspension (capacity-140KN).					M/S-RESISTOFLEX	
I	Fire Extinguishers					M/S-A-ONE	
J	Vestibule ends for inter-coach movement of passenger and the service staff (LWSCN type End wall)						
K	Choke of 5/6 mm in DV side replace with 9 mm in both type (KBI & Faiv.) letter no. MC/LHB/Brake, DT. 27.09.18						
5. SHELL LEADING DIMENSIONS:							
S NO	DESCRIPTION					DIMENSION (MM)	
1	Maximum length over body					23700	
2	Maximum width over body					3240	
3	Maximum height from Rail Level					4039	
4	CBC height/Buffer height from Rail level 1105 +0/-10					NPP/PP	1100/1105
6. TRACEABILITY OF SHELL ITEMS:							
S NO	ITEM		MAKE/SUPPLIER	SERIAL NO			
1	Under frame	Front	PP END	M/S-KANSAL	20		
		Part	NPP END	M/S-KANSAL	20		
		Complete		M/S-KANSAL	20		
2	Lav. side wall		PP END	M/S-KANSAL	LAV.1	-----	LAV.2
			NPP END	M/S-KANSAL	LAV.3	-----	LAV.4
3	Side wall	LH SIDE		M/S-KANSAL	19		
		RH SIDE		M/S-KANSAL	19		
4	End wall	PP END		M/S-KANSAL	-----		
		NPP END		M/S-KANSAL	-----		
5	Roof			M/S-KANSAL	18		
6	Centre Buffer Coupler			M/S-FRONTIETR	PP END/ NPP END	12P2/142P1	
7. AIR BRAKE TEST REPORT:							
S NO	ITEM	DESCRIPTION			SPEC. VALUE	OBSERVED	
1	Full brake application	Reduce pressure of BP from 5.0 to 3.4 kg/cm ² .			6 – 10 sec.	7 Sec	
		Max. pressure in BC			3.0 ±0.15 kg/cm ² .	3.0 kg/cm ²	
		All Brake are applied			OK	OK	
2	Insensitivity	Exhaust BP @ 0.3 kg/cm ² /min.			No brake application	OK	
3	Sensitivity	Exhaust BP @ 0.1 kg/cm ² /Sec, after 06 Sec.			Brake must apply	OK	
8. PAINTING DETAILS:							
S NO	DESCRIPTION	TYPE OF PAINT	MAKE	APPLICATION BY MCF/ CONTRACTOR (SUPPLY & APPLY)	AVERAGE GLOSS VALUE	DATE OF COMPLETION	
1	Paint	P.U	GSI	M/S-GSI	77/88	6-Mar-21	
2	Insulation			Satisfactory			


SSE/QC/MCF/RBL
वरिष्ठ अनुसंधान अभियंता
गुणवत्ता विभाग
रेडिओका, रायबरेली (लालगंज)



MODERN COACH FACTORY, RAEBARELI

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO.: 01

DATE: 16.05.2016

ROLLING STOCK CERTIFICATE**Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21 - 1283**

RLY	W	R	-	-	Coach No.	2	1	5	6	5	8	/	C	-	DATE OF DISPATCH	1	9	0	3	2	0	2	1
-----	---	---	---	---	-----------	---	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH	Sr.DME/C&W/GIMB	Type	L	W	S	-	-	-	Shell No.	2	0	F	1	6	7	FUR.NO	DDG- 682
----------	-----------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	---	--------	----------

9. DETAIL OF BOGIES:

ITEMS	NPP Side				PP Side			
Bogie No	202856				202855			
Bogie Type	LWS				LWS			
Frame no.	AML- 327				AML -318			
Bolster no.	MCF/RBL/LS-5 - 3154				MCF/RBL/LS-5 - 2898			
Axle No	21 C - 4448 RWF		20 B - 4931 RWF		21 C - 3862 RWF		21B - 4431 RWF	
Wheel Dia	917.424	917.478	917.466	917.527	917.474	917.547	917.457	917.536
Wheel Disc No	TZ 09-20 32272-OTC2	TZ 09-20 32273-OTC2	TZ 09-20 32319-0SE2	TZ 09-20 32322-0SE7	TZ 09-20 33644-0SE8	TZ 09-20 27297-OTD2	TZ 09-20 32271-OTC2	TZ 09-20 32270-OTC2
R.B. Nos.	06-20 413659	06-20 411574	06-20 411699	06-20 412613	06-20 411957	06-20 412831	06-20 412274	06-20 412815
CT R B Make	TIMKEN		TIMKEN		TIMKEN		TIMKEN	

10. SECONDARY SUSPENSION LOAD DEFLECTION VALUES :-

DESCRIPTION	Bogie NPP side		Bogie PP side	
	Secondary 1	Secondary 2	Secondary 1	Secondary 2
Make & Nos.	RESISTROFLEX 07-20 15446	RESISTROFLEX 07-20 15365	RESISTROFLEX 06-20 15281	RESISTROFLEX 07-20 15339

11. TRACEABILITY 90F BOGIE ITEMS :-

S. NO	ITEM	MAKE/ SUPPLIER	SERIAL NO.	
			NPP SIDE	PP SIDE
1.	Yaw Damper	IAI	294635,293691	296863,301598
2.	Primary outer Spring	CMGBD/CMFSK	12-19 F07-401-(305,321,308,315)	05-20 F07-200-(617,464,649,606)
3.	Primary Inner Spring	CMGBD/CMFSK	01-20 F06-400-(760,650,867,709)	05-20 F06-216-(1054,1774,1166,1864)
4.	Primary Damper	KNORR	05-17 13369,08-18 7884,07-16 2502,09-17 12139	05-17 2718,02-18 16218,05-17 3273,06-18 24703
5.	Secondary Damper	IAI	06-20 (327011,327243)	01-20 (326590,327122)
6.	Lateral Damper	KONI	04-19 01837	04-19 002186
7.	Brake Cylinder	FAV	A21(131,184,079,128)	K20(256,257),A21-172(156,158)
8.	Brake Caliper	FAV	B21(370,368,444,369)-B	B21(449,447,367,450)-B
9.	Brake Disc	KBI	24241024 0074-50/20,24241024 0075-50/20 24241024 0076-49/20,24241024 0068-49/20	24241013 0052-47/20,24241012 0064-47/20 24241012 0065-47/20,24241012 0066-47/20
10.	Ball Joint Control Arm	GMT		
11.	Lateral Bump Stop	PRAG		
12.	Traction Centre make	RNG		
13.	Traction lever make	JI/TAJ		
14.	Ball joint traction lever	ARYAN		
15.	Ball joint traction centre	PPI/GMT		
16.	Leveling Valve	FAV	H20-689,H20670	K19-1207,K19-635
17.	Check Valve	FAV	H20-349	L19-087
18.	Anti roll bar Make	RF		
19.	Roll Link make	EMSON/GMT RF/BASANT		
20.	Fork make	RNG		
21.	Control Arm Upper	SF/CC	H82,H38,H31,80	H81,H128,H10,H118
22.	Control Arm Lower	SF/CC	H61,H57,H232,H114	H72,H66,H112,H32
23.	Phonic Wheel	KBI	K09-20	K09-20

Signature of SSE/Bogie/QC



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002
REV NO: 01
DATE: 17.04.2018





ROLLING STOCK CERTIFICATE (DEEN DAYALU)
Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21

RLY	WR	COACH NO	215658/C			DATE OF DISPATCH	19-Mar-21
Type	LWS	Shell No.	20F167	DISPATCH TO	Sr.DME/C&W/GIMB	FUR.NO.	DDG-682

12. TRACEABILITY OF FURNISHING ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO(NPP/PP)
1	Air Brake Module	M/S-FAIVELEY	C21008B
2	Distribution valve	M/S-FAIVELEY	C215505B
3	Pull box	M/S-KBI	
4	FIBA	M/S-KBI	11462/29,11443/29
5	Foot Step	M/S-FABRICON INDS KOLKATA	
6	Decoupling arrangement	M/S-PULSAR INDS KOLKATA	
7	Floor board	M/S-SHREE RAM PNL	
11	UIC Vestibule (NPPE)	M/S-ELASTOMER MUMBAI	
12	Gangway bridge mounting (PPE)	M/s- MAHAVEER METAL WORKS, KXH	
13	Gangway bridge mounting (NPPE)	M/s- MAHAVEER METAL WORKS, KXH	
14	Body Side Window	M/S-VIBGYOR INDS DELHI	
15	Emergency Window	M/S-VIBGYOR INDS DELHI	
16	Lavatory/hopper Window	M/S-VIBGYOR INDS DELHI	
17	Roof Ceiling ACP	M/S-VIBGYOR INDS DELHI	
18	Door way /gang way ceiling ACP	M/S-VIBGYOR INDS DELHI	
19	Body Side Doors	M/S-VIBGYOR INDS DELHI	
20	Vestibule Door(PPE)	M/s-JBM FARIDABAD	
21	Vestibule Door(NPPE)	M/s-JBM FARIDABAD	
22	Bio Tank	M/s-RASANDIK-02 NOS+JSL LIFE -02 NOS	
23	Pressurized flushing(ele.pneu.)	M/S-OASIS	
24	Over head water tank (4x390L)	M/S-RAIL FAB KXH	
25	Bib cock/controlled discharge tap	M/S-AGMECO U.K.	
26	Lavatory Doors	M/S-VIBGYOR INDS DELHI	
27	Fire Extinguisher	M/S-A-ONE	227/238
28	Water purified (02 nos)	M/S-VIBGYOR INDS DELHI	
29	Seat & Berth	M/S-VIBGYOR INDS DELHI	
30	Luggage Rack	M/S-VIBGYOR INDS DELHI	
31	Light Luggage Rack	NIL	
32	Ventury grill	M/S-VIBGYOR INDS DELHI	
33	RFID	NIL	

02/07/21
SSE/QC/MCF/RBL
वरिष्ठ अनु 0 अभियंता
गुणवत्ता विभाग
रेडिओ का 0, रायबरेली (लालगंज)

		Modern Coach Factory Raebareli आधुनिक रेल डिब्बा कारखाना, रायबरेली		DOC NO.: MCF/RBL/QMF 8002 REV NO: 01 DATE: 17.04.2018		
ROLLING STOCK CERTIFICATE (DEEN DAYALU) Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21						
RLY	WR	COACH NO	215658/C	DATE OF DISPATCH		19-Mar-21
Type	LWS	Shell No.	20F167	DISPATCH TO	Sr.DME/C&W/GIMB	FUR.NO. DDG-682
13. MODIFICATION (IF ANY) : NIL						
14. DEVIATION (IF ANY) : NIL						
15. ITEM FITTED ON THE COACH ON TRIAL : NIL						
S NO	ITEM PARTICULARS		PURPOSE	REPORT Frequency	REFERENCE & PERIOD OF TRIAL	
--	--		----	-----	-----	
16. WARRANTY:						
S NO	COMPONENTS			WARRANTY		
1	Brake Pad, wheels, flushing valves, push gravity cocks, moldings, window glasses, mirrors, curtain clutch wire etc. (items which are consumable in nature)			NIL		
2	Other coach furnishing sub assemblies(bought out items)			24 months from the date of dispatch of coach OR 30months from the date of supply of material whichever is earlier.		
NOTE:						
1. This warranty covers free supply of parts which wear out and fails within warranty period of normal service.						
2. This doesn't covers faults arising out of accident, non standard maintenance practices, abnormal use or mishandling, vandal activity, arson & deficient/pilferage etc.						
3. This doesn't cover any consequential liabilities or damages/loss incurred by anybody; furthermore, it shall in no case extend to repayment, return of the coach or replacement of complete coach.						
4. Whether a defective part is to be replaced or repaired shall be at the discretion of MCF/RBL.						
5. For any complain/ suggestion please Mail at qualityrcfrbl@gmail.com						
6. Painting on supply & apply contract :- supply of material and application shall be warranted for a period of three years from Application for any manufacturing /Application as per clause -4, para- V of RDSO specification no .M&C/PCN/100/2013-Given below						
S.No	Time period	Gloss Retention (initial gloss >85 unit at 60°)	Colour Retention rating on 0-10 scale (initial rating of painted panels/coach or ISC/RAL shade card shall be taken as 10)	Adherence of paints (with each other and with substrate) Cross-cut tape adhesion test as per ASTM D:3359/97(or latest)		
1	After 1 year	80% of initial gloss	7	5B		
2	After 2 year	70% of initial gloss	6	5B		
3	After 3 year	60% of initial gloss	5	4B		
If any imperfection is noticed or any defect arises during the warranty –period due to improper material used or due to bad workmanship, the contractor shall be bounded to set right the defect/ imperfection on free of cost basis at the base depot of the coach.						
						
SSE/QC/MCF/RBL		SME/AME/QC/MCF/RBL		Dy.CQM/MCF/RBL		

वरि०अनु० अभियंता
गुणवत्ता विभाग
रेलवे कारखाना, रायबरेली (लालगंज)

Asst. Mechanical Engineer
आ. रे. डि. का. रायबरेली
MCF, RBL

Dy. Chief Quality Manager
आधुनिक रेल डिब्बा कारखाना, रायबरेली
Modern Coach Factory, Raebareli



GSTIN : 03ACBPK3400D1ZM
Excise Regn. No. ACBPK3400DXM001

G. S. INDUSTRIES

APPROVED BY

N.S.I.C.
R.D.S.O.
ISO 9001-2015
ISO 14001-2015

D-146, FOCAL POINT EXTENSION, JALANDHAR-144004

PHONE : (O) 0181-5081474

(M) 99882-65025, 99884-55459

Website : www.gspaints.com

e-mail : info@gspaints.com

WARRANTY CERTIFICATE

To,
Dy.CME/FP
MODERN COACH FACTORY,
RAEBARELI, LALGANJ-229120

Dated - 18/3/2021

Sub:- Performance warranty certificates.

Ref: - P.O.no 31061800101167 DATED 21.08.2019

Name Of Work: - Pu Paint For Lhb Type Rajdhani Coaches.

Dear Sir,

With reference to above, we do here by confirm the warranty for three years from the date of application of the delivered below mention coaches vide your above referred purchase order after application & due inspection at your end.

SR.	SHELL NO.	FURNISHING NO.	COACH NO.	Railway NO.	DATE OF COMPLETION
303.	LW SDG 20 f 167	DDG-682	215658	WR	06/03/2021

The warranty is applicable from date of dispatch against the below mention defects as per RDSO specification no. M&C/PCN/100/2018.

- Gloss level value of applied paint-initial 85 unit (on the date of painting) and minimum 80%, 70% and 60% of initial gloss after one year, two years and three years respectively from the date of application
- Decolonization of paint film.
- Cracking of paint film.
- Peeling of paint film.
- Blistering of the paint film.

Thanking you,
For G.S. Industries

Auth. signatory



	Modern Coach Factory Raebareli आधुनिकरेलडिब्बाकारखाना, रायबरेली	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 1 OF 4

FOR ELECTRICAL ITEMS


ROLLING STOCK CERTIFICATE OF LHB EOG NON AC GS COACH
(ANTYODAYA & DEENDAYALU).

ELECTRICAL TEST CERTIFICATE FOR LHB EOG NON AC GS COACH.

TYPE COACH	LWS/DDG	SHELL/COACH NO	215658/C
RAILWAY	WR	ELECT. FIT DATE	17-03-2021
		MCF FUR. NO.	DDG - 682
Sr. no.	Description of tests		Remarks
1.	WORKING OF COMPARTMENT LIGHTS.		OK
2.	WORKING OF MOBILE CHARGING SOCKETS		OK
3.	WORKING OF ACCIDENTAL EMERGENCY LIGHTS& PACIL		OK
4.	RAILWAY CARRIAGE FAN		OK
5.	WHEEL SLIDE PROTECTION SYSTEM (WSP)		OK
6.	WORKING OF 9 KVA TRANSFORMER		OK
7.	WORKING OF REGULATED BATTERY CHARGER/EMERGENCY BATTERY CHARGER.		OK
8.	SAFETY :		--
8.1.	FUSES AND THEIR RATING		OK
8.2.	CONTROL CIRCUIT		OK
8.3.	POWER CIRCUIT		OK

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli




	Modern Coach Factory Raebareli आधुनिकरेलडिब्बाकारखाना, रायबरेली	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 2 OF 4


ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC GS COACHES
(ANTYODAYA & DEENDAYALU).

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
01.	Fitment of Switch board cabinet.(set of panel) Make/Sr.no.: HIND On Board: H355.20E.0745 HT Panel: H355.20E.0795	EDTS 333, Rev`01`.Am-1	01 SET
02.	Provision of 9 KVA 750/415/190V, 03Ø AC. Make : VIMAL Sr no.: VTC 3089 LHB 4407	RDSO/PE/SPEC/TL 0158, 2010, Rev`0`,Ty I.	01
03.	Mounting of 09KVA TFR.	As per drg no 1.10113.0.76.300.001,Alt -B.	OK
04.	Provision of wire rope assembly for Transformer.	As per EDML-152, Rev.-Nil.	OK
05.	4.5 Kw Under slung type Constant Voltage Regulated Battery charger cum Emergency battery charger Make: SIGNOTRON Sr. no.: 08201798	As per spec no. RDSO/PE/SPEC/AC/0183-2015(REV.-1)	01
06.	Provision of Feeder Junction Box Make : MV ELECTROSYSTEMS	EDTS-328 REV-C,AM-4,Type-II,COR-2	01 SET
07.	Provision of IVC dummy Socket assembly.	As per Drg. No. LW71302,Alt-nil	01 SET
08.	Battery fuse box +ve Make : RSI	As per LW 71001,Alt- H	01
09.	Battery fuse box -ve Make : AECO	As per LW 71002,Alt-I	01
10.	Provision of Battery boxes/ Cradles. Make: PRADEEP TRANCORE	As per Drg. No. 110113.0.76.700.005 W/O item 5,22,23,26 & 27,Alt-C or Latest.	01
11.	Provision of batteries Type:110 V, 120 AH VRLA SMF Battery Set. Make: AMARA RAJA Lug Date: 06/20	As per RDSO/PE/SPEC/AC/0009-2014 (Rev-2) with inner cell connectors or Latest.	01


Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli






	Modern Coach Factory Raebareli आधुनिकरेलडिब्बाकारखाना, रायबरेली	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 3 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC GS COACHES
(ANTYODAYA & DEENDAYALU).

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
12.	Fitment of Railway carriage Fan 400mm Sweep, 110V AC with crash worthy features. Make: SARIA	As per Drg. No. ICF/SK-7-6-158,alt-g. RDSO/PE/SPEC/TL/0021-2005 (Rev-3) with RCF annex-1,am-1.	30
13.	Fitment of LED Light fittings for Cabin, Doorway and Gangway area. 9 watt. Make: DR AUTO	As per RDSO/PE/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1 .Type-B1. Drg. No. CC76453.	28
14.	Fitment of LED Light fittings for Lavatory Lights. 9 Watt. Make: DR AUTO	As per RDSO/PE/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1Type-D. Drg. No. LW76092.	04
15.	Fitment of LED Light fittings for PACIL. Make: AGASTYA	As per RDSO/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1Type-I. Drg. No. LW76098.	02
16.	Fitment of Accidental Emergency Light (AEL) Make: INTEG	As per RDSO/SPEC/AC/0180-2016,Rev-0 ,Type-II.	04
17.	Provision of Cable binder	Drg. No. CC76120,Item - 1,2,3.100mm,200mm,300mm respectively.	OK
18.	Provision of Cable Jacket System.	EDTS-138,Cor-2,Item-5,7,8,9,11.	OK
19.	Provision of Switch plate assembly along with mobile charging sockets. Make: SSK	EDML-086, Rev-6, Am-1, Table-1, Item-1.	10


Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli



	Modern Coach Factory Raebareli आधुनिकरेलडिब्बाकारखाना, रायबरेली	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 4 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC GS COACHES
(ANTYODAYA & DEENDAYALU).

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
20.	Provision of Switch plate assembly along with mobile charging sockets. Make: SSK	EDML-086, Rev-6, Am-1, Table-1, Item-2.	10
21.	Provision of High Capacity Inter – Vehicular Coupler Unit (ZS Coupling) (500 A, 750 V, 3ph, 50 Hz). Make: 1.(NPP): PRIME ELECT. 2.(PP): PRIME ELECT.	As per Spec. no. RDSO/PE/SPEC/AC/0177(Rev.-0)-2013 with annexure-A, B.	1 SET
22.	Mounting of Inter Vehicle coupler	As per drg no.1.10113.0.74.000.001,Alt-B	OK
23.	Provision of Wheel Set Earthing equipment. Make:- NPP: PRIME ELECT. PP: PRIME ELECT.	EDTS101,REV-C,AM-1	1 SET
24.	Provision of Anti Skid Disk Brake System.(WSP) Make : FAIVELEY Sr no : 13027	As per MDTs 077,Rev.-2 M/s"FAIVELEY" or "Knorr Bremse", or "ESCORTS" or" JWL-DAKO-CZ"	01 SET

SSE/EL/QC वरिष्ठ अनुभाग अभियन्ता गुणवत्ता नियंत्रण आ०रे०डि०का० / लालगंज / रायबरेली S.S.E./Elect-QC/M.C.F./LLJ/RBL	AWM(ELECT.)/MCF/RBL SEE(P)/MCF/RBL

आ०रे०डि०का० / लालगंज / रायबरेली
S.S.E./Elect-QC/M.C.F./LLJ/RBL

स० कार्य प्रबन्धक / विद्युत
आ०रे०डि०का० / रायबरेली
A.W.M./Electrical/MCF/RBL