



Modern Coach Factory Raebareilly  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO: 01

DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/1300

RLY	WR	COACH NO	215665/C	DATE OF DISPATCH	20-Mar-21
Type	LWSCN1	Shell No.	20G399	DISPATCH TO	Sr.DME/C&W/MMCT
				FUR.NO.	LSCNG-515

1.	Railway Board's Order No.	: 2020/M(C)/142/2,DATED-27.01.2021
2.	Tare Weight of Coach	: 41.24 Tonnes
3.	Carrying Capacity	: (a) Seating: 80 (b) Sleeping: 80 (c) Luggage: NIL

4. Special feature:

A	Epoxy flooring in lavatory	M/s-ACME INDIA NDLS
B	Anti slip friendly Grab Bar	M/s-ACME INDIA NDLS
C	Provision of Health Faucet in lavatories	M/s-ACME INDIA NDLS
D	Washbasin counter Top (Corian of Duport or Montelli)	M/s-ACME INDIA NDLS
E	GFRE ceiling instead of NFTC	M/s-ACME INDIA NDLS
F	DGFRP panels instead of LP panels	M/s-ACME INDIA NDLS
G	Honey Comb partition frame with DGFRP sheet instead of FRP sheet	M/s-ACME INDIA NDLS
H	Venturi arrangement in lavatory	M/s-ACME INDIA NDLS
I	Choke of 5/6 mm in DV side replace with 9 mm in both type (KBI & Faiv.) letter no. MC/LHB/Brake, DT. 27.09.18	

5. SHELL LEADING DIMENSIONS:

S NO	DESCRIPTION	DIMENSION (MM)
1	Maximum length over body	23700
2	Maximum width over body	3240
3	Maximum height from Rail Level	4039
4	CBC height/Buffer height from Rail level 1105 +0/-10	NPP/PP 1095/1100

6. TRACEABILITY OF SHELL ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO
1	Under frame	Front Part	PP END M/S-JBBI
		NPP END	M/S-JBBI
	Complete	MCF/RBL-AIRCON	20G399
2	Lav. side wall	M/S-ATHANCY ALD	LAV.1
		M/S-ATHANCY ALD	LAV.2
			LAV.3
			LAV.4
3	Side wall	LH SIDE	MCF/RBL-CONT-V4U
		RH SIDE	MCF/RBL-CONT-V4U
4	End wall	PP END	M/S-SIPL PALWAL
		NPP END	M/S-SIPL PALWAL
5	Roof	MCF/RBL-CONT.	215
6	Centre Buffer Coupler	M/s-ESCORTS	PP END 2052 NPP END 2048

7. AIR BRAKE TEST REPORT:

S NO	ITEM	DESCRIPTION	SPEC. VALUE	OBSERVED
1	Full brake application	Reduce pressure of BP from 5.0 to 3.4 kg/cm <sup>2</sup> .	6 – 10 sec.	07 sec.
		Max. pressure in BC	3.0 ±0.15 kg/cm <sup>2</sup> .	3.0 kg/cm <sup>2</sup>
		All Brake are applied	OK	OK
2	Insensitivity	Exhaust BP @ 0.3 kg/cm <sup>2</sup> /min.	No brake application	OK
3	Sensitivity	Exhaust BP @ 0.1 kg/cm <sup>2</sup> /Sec, after 06 Sec.	Brake must apply	OK

8. PAINTING DETAILS:

S NO	DESCRIPTION	TYPE OF PAINT	MAKE	APPLICATION BY MCF/ CONTRACTOR (SUPPLY & APPLY)	AVERAGE GLOSS VALUE	DATE OF COMPLETION
1	Paint	P.U	GSI	M/S-GSI (S&A)	90/89	2-Feb-21
2	Insulation			Satisfactory		

करि०अनु० अभियंता  
गुणवत्ता विभाग  
रे०डि०का०, रायबरेली (लालगंज)





MODERN COACH FACTORY, RAEBARELI

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO.: 01

DATE: 16.05.2016

## ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/1300

RLY	-	W	R	Coach No.	2	1	5	6	6	5	/	C	-	DATE OF DISPATCH	2	0	0	3	2	0	2	1
-----	---	---	---	-----------	---	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH	Sr.DME/C&W/MMCT	Type	L	W	S	C	N	1	Shell No.	2	0	G	3	9	9	FUR.NO	LSCN-G-515
----------	-----------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	---	--------	------------

## 8. DETAIL OF BOGIES:

ITEMS	NPP Side				PP Side			
Bogie No	202765				202766			
Bogie Type	FIAT				FIAT			
Frame no.	SIMPLEX- 281				SIMPLEX ENGG.-270			
Bolster no.	MCF/RBL/LS-5 -3021				MCF/RBL/LS-5 -3006			
Axle No	21 C - 4482 RWF		21 C - 4391 RWF		21 C - 4398 RWF		21 C - 4413 RWF	
Wheel Dia	917.306	917.456	917.463	917.588	917.468	917.544	917.297	917.472
Wheel Disc No	TZ 09-20 32617-OTC2	TZ 09-20 29588-OSF1	TZ 09-20 29774-OSD1	TZ 09-20 25704-0SE0	TZ 09-20 32503-OSF7	TZ 09-20 32497-OTC2	TZ 09-20 32614-OSF2	TZ 09-20 32615-OTC2
R.B. Nos.	09-20 429164	09-20 300351	09-20 300697	06-20 414555	10-20 433028	09-20 426015	06-20 414477	06-20 413328
CT R B Make	TIMKEN		TIMKEN		TIMKEN		TIMKEN	

## 9. SECONDARY SUSPENSION LOAD DEFLECTION VALUES :-

DESCRIPTION	Bogie NPP side				Bogie PP side			
	Secondary 1		Secondary 2		Secondary 1		Secondary 2	
	Outer	Inner	Outer	Inner	Outer	Inner	Outer	Inner
Make & Nos.	CMAFJ01-20 5101-36	CMGBD02-20F08- 834-76	CMAFJ01-20 5101-32	CMGBD02-20 F08- 834-106	CMAFJ01-20 5101-36	CMGBD02-20 F08-834-35	CMAFJ01-20 5101- 21	CMGBD02-20 834- 73
Compressed Ht. at Tested Load	516	472	516	468	513	468	513	472
Alignment deviation (mm)	15	17	15	19	7	18	7	20

## 10. TRACEABILITY OF BOGIE ITEMS :-

S. NO	ITEM	MAKE/ SUPPLIER	SERIAL NO.	
			NPP SIDE	PP SIDE
1.	Yaw Damper	IAI	301469,301492	294921,294583
2.	Primary outer Spring	CMAFJ	06-20 1100 (205,213,210,206)	06-20 1100 (207,194,208,192)
3.	Primary Inner Spring	CMAFJ	06-20, 1101-(90,94,92,95)	06-20 1101-(96,100,98,93)
4.	Primary Damper	IAI	01-20-(300083,299179,300966,299308)	01-20-(299838,301153,299756,300990)
5.	Secondary Damper	GABRIEL	07-20-(2936,2948)	07-20-(2949,2951)
6.	Lateral Damper	KONI	03-19 003558	03-19 00415
7.	Brake Cylinder	FAV	A21(114,188,020)/M20-19	A21(145,046,110,129)
8.	Brake Caliper	FAV	B21-(366,364,208,206,)B	B21-(189,187,368,365,)B
9.	Brake Disc	KBI	24241011 0051-47/20,24241011 0052-47/20 24241014 0021-48/20,24241024 0020-48/20	24241021 0026-49/20,24241021 0027-49/20 24241011 0049-47/20,24241011 0053-47/20
10.	Ball Joint Control Arm	GMT		
11.	Lateral Bump Stop	GMT		
12.	Traction Centre make	RNG		
13.	Traction lever make	TAJ		
14.	Ball joint traction lever	ARYAN/GMT		
15.	Ball joint traction centre	GMT		
16.	Secondary Rubber Pad	TECSPAK		
17.	Rubber Spring	PRAG		
18.	Anti roll bar Make	SF		
19.	Roll Link make	JUR/AR		
20.	Fork make	RNG		
21.	Control Arm Upper	SFL	H(274,77,90,49)	H210,H49,H79,H288
22.	Control Arm Lower	SFL	H166,H205,H133,H217	H72,H167,H205,H2978
23.	Phonic Wheel	KBI	K 01-21	K 01-21

18





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO: 01

DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/1300

RLY	WR	COACH NO	215665/C	DATE OF DISPATCH	20-Mar-21
Type	LWSCN1	Shell No.	20G399	DISPATCH TO	Sr.DME/C&W/MMCT
				FUR.NO.	LSCNG-515

12. TRACEABILITY OF FURNISHING ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO(NPP/PP)
1	Air Brake Module	M/S -FAIVELEY	C21001B
2	Distribution valve	M/S -FAIVELEY	B215634B
3	Pull box	M/S -FAIVELEY	
4	FIBA	NIL	
5	Foot Step	M/S- FABRICON KOLKATA	
6	Decoupling arrangement	M/S-PULSER KOLKATA	
7	Floor board	M/S-SHREE RAM PNL	
8	PVC	M/s-ACME INDIA NDLS	
9	Lavatory inlay	M/s-ACME INDIA NDLS	
10	UIC Vestibule (PPE)	M/S-SUNCREST KOLKATA	
11	UIC Vestibule (NPPE)	M/S-SUNCREST KOLKATA	
12	Gangway bridge mounting (PPE)	M/S-HARE KRISHNA KXH	
13	Gangway bridge mounting (NPPE)	M/S-HARE KRISHNA KXH	
14	Body Side Window(WIDDER)	M/s-ACME INDIA NDLS	
15	Emergency Window (WIDDER)	M/s-ACME INDIA NDLS	
16	Lavatory/hopper Window	M/s-ACME INDIA NDLS	
17	Side panel (DGFRP)	M/s-ACME INDIA NDLS	
18	Roof Ceiling (DGFRE)	M/s-ACME INDIA NDLS	
19	Door way/Gangway Ceiling	M/s-ACME INDIA NDLS	
20	Partition panel Honeycomb	M/s-ACME INDIA NDLS	
21	Partition pillar	M/s-ACME INDIA NDLS	
22	Body Side Doors	M/s-ACME INDIA NDLS	
23	Vestibule Door(PPE)	M/S-JBM FARIDABAD	
24	Vestibule Door(NPPE)	M/S-JBM FARIDABAD	
25	Bio Tank	M/S-FLASH FORGE LTD-	
26	Pressurised Flushing (electro.pneu.)	M/S-AIR FLOW	
27	Auxiliary Water Tank	M/S-SHIVALIK FAST MOHALI+AMIT ENGG MOHALI	
28	Under Slung Water Tank ( 2X685L)	M/S-OASIS	
29	Under Slung Water Tank (1x685 L)	M/S-AMIT ENGG MOHALI	
30	Health Faucet	M/s-KAPCO VALES JALANDHAR	
31	Lotah Filler Tap	M/s-KAPCO VALES JALANDHAR	
32	Controlled discharge tap	M/s-AGMECO PVT.	
33	Lavatory Doors	M/s-ACME INDIA NDLS	
34	Fire Extinguisher	M/s-ACME INDIA NDLS	
35	Seat & Berth	M/s-ACME INDIA NDLS	
36	Ventury grill	M/s-ACME INDIA NDLS	
37	Water purifier(02 NOS )	M/s-ACME INDIA NDLS	
38	RFID	NIL	

वरिष्ठ अभियंता

SSE/QC/MCF/RBL

रायबरेली (लालगंज)







Modern Coach Factory Raebareilly  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO: 01

DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/1300

RLY	WR	COACH NO	215665/C	DATE OF DISPATCH	20-Mar-21
Type	LWSCN1	Shell No.	20G399	DISPATCH TO	Sr.DME/C&W/MMCT
				FUR.NO.	LSNG-515

13. MODIFICATION (IF ANY) : Partition frame & Partition pillar

14. DEVIATION (IF ANY) : NIL

15. ITEM FITTED ON THE COACH ON TRIAL : NIL

S NO	ITEM PARTICULARS	PURPOSE	REPORT Frequency	REFERENCE & PERIOD OF TRIAL
---	---	---	---	---

16. WARRANTY:

S NO	COMPONENTS	WARRANTY
1	Brake Pad, wheels, flushing valves, push gravity cocks, moldings, window glasses, mirrors, curtain clutch wire etc. ( items which are consumable in nature)	NIL
2	Other coach furnishing sub assemblies(bought out items)	24 months from the date of dispatch of coach OR 30 months from the date of supply of material whichever is earlier.

NOTE:

1. This warranty covers free supply of parts which wear out and fails within warranty period of normal service.
2. This doesn't covers faults arising out of accident, non standard maintenance practices, abnormal use or mishandling, vandal activity, arson & defecient/pilferage etc.
3. This doesn't cover any consequential liabilities or damages/loss incurred by anybody; furthermore, it shall in no case extend to repayment, return of the coach or replacement of complete coach.
4. Whether a defective part is to be replaced or repaired shall be at the discretion of MCF/RBL.
5. For any complain/ suggestion please Mail at qualityrcfbl@gmail.com
6. Painting on supply & apply contract :- supply of material and application shall be warranted for a period of three years from Application for any manufacturing /Application as per clause -4, para- V of RDSO specification no JM&C/PCN/100/2013-Given below

S.No	Time period	Gloss Retention (initial gloss >85 unit at 60°)	Colour Retention rating on 0-10 scale (initial rating of painted panels/coach or ISC/RAL shade card shall be taken as 10)	Adherence of paints (with each other and with substrate ) Cross-cut tape adhesion test as per ASTM D:3359/97(or latest)
1	After 1 year	80% of initial gloss	7	5B
2	After 2 year	70% of initial gloss	6	5B
3	After 3 year	60% of initial gloss	5	4B

If any imperfection is noticed or any defect arises during the warranty -period due to improper material used or due to bad workmanship, the contractor shall be bounded to set right the defect/imperfection on free of cost basis at the base depot of the coach.

वरिष्ठ अभियंता SSE/QC/MCF/RBL गुणवत्ता विभाग 70डि0का0, रायबरेली (लाल पंजा)	16/6 SME/AME/QC/MCF/RBL Assistant Mechanical Engineer (OverSight)	16/6/2021 उप मुख्य गुणवत्ता विभाग Dy Chief Engineer (Quality) Dy.COM/MCF/RBL आधुनिक रेल डिब्बा कारखाना, रायबरेली Modern Coach Factory, Raebareilly
---	---	---





GSTIN : 03ACBPK3400D1ZM  
Excise Regn. No. ACBPK3400DXM001

**G. S. INDUSTRIES**

APPROVED BY

**N.S.I.C.  
R.D.S.O.**

**ISO 9001-2015  
ISO 14001-2015**

D-146, FOCAL POINT EXTENSION, JALANDHAR-144004

PHONE : (O) 0181-5081474

(M) 99882-65025, 99884-55459

Website : www.gspaints.com

e-mail : info@gspaints.com

## WARRANTY CERTIFICATE

To,  
Dy.CME/FP  
MODERN COACH FACTORY,  
RAEBARELI, LALGANJ-229120

Dated 6/2/2021

Sub:- Performance warranty certificates.

Ref: - P.O.no 31061800101167 DATED 21.08.2019

Name Of Work: - Pu Paint For Lhb Type Rajdhani Coaches.

Dear Sir,

With reference to above, we do here by confirm the warranty for three years from the date of application of the delivered below mention coaches vide your above referred purchase order after application & due inspection at your end.

SR.	SHELL NO.	FURNISHING NO.	COACH NO.	Railway NO.	DATE OF COMPLETION
238	LWSEN 20G399	LSEN(G)-515	215665	WR	02-02-21

The warranty is applicable from date of dispatch against the below mention defects as per RDSO specification no. M&C/PCN/100/2018.

- Gloss level value of applied paint-initial 85 unit (on the date of painting) and minimum 80%, 70% and 60% of initial gloss after one year, two years and three years respectively from the date of application
- Decolonization of paint film.
- Cracking of paint film.
- Peeling of paint film.
- Blistering of the paint film.

Thanking you,  
For G.S.Industries

Auth.signatory





	<b>Modern Coach Factory Raebareli</b> <b>आधुनिक रेल डिब्बा कारखाना,</b> <b>रायबरेली</b>	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 1 OF 4

FOR ELECTRICAL ITEMS
----------------------

## ROLLING STOCK CERTIFICATE OF LHB EOG NON AC SCN COACH.

ELECTRICAL TEST CERTIFICATE FOR LHB EOG NON AC SCN COACH.						
TYPE COACH		LWSCN		SHELL/COACH NO		215665/C
RAILWAY		WR	ELECT. FIT DATE	19-03-2021	MCF FUR. NO.	SCN-G-515
Sr. no.	Description of tests					Remarks
1.	PUMP EQUIPMENTS					OK
2.	LIGHTS, NL,LAP CHARGING SOCKETS					OK
3.	WORKING OF ACCIDENTAL, EMERGENCY LIGHTS.					OK
4.	RAILWAY CARRIAGE FAN					OK
5.	WHEEL SLIDE PROTECTION SYSTEM ( WSP )					OK
6.	WORKING OF 9 KVA TRANSFORMER					OK
7.	WORKING OF REGULATED BATTERY CHARGER/EMERGENCY BATTERY CHARGER.					OK
8.	SAFETY :					--
8.1.	FUSES AND THEIR RATING					OK
8.2.	CONTROL CIRCUIT					OK
8.3.	POWER CIRCUIT					OK

Senior Section Engineer  
 Quality control / Electrical  
 Modern Coach Factory Raebareli







Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना,  
रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 01

DATE: 29.06.2020

PAGE 2 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC SCN COACHES

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
01.	Fitment of Switch board cabinet.(set of panel) Make/Sr.no.: <b>HIND</b> On Board: <b>H355.20E.0789</b> HT Panel: <b>H355.20E.0772</b>	EDTS 355, Rev`01'.Am-3	<b>01 SET</b>
02.	Provision of 9 KVA 750/415/190V, 03Ø AC. Make: <b>VIMAL</b> Sr no.: <b>VTC 3089 LHB 4336</b>	RDSO/PE/SPEC/TL 0158, 2010, Rev`0',Ty I.	<b>01</b>
03.	Mounting of 09KVA TFR.	As per drg no 1.10113.0.76.300.001,Alt -B.	<b>OK</b>
04.	Provision of Pump equipment with pump box. Make: <b>KIND</b> Sr no : <b>KIND/ASY/0082</b> Pump 1: <b>19060365</b> Pump 2: <b>19060366</b>	As per spec no. EDTS186,REV-A,AM-2	<b>01 SET</b>
05.	Provision & Mounting of Pump controller. Make: <b>KIND</b> SL.no.: <b>20060076</b>	As per Spec. EDTS186 Rev-a Am-2, & drg no. CC71328 & LW70020	<b>01</b>
06.	4.5 Kw Under slung type Constant Voltage Regulated Battery charger cum Emergency battery charger Make: <b>SIGNOTRON</b> Sr. no.: <b>08201794</b>	As per spec no. RDSO/PE/SPEC/AC/0183-2015(REV.- 1)	<b>01</b>
07.	Provision of Feeder Junction Box Make : <b>AECO</b>	EDTS-328 REV-C,AM-4,Type- II,COR-2	<b>01 SET</b>
08.	Provision of IVC dummy Socket assembly.	As per Drg. No. LW71302,Alt-nil	<b>01 SET</b>
09.	Battery fuse box +ve Make : <b>RSI</b>	As per LW 71001,Alt- H	<b>01</b>
10.	Battery fuse box -ve Make : <b>AECO</b>	As per LW 71002,Alt-I	<b>01</b>
11.	Provision of Battery boxes/ Cradles. Make: <b>PRADEEP TRANSCORE</b>	As per Drg. No. 110113.0.76.700.005 W/O item 5,22,23,26 & 27,Alt-C or Latest.	<b>01</b>
12.	Provision of batteries Type: 110 V, 120 AH VRLA SMF Battery Set. Make: <b>HLB</b> Lug Date: <b>02/21</b>	As per RDSO/PE/SPEC/AC/0009-2014 (Rev-2) with inner cell connectors or Latest.	<b>01 SET</b>

*Senior Section Engineer*  
Quality control / Electrical  
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना,  
रायबरेली

DOC NO.: MCF/RBL/QEF/8001


REV NO: 01

DATE: 29.06.2020

PAGE 3 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC SCN COACHES

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
13.	Fitment of Railway carriage Fan 400mm Sweep, 110V AC with crash worthy features. Make: <b>SARIA</b>	As per Drg. No. ICF/SK-7-6-158,alt-g. RDSO/PE/SPEC/TL/0021-2005 (Rev-3) with RCF annex-1,am-1.	<b>30</b>
14.	Fitment of LED Light fittings for Cabin, Doorway and Gangway area. 9 watt. Make: <b>RT VISION</b>	As per RDSO/PE/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1 .Type-B1. Drg. No. CC76453.	<b>26</b>
15.	Fitment of LED Light fittings for Night Light with berth indication Type-E (1 watt). Make: <b>AGASTYA</b>	As per RDSO/PE/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1, ICF/STB-7-6-053.Type- E. Drg. No. CC76461	<b>10</b>
16.	Fitment of LED Light fittings for Lavatory Lights. 9 Watt. Make: <b>RT VISION</b>	As per RDSO/PE/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1Type-D. Drg. No. LW76092.	<b>04</b>
17.	Fitment of LED Light fittings for PACIL. Make: <b>AGASTYA</b>	As per RDSO/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1Type-I. Drg. No. LW76098.	<b>02</b>
18.	Fitment of Accidental Emergency Light (AEL) Make: <b>INTEG</b>	As per RDSO/SPEC/AC/0180-2016,Rev-0 ,Type-II.	<b>04</b>
19.	Provision of Cable binder	Drg. No. CC76120,Item - 1,2,3.100mm,200mm,300mm respectively.	<b>OK</b>
20.	Provision of Cable Jacket System.	EDTS-138,Cor-2,Item-5,7,8,9,11.	<b>OK</b>

  
Senior Section Engineer  
Quality control / Electrical  
Modern Coach Factory Raebareli







	<b>Modern Coach Factory Raebareli</b> <b>आधुनिक रेल डिब्बा कारखाना,</b> <b>रायबरेली</b>	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 4 OF 4

## ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC SCN COACHES

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
21.	Provision of Switch plate assembly along with mobile charging sockets. Make: <b>SALZER</b>	EDML-086, Rev-6, Am-1, Table-1, Item-1.	<b>10</b>
22.	Provision of Switch plate assembly along with mobile charging sockets. Make: <b>SALZER</b>	EDML-086, Rev-6, Am-1, Table-1, Item-2.	<b>10</b>
23.	Provision of Switch plate assembly along with mobile charging sockets. Make: <b>SALZER</b>	EDML-086, Rev-5, Am-1, Table-1, Item-3.	<b>20</b>
24.	Provision of High Capacity Inter – Vehicular Coupler Unit (ZS Coupling) (500 A, 750 V, 3 ph, 50 Hz). Make: 1.(NPP): <b>PRIME ELECT.</b> 2.(PP): <b>PRIME ELECT.</b>	As per Spec. no. RDSO/PE/SPEC/AC/0177(Rev.-0)-2013 with annexure-A, B.	<b>01 SET</b>
25.	Mounting of Inter Vehicle coupler	As per drg no.1.10113.0.74.000.001,Alt-B	<b>OK</b>
26.	Provision of Wheel Set Earthing equipment. Make:- NPP: <b>PRIME ELECT.</b> PP: <b>PRIME ELECT.</b>	EDTS101,REV-C,AM-1	<b>01 SET</b>
27.	Provision of Anti Skid Disk Brake System.(WSP) Make : <b>FAIVELEY</b> Sr no : <b>13055</b>	As per MDTs 077,Rev.-2 M/s"FAIVELEY" or "Knorr Bremse", or "ESCORTS"	<b>01 SET</b>

<b>SSE/EL/QC</b> <b>वरिष्ठ अनुभाग अभियन्ता</b> <b>गुणवत्ता नियंत्रण</b> <b>आररेडिंका0 / लालगंज / रायबरेली</b> <b>S.S.E./Elect-QC/M.C.F./LLJ/RBL</b>	<b>AWM(ELECT.)/MCF/RBL</b> <b>SEE(P)/MCF/RBL</b> <b>सं कार्य प्रबन्धक / विद्युत</b> <b>आररेडिंका0 / रायबरेली</b> <b>A.W.M/Electrical/MCF/RBL</b>