



**Modern Coach Factory Raebareli**  
**आधुनिक रेल डिब्बा कारखाना, रायबरेली**

DOC NO.: MCF/RBL/QMF 8002

REV NO: 02

DATE: 28-05-2021

**ROLLING STOCK CERTIFICATE(NON AC COACH)**

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2021-2022 /7

RLY	WR	COACH NO	216072/C	DATE OF DISPATCH		1-Apr-21
Type	LWSCN1	Shell No.	20G304	DISPATCH TO	Sr.DME/C&W/MMCT	FUR.NO. LSCNG-516
1	Railway Board's Order No. : 2020/M (C)/142/2, Dt- 27.01.2021					
2	Tare Weight & Carrying Capacity of Coach :					
S.N	COACH TYPE	LWSCN1	LWS	LWSCZ	LDSLR	LSLRD
i	Tare Weight	41.24	40.66	40.5	38.19	38.19
ii	Seating	80	100	102	36	37
iii	Sleeping	80	NIL	NIL	2	4
iv	Luggage	NIL	NIL	NIL	4	4
3	Special feature:					
S.N	DESCRIPTION				MAKE/SUPPLIER	
i	Epoxy flooring in lavatory				M/S-ACME INDIA NDLS	
ii	Anti slip friendly Grab Bar				M/S-ACME INDIA NDLS	
iii	Provision of Health Faucet in lavatories				M/S-ACME INDIA NDLS	
iv	Washbasin counter Top (Corian of Duport or Montelli)				M/S-ACME INDIA NDLS	
vi	GFRE ceiling instead of NFTC				M/S-ACME INDIA NDLS	
v	DGFRP panels instead of LP panels				M/S-ACME INDIA NDLS	
vii	Honey Comb partition frame with DGFRP sheet instead of FRP sheet				M/S-ACME INDIA NDLS	
viii	Venturi arrangement in lavatory				M/S-ACME INDIA NDLS	
ix	Choke of 5/6 mm in DV side replace with 9 mm in both type (KBI & Faiv.) letter no. MC/LHB/Brake, DT. 27.09.18					
4	Smart feature:NIL					
5	SHELL LEADING DIMENSIONS:					
S.N	DESCRIPTION				DIMENSION (MM)	
i	Maximum Length over body				23700	
ii	Maximum Width over body				3240	
iii	Maximum height from Rail Level				4039	
iv	CBC height/Buffer Height from Rail level 1105 +/-10				NPP/PP	1105/1099
6	TRACEABILITY OF SHELL ITEMS:					
S.N	ITEM		MAKE/SUPPLIER	SERIAL NO		
i	Under frame	Front	PP END	M/S-INDIRA	23/175	
		Part	NPP END	M/S-INDIRA	23/175	
		Complete		M/S-INDIRA	23/175	
ii	Lav. side wall		M/S-ATHANCY ALD	LAV.1	-----	LAV.2
			M/S-ATHANCY ALD	LAV.3	-----	LAV.4
iii	Side wall	LH SIDE	MCF/RBL-V4U LKO	83		
		RH SIDE	MCF/RBL-V4U LKO	83		
iv	End wall	PP END	M/S-OMAX	-----		
		NPP END	M/S-OMAX	-----		
v	Roof		M/S-TI	113		
vi	Centre Buffer Coupler		M/S-ESCORTS	NPP/PP	2031/2037	
vii	Buffer		N/A	NPP/PP	N/A	
7	AIR BRAKE TEST REPORT:					
S.N	ITEM	DESCRIPTION		SPEC. VALUE		OBSERVED
i	Full brake application	Reduce pressure of BP from 5.0 to 3.4 kg/cm <sup>2</sup> .		6 – 10 sec.		7 Sec
		Max. pressure in BC		3.0 ±0.15 kg/cm <sup>2</sup> .		3.0 kg/cm <sup>2</sup>
		All Brake are applied		OK		OK
ii	Insensitivity	Exhaust BP @ 0.3 kg/cm <sup>2</sup> /min.		No brake application		OK
iii	Sensitivity	Exhaust BP @ 0.1 kg/cm <sup>2</sup> /Sec, after 06 Sec.		Brake must apply		OK
iv	Handbrake(Parking brake)for generator car	1.Apply hand brake		1.Hand Bk. Indicator should be red		OK
		2.Release hand brake		2. Hand Bk. indicators should be green		OK
8	PAINTING DETAILS:					
S.N	DESCRIPTION	TYPE OF PAINT	MAKE	APPLICATION BY MCF/ CONTRACTOR (SUPPLY & APPLY)	AVERAGE GLOSS VALUE	DATE OF COMPLETION
i	Paint	P.U	GSI	M/S-GSI	91/89	4-Feb-21
ii	Insulation	Satisfactory				
9	COACH FURNISH DETAILS :					
S.N	ACTIVITIES	FIRM		TURNKEY/WORK CONTRACT/SUPPLY&APPLY		
i	Coach Furnishing	M/S-ACME INDIA NDLS		TURNKEY		
ii	Air Brake	M/S-SR ENT		WORK CONTRACT		
iii	Bio toilet & flushing	M/S-ACME INDIA NDLS		TURNKEY		
vi	Epoxy in lav.	M/S-ACME INDIA NDLS		TURNKEY		

SSE/QC/MCF/RBL

वरि०अनु० अभियंता  
गुणवत्ता विभाग  
रे०डि०का०, रायबरेली (लालगंज)





**Modern Coach Factory Raebareilly**  
**आधुनिक रेल डिब्बा कारखाना, रायबरेली**

DOC NO.: MCF/RBL/QMF 8002

REV NO: 02

DATE: 28.05.2021

**ROLLING STOCK CERTIFICATE(NON AC COACH)**

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2021-2022 /7

RLY	WR	COACH NO	216072/C	DATE OF DISPATCH	1-Apr-21
Type	LWSCN1	Shell No.	20G304	DISPATCH TO	Sr.DME/C&W/MMCT
				FUR.NO.	LSCNG-516

10	MODIFICATION (IF ANY)	: NIL
11	DEVIATION (IF ANY)	: NIL
12	ITEM FITTED ON THE COACH ON TRIAL	: NIL

S.N	ITEM PARTICULARS	PURPOSE	REPORT	REFERENCE &
			Frequency	PERIOD OF TRIAL

**13.A TRACEABILITY OF FURNISHING ITEMS:(common items for all coach)**

S.N	ITEM	MAKE/SUPPLIER	SERIAL NO(NPP/PP)
i	Air Brake Module	M/S-KBI	6208 05/21
ii	Distribution valve	M/S-KBI	2021B12945
iii	Pull box	M/S-KBI	
iv	FIBA	NIL	NIL
vi	Foot Step	M/S-FABRICON INDS KOLKATA	
v	Decoupling arrangement	M/S-PULSAR INDS KOLKATA	
vii	Floor board	M/S-TWPL MUMBAI	
viii	PVC	M/S-ACME INDIA NDLS	
ix	Lavatory inlay	M/S-ACME INDIA NDLS	
x	UIC Vestibule (PPE)	M/S-SUNCREST KOLKATA	
xi	UIC Vestibule (NPPE)	M/S-SUNCREST KOLKATA	
xii	Gangway bridge mounting (PPE)	M/s- MAHAVEER METAL WORKS, KXH	
xiii	Gangway bridge mounting (NPPE)	M/s- MAHAVEER METAL WORKS, KXH	
xiv	Body Side Window	M/S-ACME INDIA NDLS(WIDDER)	
xv	Emergency Window	M/S-ACME INDIA NDLS(WIDDER)	
xvi	Lavatory/hopper Window	M/S-ACME INDIA NDLS	
xvii	Roof Ceiling	M/S-ACME INDIA NDLS(DGFRP)	
xviii	Door way /gang way ceiling	M/S-ACME INDIA NDLS(DGFRE)	
xix	Side panel	M/S-ACME INDIA NDLS(DGFRP)	
xx	Body Side Doors	M/S-ACME INDIA NDLS	
xxi	Vestibule Door(PPE)	M/s-JBM FARIDABAD	
xxii	Vestibule Door(NPPE)	M/s-JBM FARIDABAD	
xxiii	Bio Tank	M/s-RAIL FAB-02 NOS+FLASH FORGE-02 NOS	
xxiv	Pressurized flushing (ele. Pneu.)	M/S-SPAC	
xxv	Auxiliary Water Tank	M/S-SHIVALIK FAST MOHALI	
xxvi	Under Slung Water Tank ( 2X685L)	M/S-OASIS	
xxvii	Under Slung Water Tank ( 1X685L)	M/S-SHIVALIK FAST MOHALI	
xxviii	Health Faucet	M/S-KAPCO VALVES JUC	
xxix	Lotah Filler Tap	M/S-KAPCO VALVES JUC	
xxx	Controlled discharge tap	M/S-AGMECO UK	
xxxi	Lavatory Modules	M/S-ACME INDIA NDLS(DGFRP)	
xxxii	Lavatory Doors	M/S-ACME INDIA NDLS	
xxxiii	Fire Extinguisher	M/S-ACME INDIA NDLS	-----
xxxiv	Seat & Berth	M/S-ACME INDIA NDLS	
xxxv	Venturi grill	M/S-ACME INDIA NDLS	

**13.B TRACEABILITY OF FURNISHING ITEMS:(items for variant wise)**

i	Partition panel	M/S-ACME INDIA NDLS
ii	Partition pillar	M/S-ACME INDIA NDLS
iii	Water purifier	M/S-ACME INDIA NDLS

SSE/QC/MCF/RBL

**वरि०अनु० अभियंता**  
**गुणवत्ता विभाग**  
**रे०डि०का०, रायबरेली (लालगंज)**





MODERN COACH FACTORY, RAEBARELI

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO.: 01

DATE: 16.05.2016

ROLLING STOCK CERTIFICATE (NON AC COACH)

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2021-22/-07

RLY	W	R	-	Coach No.	2	1	6	0	7	2	/	C	-	DATE OF DISPATCH	0	1	0	4	2	0	2	1
-----	---	---	---	-----------	---	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH	Sr.DME/C&W/MMCT	Type	L	W	S	C	N	1	Shell No.	2	0	G	3	0	4	FUR .NO	LSCN-G-516
----------	-----------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	---	---------	------------

## 9. DETAIL OF BOGIES:-

ITEMS	NPP Side				PP Side			
Bogie No	203011				203012			
Bogie Type	FIAT				FIAT			
Frame no.	SIMPLEX- 204				SIMPLEX- 289			
Bolster no.	APEX - 431				APEX - 402			
Axle No	21 C - 4038 RWF		21C - 3623 RWF		21 C - 3648 RWF		21 B - 8521 RWF	
Wheel Dia	917.47	917.52	917.405	917.424	917.42	917.45	917.43	917.45
Wheel Disc No	TZ 09-20 33530-0TF1	TZ 09-20 25686-0SE0	TZ 09-20 25682-0SE0	TZ 09-20 31496-0TD0	TZ 09-20 30664-0TC4	TZ 09-20 32051-0TE8	TZ 09-20 29098-0SF4	TZ 07-20 45561-0RE6
R.B. Nos.	09-20 301873	09-20 300805	09-20 302564	09-20 302386	09-20 302455	09-20 302566	09-20 302414	09-20 302508
CT R B Make	TIMKEN		TIMKEN		TIMKEN		TIMKEN	

## 10. SECONDARY SUSPENSION LOAD DEFLECTION VALUES :-

DESCRIPTION	Bogie NPP side				Bogie PP side			
	Secondary 1		Secondary 2		Secondary 1		Secondary 2	
	Outer	Inner	Outer	Inner	Outer	Inner	Outer	Inner
Make & Nos.	CMAFJ01-20 5101-79	CMGBD 02-20 F08-837-283	CMAFJ01-20 5101-61	CMGBD 02-20 F08-837-135	CMAFJ01-20 5101-16	CMGBD02-20 F08- 827-65	CMAFJ01-20 5101-7	CMGBD02-20 F08- 827-355
Compressed Ht. at Tested Load	515	470	516	470	516	472	516	472
Alignment deviation (mm)	15	20	15	20	5	19	5	19

## 11. TRACEABILITY OF BOGIE ITEMS:-

S. NO	ITEM	MAKE/ SUPPLIER	510SERIAL NO.	
			NPP SIDE20	PP SIDE
1.	Yaw Damper	IAI	336434,335894	336106,335976
2.	Primary outer Spring	CMAFJ	07-20 1100--(210,212,214,215)	07-20 1100--(209,211,213,208)
3.	Primary Inner Spring	CMAFJ	08-20 1100 -(202,207,210,211)	08-20 1100 -(203,205,206,204)
4.	Primary Damper	IAI	06-20 (319927,319332,320205,319578)	06-20 (319556,319393,319653,319705)
5.	Secondary Damper	GABRIEL	12-19 (4375,4370)	12-19 (4368,4369)
6.	Lateral Damper	KONI	03-19 00896	03-19 00665
7.	Brake Cylinder	KBI	D(1342,0221,0670,1307)-K29	D(2155,0713,0705,2152)-K29
8.	Brake Caliper	KBI	A(6730,6829,7026,6746)-29	A(6836,7059,7060,6838)-29
9.	Brake Disc	KBI	24234038 0009-32/20,24234038 0011-32/20 24234038 0008-32/20,24234038 0015-32/20	24234038 0010-32/20,24234038 0016-32/20 24249845 0040-047/21,24249845 0073-04/21
10.	Ball Joint Control Arm	GMT		
11.	Lateral Bump Stop	PRAG		
12.	Traction Centre make	RNG		
13.	Traction lever make	TAJ		
14.	Ball joint traction lever	BONY		
15.	Ball joint traction centre	PPI		
16.	Secondary Rubber Pad	TECSPAK		
17.	Rubber Spring	BONY		
18.	Anti roll bar Make	EMSON		
19.	Roll Link make	EMSON+BONY		
20.	Fork make	RNG		
21.	Control Arm Upper	RVE	150120-3,150120-3,220120-2,220120-2	150120-3,150123-3,150120-3,170120-1
22.	Control Arm Lower	RVE	140120-2,140120-2,220120-2,150120-3	150120-3,150120-3,220120-2,060120-1
23.	Phonic Wheel	FAV	FT/KEP-58	FT/KEP-58

Signature of SSE/Bogie/QC

SME/AME/QC/MCF/RBL

Dy.CQM/MCF/RBL

Asst. Mechanical Engineer

Dy. Chief Quality Manager

आ. र. डि. का. रायबरेली

Modern Coach Factory, Raebareli

MCF, RBL



GSTIN : 03ACBPK3400D1ZM  
Excise Regn. No. ACBPK3400DXM001

# G. S. INDUSTRIES

APPROVED BY

**N.S.I.C.  
R.D.S.O.**

**ISO 9001-2015  
ISO 14001-2015**

D-146, FOCAL POINT EXTENSION, JALANDHAR-144004

PHONE : (O) 0181-5081474

(M) 99882-65025, 99884-55459

Website : [www.gspaints.com](http://www.gspaints.com)

e-mail : [info@gspaints.com](mailto:info@gspaints.com)

## WARRANTY CERTIFICATE

To,  
Dy.CME/FP  
MODERN COACH FACTORY,  
RAEBARELI, LALGANJ-229120

Dated 10/2/21

Sub:- Performance warranty certificates.

Ref: - P.O.no 31061800101167 DATED 21.08.2019

Name Of Work: - Pu Paint For Lhb Type Rajdhani Coaches.

Dear Sir,

With reference to above, we do here by confirm the warranty for three years from the date of application of the delivered below mention coaches vide your above referred purchase order after application & due inspection at your end.

SR.	SHELL NO.	FURNISHING NO.	COACH NO.	Railway NO.	DATE OF COMPLETION
239	2WSEN 206304	2SCN(6)-516	216072	12R	04-02-21

The warranty is applicable from date of dispatch against the below mention defects as per RDSO specification no. M&C/PCN/100/2018.

- Gloss level value of applied paint-initial 85 unit (on the date of painting) and minimum 80%, 70% and 60% of initial gloss after one year, two years and three years respectively from the date of application
- Decolonization of paint film.
- Cracking of paint film.
- Peeling of paint film.
- Blistering of the paint film.

Thanking you,  
For G.S.Industries

Auth. signatory



	<b>Modern Coach Factory Raebareli</b> <b>आधुनिक रेल डिब्बा कारखाना,</b> <b>रायबरेली</b>	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 1 OF 4

## FOR ELECTRICAL ITEMS

## ROLLING STOCK CERTIFICATE OF LHB EOG NON AC SCN COACH.

ELECTRICAL TEST CERTIFICATE FOR LHB EOG NON AC SCN COACH.						
TYPE COACH		LWSCN		SHELL/COACH NO		216072/C
RAILWAY		WR	ELECT. FIT DATE	31-03-2021	MCF FUR. NO.	SCN-G-516
Sr. no.	Description of tests					Remarks
1.	PUMP EQUIPMENTS					OK
2.	LIGHTS, NL,LAP CHARGING SOCKETS					OK
3.	WORKING OF ACCIDENTAL, EMERGENCY LIGHTS.					OK
4.	RAILWAY CARRIAGE FAN					OK
5.	WHEEL SLIDE PROTECTION SYSTEM ( WSP )					OK
6.	WORKING OF 9 KVA TRANSFORMER					OK
7.	WORKING OF REGULATED BATTERY CHARGER/EMERGENCY BATTERY CHARGER.					OK
8.	SAFETY :					--
8.1.	FUSES AND THEIR RATING					OK
8.2.	CONTROL CIRCUIT					OK
8.3.	POWER CIRCUIT					OK

Senior Section Engineer  
Quality control / Electrical  
Modern Coach Factory Raebareli





	<b>Modern Coach Factory Raebareli</b> <b>आधुनिक रेल डिब्बा कारखाना,</b> <b>रायबरेली</b>	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 2 OF 4

## ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC SCN COACHES

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
01.	Fitment of Switch board cabinet.(set of panel) Make/Sr.no.: <b>HIND</b> On Board: <b>H355.20E.0720</b> HT Panel: <b>H355.20E.0767</b>	EDTS 355, Rev`01`.Am-3	<b>01 SET</b>
02.	Provision of 9 KVA 750/415/190V, 03Ø AC. Make: <b>VIMAL</b> Sr no.: <b>VTC 3089 LHB 4338</b>	RDSO/PE/SPEC/TL 0158, 2010, Rev`0`,Ty I.	<b>01</b>
03.	Mounting of 09KVA TFR.	As per drg no 1.10113.0.76.300.001,Alt -B.	<b>OK</b>
04.	Provision of Pump equipment with pump box. Make: <b>HIND</b> Sr no : <b>20/10/385</b> Pump 1: <b>20/10/809</b> Pump 2: <b>20/10/810</b>	As per spec no. EDTS186,REV-A,AM-2	<b>01 SET</b>
05.	Provision & Mounting of Pump controller. Make: <b>HIND</b> SL.no.: <b>20/10/559</b>	As per Spec. EDTS186 Rev-a Am-2, & drg no. CC71328 & LW70020	<b>01</b>
06.	4.5 Kw Under slung type Constant Voltage Regulated Battery charger cum Emergency battery charger Make: <b>SIGNOTRON</b> Sr. no.: <b>08201792</b>	As per spec no. RDSO/PE/SPEC/AC/0183-2015(REV.- 1)	<b>01</b>
07.	Provision of Feeder Junction Box Make : <b>INDORAIL</b>	EDTS-328 REV-C,AM-4,Type- II,COR-2	<b>01 SET</b>
08.	Provision of IVC dummy Socket assembly.	As per Drg. No. LW71302,Alt-nil	<b>01 SET</b>
09.	Battery fuse box +ve Make : <b>RSI</b>	As per LW 71001,Alt- H	<b>01</b>
10.	Battery fuse box -ve Make : <b>RSI</b>	As per LW 71002,Alt-I	<b>01</b>
11.	Provision of Battery boxes/ Cradles. Make: <b>PRADEEP TRANSCORE</b>	As per Drg. No. 110113.0.76.700.005 W/O item 5,22,23,26 & 27,Alt-C or Latest.	<b>01</b>
12.	Provision of batteries Type: 110 V, 120 AH VRLA SMF Battery Set. Make: <b>AMARA RAJA</b> Lug Date: <b>02/21</b>	As per RDSO/PE/SPEC/AC/0009-2014 (Rev-2) with inner cell connectors or Latest.	<b>01 SET</b>

**Senior Section Engineer**  
**Quality control / Electrical**  
**Modern Coach Factory Raebareli**





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना,  
रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 01

DATE: 29.06.2020

PAGE 3 OF 4

## ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC SCN COACHES

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
13.	Fitment of Railway carriage Fan 400mm Sweep, 110V AC with crash worthy features. Make: <b>ELECTROWAVES</b>	As per Drg. No. ICF/SK-7-6-158,alt-g. RDSO/PE/SPEC/TL/0021-2005 (Rev-3) with RCF annex-1,am-1.	<b>30</b>
14.	Fitment of LED Light fittings for Cabin, Doorway and Gangway area. 9 watt. Make: <b>DR AUTO</b>	As per RDSO/PE/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1 .Type-B1. Drg. No. CC76453.	<b>26</b>
15.	Fitment of LED Light fittings for Night Light with berth indication Type-E (1 watt). Make: <b>AGASTYA</b>	As per RDSO/PE/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1, ICF/STB-7-6-053.Type- E. Drg. No. CC76461	<b>10</b>
16.	Fitment of LED Light fittings for Lavatory Lights. 9 Watt. Make: <b>ENSAVE</b>	As per RDSO/PE/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1Type-D. Drg. No. LW76092.	<b>04</b>
17.	Fitment of LED Light fittings for PACIL. Make: <b>ELECTROWAVES</b>	As per RDSO/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1Type-I. Drg. No. LW76098.	<b>02</b>
18.	Fitment of Accidental Emergency Light (AEL) Make: <b>INTEG</b>	As per RDSO/SPEC/AC/0180-2016,Rev-0 ,Type-II.	<b>04</b>
19.	Provision of Cable binder	Drg. No. CC76120,Item - 1,2,3.100mm,200mm,300mm respectively.	<b>OK</b>
20.	Provision of Cable Jacket System.	EDTS-138,Cor-2,Item-5,7,8,9,11.	<b>OK</b>

*Senior Section Engineer*  
Quality control / Electrical  
Modern Coach Factory Raebareli



	<b>Modern Coach Factory Raebareli</b> <b>आधुनिक रेल डिब्बा कारखाना,</b> <b>रायबरेली</b>	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 4 OF 4

## ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC SCN COACHES

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
21.	Provision of Switch plate assembly along with mobile charging sockets. Make: <b>SALZER</b>	EDML-086, Rev-6, Am-1, Table-1, Item-1.	<b>10</b>
22.	Provision of Switch plate assembly along with mobile charging sockets. Make: <b>SALZER</b>	EDML-086, Rev-6, Am-1, Table-1, Item-2.	<b>10</b>
23.	Provision of Switch plate assembly along with mobile charging sockets. Make: <b>RECORD</b>	EDML-086, Rev-5, Am-1, Table-1, Item-3.	<b>20</b>
24.	Provision of High Capacity Inter – Vehicular Coupler Unit (ZS Coupling) (500 A, 750 V, 3 ph, 50 Hz). Make: 1.(NPP): <b>PRIME ELECT.</b> 2.(PP): <b>PRIME ELECT.</b>	As per Spec. no. RDSO/PE/SPEC/AC/0177(Rev.-0)-2013 with annexure-A, B.	<b>01 SET</b>
25.	Mounting of Inter Vehicle coupler	As per drg no.1.10113.0.74.000.001,Alt-B	<b>OK</b>
26.	Provision of Wheel Set Earthing equipment. Make:- NPP: <b>PRIME ELECT.</b> PP: <b>PRIME ELECT.</b>	EDTS101,REV-C,AM-1	<b>01 SET</b>
27.	Provision of Anti Skid Disk Brake System.(WSP) Make : <b>KNORR</b> Sr no : <b>0120305708</b>	As per MDTs 077,Rev.-2 M/s"FAIVELEY" or "Knorr Bremse", or "ESCORTS"	<b>01 SET</b>

<b>वरिष्ठ विद्युत अभियन्ता</b> <b>SSE/EL/QC</b> <b>गुणवत्ता नियंत्रण</b> <b>आपरेटिंगका/लालगंज/रायबरेली</b> <b>S.S.E./Elect-QC/M.C.F./LLJ/RBL</b>	<b>आपरेटिंगका/रायबरेली</b> <b>AWM/Elect/MCF/RBL</b> <b>SEE(P)/MCF/RBL</b>

