



Modern Coach Factory Raebareli

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO: 01

DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2019-20/119

RLY	C	R	-	Coach No.	1	9	3	4	6	3	/	C	DATE OF DISPATCH	3	0	-	0	4	-	1	9
-----	---	---	---	-----------	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH TO	SSE/STOCK/ CSTM	Type	L	W	A	C	C	N	Shell No.	9	3	0	0	7	FUR.NO.	L3T-1152
-------------	--------------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	---------	----------

1. Railway Board's Order No. : 2019/M(C)/142/2, dated -03 -04-2019

2. Tare Weight of Coach : 45.6 Tonnes

3. Carrying Capacity : (a) Seating: 72 (b) Sleeping: 72 (c) Luggage: NIL

4. SHELL LEADING DIMENSIONS:

S NO	DESCRIPTION	DIMENSION (MM)
1.	Maximum length over body	23700
2.	Maximum width over body	3240
3.	Maximum height from Rail Level	4250
4.	CBC height/Buffer height from Rail level 1105 +0/-10	1) 1105 (NPPE) 2) 1105 (PPE)

5. TRACEABILITY OF SHELL ITEMS:


S NO	ITEM	MAKE/SUPPLIER	SERIAL NO
1.	Under frame	PP END M/s-CHENNAI RADHA	25
		NPP END M/s-CHENNAI RADHA	25
	Complete	M/s-CHENNAI RADHA	25
2.	Lav. side wall	M/s-RAIL FAB, KXH	LAV.1 --- LAV.2 ---
		M/s-RAIL FAB, KXH	LAV.3 --- LAV.4 ---
3.	Side wall	LH SIDE M/S-KANSAL CHANDIGARH	02
		RH SIDE M/S-KANSAL CHANDIGARH	02
4.	End wall	PP END M/s- RSM MOHALI	---
		NPP END M/s- RSM MOHALI	---
5.	Roof	M/s-RAIL TECH	07
6.	Centre Buffer Coupler	M/S- ESCORTS LTD RAILWAY EQUIPMENT, FBD.	PP END 9046 NPP END 9032

6. AIRBRAKE TEST REPORT:

S NO	ITEM	DESCRIPTION	SPEC. VALUE	OBSERVED
1.	Full brake application	➤ Reduce pressure of BP from 5.0 to 3.4 kg/cm ² . ➤ Max. pressure in BC ➤ All Brake are applied	6 – 10 sec. 3.0 ±0.15 kg/cm ² . OK	07 sec. 3.0 kg/cm ² OK
2.	Insensitivity	➤ Exhaust BP @ 0.3 kg/cm ² /min.	No brake application	OK
3.	Sensitivity	➤ Exhaust BP @ 0.1 kg/cm ² /Sec, after 06 Sec.	Brake must apply	OK

7. PAINTING DETAILS:

S NO	DESCRIPTION	TYPE OF PAINT	MAKE	APPLICATION BY MCF/ CONTRACTOR(SUPPLY & APPLY)	AVERAGE GLOSS VALUE	DATE OF COMPLETION
1.	Paint	P.U	M/S-VIBGYOR	SUPPLY & APPLY	90/89	09.04.19
2.	Insulation	Satisfactory				


SSE/QC/MCF/RBL

गुणवत्ता विभाग
रेडिफा 0, रायबरेली (लानाज)





MODERN COACH FACTORY, RAEBARELI

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO.: 01

DATE: 16.05.2016

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2019-20/119

RLY	C	R	-	Coach No.	1	9	3	4	6	3	/	C	-	DATE OF DISPATCH	3	0	0	4	1	9
-----	---	---	---	-----------	---	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---

DISPATCH	SSE/STOCK/CSTM	Type	L	W	A	C	C	N	Shell No.	9	3	0	0	7	FUR NO	L3T-1152
----------	----------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	--------	----------

8. DETAIL OF BOGIES:

ITEMS	NPP Side				PP Side			
Bogie No	182749				182750			
Bogie Type	FIAT				FIAT			
Frame no.	ECBT-1336				ECBT-1332			
Bolster no.	VS-373				VS-383			
Axle No	18 J- 5309 RWF		18 J- 1922 RWF		18 H - 8763 RWF		18 H - 9190 RWF	
Wheel Dia	917.600	917.687	917.652	917.644	917.679	917.661	917.623	917.635
Wheel Disc No	TZ 07-18 39923-8RL4	TZ 07-18 39925-8RT1	TZ 04-18 12253-8MN8	TZ 04-18 12254-8MN8	TZ 08-18 45035-8RP9	TZ 05-18 25717-8PQ7	TZ 08-18 45804-8RM7	TZ 08-18 45034-8RP9
R.B. Nos.	09-18 20950	09-18 20362	07-18 16700	09-18 21021	09-18 21023	09-18 21243	09-18 21190	09-18 21280
CT R B Make	TIMKEN		TIMKEN		TIMKEN		TIMKEN	

9. SECONDARY SUSPENSION LOAD DEFLECTION VALUES :-

DESCRIPTION	Bogie NPP side				Bogie PP side			
	Secondary 1		Secondary 2		Secondary 1		Secondary 2	
	Outer	Inner	Outer	Inner	Outer	Inner	Outer	Inner
Make & Nos.	CMAFJ11-18- L001-8836-76	CMRSK12-18- F19-S46-19A- 1602	CMAFJ11-18- L001-8836-72	CMRSK12-18-F19- S46-19A-1417	CMAFJ11-18- L001-8836-50	CMRSK12-18-F19- S46-19A-1445	CMAFJ11-18- L001-8836-67	CMRSK12-18-F19- S46-19A-1575
Compressed Ht. at Tested Load	514	464	514	463	515	468	515	467
Alignment deviation (mm)	4	38	14	38	10	28	10	29

10. TRACEABILITY OF BOGIE ITEMS :-

S. NO	ITEM	MAKE/ SUPPLIER	SERIAL NO.	
			NPP SIDE	PP SIDE
1.	Yaw Damper	KBI	16212,16209	16197,16201
2.	Primary outer Spring	CMGBD	08-18 411(105-654,110-519,105-508,107-517)	08-18 411(110-620,105-622,645,110-511)
3.	Primary Inner Spring	CMRSK	09-18 04Y(8563) 10-18 (8408) 11-18 (6942,8101)	10-18 04Y(7153,7085,8350) 11-18 (6900)
4.	Primary Damper	KNORR	12-18 (49049,47784,48906,48010)	12-18 (48019,48003,47958,49041)
5.	Secondary Damper	IAI	12-18 (231187,231155)	12-18 (230896,230973)
6.	Lateral Damper	IAI	12-18 235335	12-18 235290
7.	Brake Cylinder	FAV	(N18-041,M18-464,N18-131,133)	(M18-536,N18-106,M18-461,N18-037)
8.	Brake Caliper	FAV	A19(455,453,445,447)B	A19(252,250,454,456)B
9.	Brake Disc	KBI	24162322 0031-41/18,24162515 0036-41/18 24162515 0037-41/18,24162515 0047-41/18	24168001 0001-48/18,24167704 0023-48/19 24167704 0039-48/19,24168001 0002-48/19
10.	Ball Joint Control Arm	AR		
11.	Lateral Bump Stop	GMT		
12.	Traction Centre make	SARITA		
13.	Traction lever make	JI		
14.	Ball joint traction lever	AR		
15.	Ball joint traction centre	AR		
16.	Secondary Rubber Pad	PPI		
17.	Rubber Spring	GMT		
18.	Anti roll bar Make	EMSON		
19.	Roll Link make	SARITA/ GMT		
20.	Fork make	ASL		
21.	Control Arm Upper	RVE	321118-2,011218-2,301118-2,291118-	301118-2,091218-1,261118-1,091218-1
22.	Control Arm Lower	RVE	281118-2,301118-4,291118-2,071218-2	051218-2,281118-3,RVE,281118-4
23.	Phonic Wheel	FAV	FT/KEP/1548	FT/KEP/1336

Signature of SSE/Bogie/QC



Modern Coach Factory Raebareli

DOC NO.: MCF/RBL/QMF 8002

REV NO: 01

DATE: 17.04.2018

आधुनिक रेल डिब्बा कारखाना, रायबरेली

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2019-20/119

RLY	C	R	-	Coach No.	1	9	3	4	6	3	/	C	DATE OF DISPATCH	3	0	-	0	4	-	1	9
DISPATCH TO	SSE/STOCK/ CSTM				Type	L	W	A	C	C	N	Shell No.	9	3	0	0	7	FUR.NO.	L3T-1152		

11. TRACEABILITY OF FURNISHING ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO
1.	Air Brake Module	M/S- FAIVELY TRANSPORT TECH.INDIA LTD BADDI(HP)	C 19102 B
2.	Distribution valve	M/S- FAIVELY TRANSPORT TECH.INDIA LTD BADDI(HP)	19035611B
3.	Pull box	M/S- FAIVELY TRANSPORT TECH.INDIA LTD BADDI(HP)	
4.	Foot Step	M/S- SUPER SPARK PVT.LTD.FARIDABAD	
5.	Decoupling arrangement	M/S- KOHINOOR KR, MUMBAI	
6.	Floor board	M/s- T.W.P.L INDUS. MUMBAI	
7.	PVC	M/S - PREMIER POLYFILM, GZB	
8.	UIC Vestibule (PPE)	M/S-SUNCREST IND.KOLKATA	
9.	UIC Vestibule (NPPE)	M/S-SUNCREST IND.KOLKATA	
10.	Gangway bridge mounting (PPE)	M/S- RAKESH IRON STORE, KXH	
11.	Gangway bridge mounting (NPPE)	M/S- RAKESH IRON STORE, KXH	
12.	Body Side Window	M/s- BIRKON ENGG.GZB	
13.	Emergency Window	M/s- BIRKON ENGG.GZB	
14.	Lavatory/hopper Window	M/S- AXSYS SOLUTION, DELHI	
15.	Roof Ceiling	M/s-MSL (MOBILITY SOLUTION LTD.) MOHALI	
16.	Door way /gang way ceiling	M/S- AMIRCHAND ENGG.WORKS, JALANDHAR	
17.	Supply Air Duct	M/S- HANSPAL TRADERS, KXH	
18.	Partition panel	M/S- HONEYCOMB INTERNATIONAL, BANGALORE	
19.	Partition pillar	M/S- J.R. INDUSTRIES LTD. JALANDHAR	
20.	Side Wall panel	M/S- HINDUSTAN FIBRE & GLASS LTD. VADODARA	
21.	AC Trough	M/s- MEENA FIBER GLASS INDUS. PUDUCHERY	
22.	Body Side Doors	M/S- SUKATA TRACTOR PARTS PVT.LTD. CDG	
23.	Compartment Door (PPE)	M/S- HANSPAL TRADERS, KXH	
24.	Compartment Door (NPPE)	M/S- HANSPAL TRADERS, KXH	
25.	Vestibule Door(PPE)	M/S- JBM INDUSTRIES, FARIDABAD	
26.	Vestibule Door(NPPE)	M/S- HANSPAL TRADERS, KXH	
27.	Bio Tank	M/s- FLASH FORGE (P)LTD(03NO),RAIL FAB(01NO)	
28.	Auxiliary Water Tank	M/S- AMIT ENG. MOHALI	
29.	Under Slung Water Tank (2X685L)	M/S- AMIT ENG. MOHALI	
30.	Under Slung Water Tank (1x450 L)	M/S- AMIT ENG. BADDI	
31.	Flexible Faucet	M/S- HINDUSTAN FIBRE & GLASS LTD. VADODARA	
32.	Lotah Filler Tap	M/S- HINDUSTAN FIBRE & GLASS LTD. VADODARA	
33.	Bib cock	M/s- JAQUAR PVT.LTD. ALWAR	
34.	Lavatory Modules	M/s-CMT MECHANISED SYSTEM PV. LTD. VADODARA	
35.	Lavatory Doors	M/s-CMT MECHANISED SYSTEM PV. LTD. VADODARA	
36.	Fire Extinguisher (PPE)	M/S- AGRAWAL FIRE.	PPE-2407
37.	Fire Extinguisher (NPP)	M/S-TRADE FIRE.	NPP-0538
38.	Seat & Berth	M/S- ORIENTAL VENEER PRODUCTS MUMBAI	
39.	Light Luggage Rack	M/S- TECHO INDS, ALD.	
40.	Snack Table	M/S- INTERNATIONAL TRACTORS LTD. JALANDHAR	

SSE/QC/MCF/RBL

गुणवत्ता विभाग
रेडिफा, रायबरेली (लालगंज)



MCF/RBL



Modern Coach Factory Raebareli

आधुनिक रेल डिब्बा कारखाना, रायबरेली

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2019-20/119

DOC NO.: MCF/RBL/QMF 8002

REV NO: 01

DATE: 17.04.2018

RLY	C	R	-	Coach No.	1	9	3	4	6	3	/	C	DATE OF DISPATCH	3	0	-	0	4	-	1	9					
DISPATCH TO	SSE/STOCK/ CSTM		Type	L	W	A	C	C	N	Shell No.	9	3	0	0	7	FUR.NO.	L3T-1152									
12. MODIFICATION (IF ANY)				:																		Nil				

12. MODIFICATION (IF ANY) : NIL

13. DEVIATION (IF ANY) : NIL

14. ITEM FITTED ON THE COACH ON TRIAL : NIL

S NO	ITEM PARTICULARS	PURPOSE	REPORT Frequency	REFERENCE & PERIOD OF TRIAL

15. WARRANTY:

S NO	COMPONENTS	WARRANTY
1	Brake Pad, wheels, flushing valves, push gravity cocks, moldings, window glasses, mirrors, curtain clutch wire etc. (items which are consumable in nature)	NIL
2	Other coach furnishing sub assemblies(bought out items)	24 months from the date of dispatch of coach OR 30 months from the date of supply of material whichever is earlier.

NOTE:

- This warranty covers free supply of parts which wear out and fails within warranty period of normal service.
- This doesn't covers faults arising out of accident, non standard maintenance practices, abnormal use or mishandling, vandal activity, arson & deficient/pilferage etc.
- This doesn't cover any consequential liabilities or damages/loss incurred by anybody; furthermore, it shall in no case extend to repayment, return of the coach or replacement of complete coach.
- Whether a defective part is to be replaced or repaired shall be at the discretion of MCF/RBL.
- For any complain/ suggestion please Mail at qualityrcfbl@gmail.com
- Painting on supply & apply contract :- supply of material and application shall be warranted for a period of three years from date of Application for any manufacturing /Application as per clause -4,para- V of RDSO specification no .M&C/PCN/100/2013-Given below -

S.No	Time period	Gloss Retention (initial gloss >85 unit at 60°)	Colour Retention rating on 0-10 scale (initial rating of painted panels/coach or ISC/RAL shade card shall be taken as 10)	Adherence of paints (with each other and with substrate)Cross-cut tape adhesion test as per ASTM D:3359/97(or latest)
1	After 1 year	80% of initial gloss	7	5B
2	After 2 year	70% of initial gloss	6	5B
3	After 3 year	60% of initial gloss	5	4B

If any imperfection is noticed or any defect arises during the warranty -period due to improper material used or due to bad workmanship, the contractor shall be bounded to set right the defect/ imperfection on free of cost basis at the base depot of the coach.

SSE/QC/MCF/RBL	SME/QC/MCF/RBL	Dy.CQM/MCF/RBL

रेल डिब्बा कारखाना, रायबरेली (लागूगंज)

आधुनिक रेल डिब्बा कारखाना, रायबरेली
Modern Coach Factory Raebareli

उप मुख्य गुणवत्ता प्रबंधक
Dy. Chief Quality Manager
आधुनिक रेल डिब्बा कारखाना, रायबरेली
Modern Coach Factory, Raebareli





Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE:18.01.2017

PAGE 1 OF 5

FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB/EOG AC COACHES

ELECTRICAL TEST CERTIFICATE FOR LHB/EOG AC COACHES

ELECTRICAL TEST CERTIFICATE FOR LHB/EOG AC COACHES				
TYPE COACH		LWACCN	SHELL/COACH NO	193463/C
RAILWAY		CR	DATE OF DESPATCH	
Sr no	Description of tests			Remarks
1.0	REFERENCE SPECIFICATION : L 446			
1.1	AIR CONDITIONING TEST : ELPS/TP/AC 01.			
1.2	CODE OF PRACTICE OF WIRING : ELPS/SPEC/EOG/AC-01			
2.0	INSULATION RESISTANCE : Setting of insulation monitoring relay at 30K ohms as per TD 111 of M/s LHB.			
	Observed status : HEALTHY			
3.0	AIR DELIVERY MEASUREMENT	OBSERVED VALUE		OK
3.1	Fresh Air	19.80 Cub mtr/min		OK
3.2	Return Air	70.49 Cub mtr/min		OK
3.3	Exhaust Air	7.15 Cub mtr/min		OK
3.4	Conditioned Air	163.46 Cub mtr/min		OK
4.0	PRE COOLING TEST: Max 01 hr. Time taken to pre cool from 45 deg centigrade to 24/22 deg C during OFF LOAD condition PP Side : 21.6°C NPP Side :22.4°C			OK
5.0	PULL DOWN TEST: Max 02 hrs. Time taken to pull down from 45 deg C to 24/22 deg C during FULL LOAD condition. Not done.			OK

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE:18.01.2017


PAGE 2 OF 5

FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB/EOG AC COACHES

ELECTRICAL TEST CERTIFICATE FOR LHB EOG AC COACHES

Sr no	Description of test	Remarks
6.0	HUMIDITY CONTROL	OK
7.0	PUMP EQUIPMENTS	OK
8.0	WORKING OF EXHAUST FANS OVER LAVATORIES	OK
9.0	WORKING OF COMPOSITE PANTRY	OK
10.0	COMPARTMENT LIGHT	OK
11.0	PUBLIC ADDRESSING SYSTEM (PAS)	OK
12.0	WHEEL SLIDE PROTECTION SYSTEM (WSP)	OK
13.0	WORKING OF 60KVA TRANSFORMER	OK
14.0	WORKING OF REGULATED BATTERY CHARGER	OK
15.0	WORKING OF EMERGENCY BATTERY CHARGER	OK
16.0	SAFETIES :	
16.1	THERMOSTAT :	OK
16.2	ROTARY 07 SET POINTS (NORMAL CONDITION)	OK
16.3	MID SET POINTS (SENSORS FAILED CONDITIONS)	OK
16.4	HYGROSTAT	OK
16.5	CONTROL CIRCUIT	OK
16.6	POWER CIRCUIT	OK
17.0	REFRIGERANT USED R 407C	OK


Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE:18.01.2017

ROLLING STOCK CERTIFICATE OF LHB/EOG AC COACHES

PAGE 3 OF 5

Sr no	Description	Drg/Spec no.	Quantity per Coach
01.	Roof mounted AC package unit for LHB AC coaches. Make : AMIT ENGG. Sr no of RMPU (NPP side): 3386 B Sr no of RMPU (PP side) : 3283 B Sr no of Microprocessor: AE 19.03.303	As per rdso/pe/spes/ac/0061/rev-1/2005	02
02.	Switch board cabinet Make : AMIT ENGG. Sr no : AE/SB-693	RDSO/PE/SPEC/AC/0184-2015 REV-0	01
03.	Pump equipment with PLC controller & pump box Make : DR AUTO Sr no PA : 2019/02/101 Sr no.1 : 19010613 Sr no.2 : 19010635 Sr no.CPA : 2019/02/065-DR AUTO	As per spec EDTS 186,Rev-a, Am- 2	01
04.	Double inlet centrifugal blower 415V/03Ph /50Hz /120W/450 cum mtr/hr discharge for exhausting air from lavatory & switch board cabinet Make : INTEG	EDTS331, TYPE-1 CORR.-1&2	02
05.	Door way/Gangway Light Make : RT VISION	RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-N	07
06.	Provision of Passenger area light(Cabin) Make: DR AUTO	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-L	09
07.	Corridor Light with Night light Make: RT VISION	RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-M	09
08.	Emergency light system for EOG type coaches (AEL) Make : VGS	EDTS 151,Rev -c Am-1 & 2	04
09.	Lavatory light fitting assly Make : K.LITE	LW 76001,Alt nil	04
10.	Toilet indication (WC) light, Make: AGASTYA	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-H1	04
11.	Passenger alarm coach indication light Make : DR AUTO	LW 76005,Alt-e	02

(Signature)
Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001


REV NO: 00

DATE:18.01.2017

ROLLING STOCK CERTIFICATE OF LHB/EOG AC COACHES

PAGE 4 OF 5

Sr no	Description	Drg/Spec no.	Quantity per Coach
12.	Razor socket for WC 110/240V. Make : SSK	EDML 047,Rev nil	04
13.	Terminal strip Make : WAGO	EDML 034,Rev-a	01
14.	Terminal connector Make : WAGO	EDML 037,Rev`a'	04
15.	Single switch 06A/250V/AC ONE WAY ,complete with steel plate & cover frame Make : SSK	EDML 0,64,Rev-B, Item 04.	09
16.	Single switch 06A/250V/AC ONE WAY complete with steel plate & cover frame Make : SSK	EDML 0,64,Rev-B, Item 05.	09
17.	Provision of switch socket combined 5PIN (06A, 250V AC) along with 1A glass fuse fitted powder coated steel plate & cover frame Make : SSK	EDML 0,64,Rev-B, Item -16.	09
18.	PA system for LHB coaches Make : AHUJA	EDTS 173,Rev- a Am- 1,2&3	01 set
19.	70AH/110V,54 Cells,02V each ,maintenance free pure lead acid tin monoblock ,battery set with 09 modules 12V each. , factory pre charged. Make : AMARA RAJA Lug date : 09/18	EDTS 129,Rev nil	01 set
20.	Battery box for LHB coaches. Make : NIL	1 10113 0 76 700 005 w/o item 5,22 ,23 ,26 & 27.	01
21.	Battery fuse box +ve Make : AECO	As per LW 71001,Alt- F	01
22.	Battery fuse box -ve Make : NEC	As per LW 71002,Alt- F	01


Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE:18.01.2017

PAGE 5 OF 5

ROLLING STOCK CERTIFICATE OF LHB/EOG AC COACHES

Sr no	Description	Drg/Spec no.	Quantity per Coach
23.	Emergency battery charger Make : BHASIN Sr no: 03190150 Make : NAREN ELECTRONIC Sr no: 1902641	EDTS 163,Rev 'c' corg.-2&3	02
24.	Provision of 5KVA TFR Make : WAVES SL.no : WLDL 5L 18420	As Per EDTS-366,REV-NIL & CC-71510	01
25.	Provision of capacitor Bank Make : KONTACT SL.no : KT-782	As per EDML-130 Rev-1,Corr-1	01
26.	60KVA transformer Make : VIMAL Sr no : VTC-3089 LHB-4545	As per rdso/pe/spec/ac/0080/rev-0 (2007)/Am-1&2/Corr. 1,2&3	01
27.	Inter Vehicle (ZS)coupler Make: MAA LAXMI INDUSTRIES.	As per RDSO PE SPEC-0177-2013 REV-0	01 set
28.	Feeder junction boxes. Make : SIDWAL	EDTS-328 REV-C	01 set
29.	Wheel set earthing equipment. Make : DARSHAN INTERPRISES	EDTS101,REV-C,AM-1	02 sets
30.	Wheel Slide Protection System (WSP) Make : FAIVELEY Sr no : 51/18/2136	M/s : FAIVELEY	01 set
31.	PANTRY EQUIPMENTS : Hot Case & Bottle cooler cum deep freezer Make : ZUMAX	As per EDTS -139, Rev- E ,Sec II.	01

SSE/EL/QC	AWM(ELECT.)/MCF/RBL
वरिष्ठ अनुभाग अभियन्ता	SEE(P)/MCF/RBL

गुणवत्ता नियंत्रण
आपरेटिंगका/लालगंज/रायबरेली
S.S.E./Elect-QC/M.C.F./LLJ/RBL

सं कार्य प्रबन्धक/विद्युत
आपरेटिंगका/रायबरेली
A.W.M./Electrical/MCF/RBL