

LSCN-37



Modern Coach Factory Raebareli

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO: 01

DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2018-19/689

| | | | | | | | | | | | | | | | | | | | | | |
|-----|---|----|---|-----------|---|---|---|---|---|---|---|---|------------------|---|---|---|---|---|---|---|---|
| RLY | E | Co | R | Coach No. | 1 | 8 | 2 | 1 | 6 | 6 | / | C | DATE OF DISPATCH | 2 | 5 | - | 1 | 0 | - | 1 | 8 |
|-----|---|----|---|-----------|---|---|---|---|---|---|---|---|------------------|---|---|---|---|---|---|---|---|

| | | | | | | | | | | | | | | | | | | | | | | |
|-------------|-------------|------|---|---|---|---|---|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DISPATCH TO | Sr.CDO/VSKP | Type | L | W | S | C | N | 1 | Shell No. | 8 | 7 | 1 | 7 | 4 | - | 2 | 0 | 1 | 8 | - | 1 | 9 |
|-------------|-------------|------|---|---|---|---|---|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|

1. **Railway Board's Order No.** : 2018/M(C)/142/2 Dated-27-08-2018
2. **Tare Weight of Coach** : 41.24 Tones
3. **Carrying Capacity** : (a) Seating : 80 (b) Sleeping : 80 (c) Luggage : NIL

4. SHELL LEADING DIMENSIONS :

| S NO | DESCRIPTION | DIMENSION (MM) |
|------|--|-----------------------------|
| 1. | Maximum length over body | 23700 |
| 2. | Maximum width over body | 3240 |
| 3. | Maximum height from Rail Level | 4039 |
| 4. | CBC height/Buffer height from Rail level 1105 +0/-10 | 1) 1100 (NPPE) 2) 1099(PPE) |

5. TRACEABILITY OF SHELL ITEMS:

| S NO | ITEM | MAKE/SUPPLIER | SERIAL NO |
|------|-----------------------|----------------------------------|--------------------------|
| 1. | Underframe | PP END M/S ROURKELA | 10 |
| | Front Part | NPP END M/S ROURKELA | 10 |
| | Complete | MCF/RBL | 87174 |
| 2. | Lav.side wall | M/S JSL COMP.HR | LAV.1 ----- LAV.2 ----- |
| | | M/S JSL COMP.HR | LAV.3 ----- LAV.4 ----- |
| 3. | Side wall | LH SIDE MCF/RBL (CONTRACTOR V4U) | 136 |
| | | RH SIDE MCF/RBL (CONTRACTOR V4U) | 136 |
| 4. | End wall | PP END M/S Neera chandigarh | --- |
| | | NPP END M/S AMIT ENG. | -- |
| 5. | Roof | MCF/RBL | 59 |
| 6. | Centre Buffer Coupler | M/S Sanrok faridabad | PP END 8477 NPP END 8383 |

6. AIRBRAKE TEST REPORT:

| S NO | ITEM | DESCRIPTION | SPEC. VALUE | OBSERVED |
|------|------------------------|--|---|---|
| 1. | Full brake application | ➤ Reduce pressure of BP from 5.0 to 3.4 kg/cm ² . ➤ Max. pressure in BC ➤ All Brake are applied | 6 – 10 sec. 3.0 ±0.15 kg/cm ² . OK | 06 Sec. 3.0 kg/cm ² OK |
| 2. | Insensitivity | ➤ Exhaust BP @ 0.3 kg/cm ² /min. | No brake application | OK |
| 3. | Sensitivity | ➤ Exhaust BP @ 0.1 kg/cm ² /Sec, after 06 Sec. | Brake must apply | OK |

7. PAINTING DAETAILS:

| S NO | DESCRIPTION | TYPE OF PAINT | MAKE | APPLICATION BY MCF/ CONTRACTOR(SUPPLY & APPLY) | AVERAGE GLOSS VALUE |
|------|-------------|---------------|---------|--|---------------------|
| 1. | Paint | P.U | M/s -GS | Supply & apply | 89/87 |
| 2. | Insulation | | | Satisfactory | |

Signature
SSE/QC/MCF/RBL

गुणवत्ता विभाग



MODERN COACH FACTORY, RAEBARELI

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO.: 01

DATE: 16.05.2016

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/689

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|----|---|---|------|---|---|---|---|------------------|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Coach No. | 1 | 8 | 2 | 1 | 6 | 6 | / | C | - | DATE OF DISPATCH | 2 | 5 | . | 1 | 0 | . | 1 | 8 | | | | | | |
| RLY | E | Co | R | - | Type | L | W | S | C | N | 1 | Shell No. | 8 | 7 | 1 | 7 | 4 | - | - | - | - | - | - | - |

8. DETAIL OF BOGIES :

| ITEMS | NPP Side | | | | PP Side | | | |
|---------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Bogie No | 181587 | | | | 181588 | | | |
| Bogie Type | FIAT | | | | FIAT | | | |
| Frame no. | SCI-2003 | | | | ECBT-889 | | | |
| Bolster no. | APEX-335 | | | | APEX-325 | | | |
| Axle No | 18 D- 8354 RWF | | 18E - 8321RWF | | 18 E- 7911 RWF | | 18 E - 8257 RWF | |
| Wheel Dia | 917.425 | 917.512 | 917.534 | 917.556 | 917.511 | 917.526 | 917.479 | 917.511 |
| Wheel Disc No | TZ07-18 34555-8RG2 | TZ06-18 28644-8RG2 | TZ06-18 28624-8QM8 | TZ06-18 28596-8QM8 | TZ06-18 28645-8QL5 | TZ07-18 32926-8QP6 | TZ07-18 39997-8QP6 | TZ06-18 28605-8QM8 |
| R.B. Nos. | 05-18 39374 | 05-18 38734 | 05-18 39724 | 05-18 39381 | 05-18 39267 | 05-18 38886 | 05-18 39997 | 05-18 28505 |
| CT R B Make | SKF | | SKF | | SKF | | SKF | |

9. SECONDARY SUSPENSION LOAD DEFLECTION VALUES

| DESCRIPTION | Bogie NPP side | | | | Bogie PP side | | | |
|-------------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| | Secondary 1 | | Secondary 2 | | Secondary 1 | | Secondary 2 | |
| | Outer | Inner | Outer | Inner | Outer | Inner | Outer | Inner |
| Make & Nos. | CMGBD11-17-5101-116-30 | CMGBD03-18-5100-41-651 | CMGBD11-17-5101-116-49 | CMGBD03-18-5100-40-348 | CMGBD11-17-5101-116-41 | CMGBD03-18-5100-40-617 | CMGBD11-17-5101-116-37 | CMGBD03-18-5100-40-617 |
| Compressed Ht. at Tested Load | 516 | 471 | 516 | 472 | 514 | 471 | 516 | 471 |
| Alignment deviation (mm) | 6 | 12 | 6 | 12 | 9 | 6 | 6 | 6 |

10. TRACEABILITY OF BOGIE ITEMS:

| S. NO | ITEM | MAKE/ SUPPLIER | SERIAL NO. | |
|-------|----------------------------|-------------------|--|--|
| | | | NPP SIDE | PP SIDE |
| 1. | Yaw Damper | GEREP | 1260,1271 | 1551,1261 |
| 2. | Primary outer Spring | CMFSK | 04-18 1100-402(434,183,367,241) | 04-18 1100-402(48,251,150,245) |
| 3. | Primary Inner Spring | CMGBD | 05-18-1101 (-56-689,57-708,57-1193,57-691), | 05-18-1101 (56-1033,56-1140,57-1158,57-225) |
| 4. | Primary Damper | KNORR | 05-18(20622,19022,20616,20621) | 05-18(20607,20606,20611,20617) |
| 5. | Secondary Damper | GEREP | KW 17-2017 301550739 | KW 17-2017 301550739 |
| 6. | Lateral Damper | KNORR | 03-18 1944 | 03-18 1943 |
| 7. | Brake Cylinder | KBI | A(8130,7542,7545,8147)K29 | A(8215,7653,7446,8204)K29 |
| 8. | Brake Caliper | KBI | A(6430,6458,6458,6428)-29 | A(6493,6562,6560,6492)-29 |
| 9. | Brake Disc | FAV | 24158716 0006-37/18,24158715 0025-37/18 24158707 0022-35/18,24158706 0038-35/18 | 24158705 0034-35/18,24158704 0058-35/18 24158715 0020-37/18,24158716 0008-37/18 |
| 10. | Ball Joint Control Arm | AR | | |
| 11. | Lateral Bump Stop | PRAG | | |
| 12. | Traction Centre make | SARITA | | |
| 13. | Traction lever make | JI | | |
| 14. | Ball joint traction lever | AR | | |
| 15. | Ball joint traction centre | AR | | |
| 16. | Secondary Rubber Pad | DUREL | | |
| 17. | Rubber Spring | AR | | |
| 18. | Anti roll bar make | SARITA | | |
| 19. | Roll Link make | SARITA/GMT | | |
| 20. | Fork make | EMSON | | |
| 21. | Control Arm Upper | RVE | 100918-1,120918-1,090918-2,110918-1 | 100918-2,110918-1,RVE,110918-1 |
| 22. | Control Arm Lower | RVE | 040918-1,040918-1,RVE,150918-1 | 100918-1,060918-4,060918-4,040918-1 |

Signature of SSE/Bogie/QC



Modern Coach Factory Raebareli आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO: 01

DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2018-19/689

| | | | | | | | | | | | | | | | | | | | | | |
|-----|---|----|---|-----------|---|---|---|---|---|---|---|---|------------------|---|---|---|---|---|---|---|---|
| RLY | E | Co | R | Coach No. | 1 | 8 | 2 | 1 | 6 | 6 | / | C | DATE OF DISPATCH | 2 | 5 | - | 1 | 0 | - | 1 | 8 |
|-----|---|----|---|-----------|---|---|---|---|---|---|---|---|------------------|---|---|---|---|---|---|---|---|

| | | | | | | | | | | | | | | | | | | | | | | |
|-------------|-------------|------|---|---|---|---|---|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DISPATCH TO | Sr.CDO/VSKP | Type | L | W | S | C | N | 1 | Shell No. | 8 | 7 | 1 | 7 | 4 | - | 2 | 0 | 1 | 8 | - | 1 | 9 |
|-------------|-------------|------|---|---|---|---|---|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|

11. TRACEABILITY OF FURNISHING ITEMS:

| S NO | ITEM | MAKE/SUPPLIER | SERIAL NO |
|------|---------------------------------|-------------------------------------|------------|
| 1. | Air Brake Module | M/s KBI Faridabad. New Delhi | 1555 34/18 |
| 2. | Pull box | M/s KBI Faridabad. New Delhi | |
| 3. | Distribution valve | M/s KBI Faridabad. New Delhi | 2018H5932 |
| 4. | Foot Step | M/s Super spark pvt. ltd. Faridabad | |
| 5. | Decoupling arrangement | M/s-ELASTOMER MUMBAI | |
| 6. | Floor board | M/S TWPL MUMBAI | |
| 7. | PVC | M/s ACME INDIA NDLS | |
| 8. | Lavatory Inlay | M/s OASIS INDS. JAGADHARI | |
| 9. | UIC Vestibule (PPE) | M/s-Suncrest ind.kolkata | |
| 10. | UIC Vestibule (NPPE) | M/s-Suncrest ind.kolkata | |
| 11. | Gangway bridge mounting (PPE) | M/s COMPETENT ENG. | |
| 12. | Gangway bridge mounting (NPPE) | M/s COMPETENT ENG. | |
| 13. | Body Side Window | M/s ACME INDIA NDLS | |
| 14. | Emergency Window | M/s ACME INDIA NDLS | |
| 15. | Hopper Window | M/s ACME INDIA NDLS | |
| 16. | Side panel | M/s ACME INDIA NDLS | |
| 17. | Roof ceiling | M/s ACME INDIA NDLS | |
| 18. | Door way ceiling | M/s ACME INDIA NDLS | |
| 19. | Partition frame | M/s ACME INDIA NDLS | |
| 20. | Partition pillar | M/s ACME INDIA NDLS | |
| 21. | Body Side Door | M/s JVR LDH | |
| 22. | Vestibule Door(PPE) | M/s-Suncrest ind.kolkata | |
| 23. | Vestibule Door(NPPE) | M/s-Suncrest ind.kolkata | |
| 24. | Bio Tank | M/s M.K. METAL | |
| 25. | Auxiliary Water Tank | M/s AMIT . mohali | |
| 26. | Under Slung Water Tank(2X685L) | M/s AMIT . BADDI | |
| 27. | Under Slung Water Tank (1X685L) | M/s AMIT ENG . . BADDI | |
| 28. | Flexible Faucet | M/s ACME INDIA NDLS | |
| 29. | Lotah Filler Tap | M/s ACME INDIA NDLS | |
| 30. | Controlled Discharge Tap | M/s HINDWARE ,(HSIL LTD) GURGAON | |
| 31. | Lavatory Doors | M/s ACME INDIA NDLS | |
| 32. | Seat & Berth | M/s ACME INDIA NDLS | |
| 33. | Snack Table | N/A | |

Sharma
SSE/QC/MCF/RBL

गुणवत्ता विभाग
रेडिओका, रायबरेली (लालगंज)



Modern Coach Factory Raebareli

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO: 01

DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2018-19/689

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|-------------|---|-----------|---|---|---|---|---|---|-----------|---|------------------|---|---|---|---|---|---|---|---|---|---|---|
| RLY | E | Co | R | Coach No. | 1 | 8 | 2 | 1 | 6 | 6 | / | C | DATE OF DISPATCH | 2 | 5 | - | 1 | 0 | - | 1 | 8 | | | |
| DISPATCH TO | | Sr.CDO/VSKP | | Type | L | W | S | C | N | 1 | Shell No. | 8 | 7 | 1 | 7 | 4 | - | 2 | 0 | 1 | 8 | - | 1 | 9 |

12. MODIFICATION (IF ANY)

12. MODIFICATION (IF ANY)

: Partition frame & Partition pillar

13. DEVIATION (IF ANY)

: NIL

14. ITEM FITTED ON THE COACH ON TRIAL : NIL

| S NO | ITEM PARTICULARS | PURPOSE | REPORT | REFERENCE & PERIOD OF TRIAL |
|------|------------------|---------|-----------|-----------------------------|
| | | | Frequency | |
| | | | | |

15. WARRANTY:

| S NO | COMPONENTS | WARRANTY |
|------|---|---|
| 1 | Brake Pad, wheels, flushing valves, push gravity cocks, moldings, window glasses, mirrors, clutch wire etc. (items which are consumable in nature) | NIL |
| 2 | Other coach furnishing sub assemblies(bought out items) | 24 months from the date of dispatch of coach OR 30 months from the date of supply of material whichever is earlier. |

NOTE:

- This warranty covers free supply of parts which wear out and fails within warranty period of normal service.
- This doesn't covers faults arising out of accident, non standard maintenance practices, abnormal use or mishandling, vandal activity, arson & deficient/pilferage etc.
- This doesn't cover any consequential liabilities or damages/loss incurred by anybody; furthermore, it shall in no case extend to repayment, return of the coach or replacement of complete coach.
- Whether a defective part is to be replaced or repaired shall be at the discretion of MCF/RBL.
- For any complain/ suggestion please Mail at qualityrcfbl@gmail.com
- Painting on supply & apply contract :- supply of material and application shall be warranted for a period of three years from date of Application for any manufacturing /Application as per clause -4,para- V of RDSO specification no .M&C/PCN/100/2013-Given below -

| S.No | Time period | Gloss Retention (initial gloss >85 unit at 60°) | Colour Retention rating on 0-10 scale (initial rating of painted panels/coach or ISC/RAL shade card shall be taken as 10) | Adherence of paints (with each other and with substrate)Cross-cut tape adhesion test as per ASTM D:3359/97(or latest) |
|------|--------------|---|---|--|
| 1 | After 1 year | 80% of initial gloss | 7 | 5B |
| 2 | After 2 year | 70% of initial gloss | 6 | 5B |
| 3 | After 3 year | 60% of initial gloss | 5 | 4B |

If any imperfection is noticed or any defect arises during the warranty -period due to improper material used or due to bad workmanship, the contractor shall be bounded to set right the defect/ imperfection on free of cost basis at the base depot of the coach.

| | | |
|---|---|--|
| | | |
| SSE/QC/MCF/RBL गुणवत्ता विभाग रेडि०का०, रायबरेली (लालगंज) | AME/QC/MCF/RBL सहायक अभियंता/गुणवत्ता-1 Assistant Mechanical Engineer / Quality-1 आधुनिक रेल डिब्बा कारखाना, रायबरेली Modern Coach Factory, Raebareli | Dy. Chief Quality Manager जोगिंदर सिंह उप मुख्य गुणवत्ता प्रबन्धक Dy. Chief Quality Manager आधुनिक रेल डिब्बा कारखाना, रायबरेली Modern Coach Factory, Raebareli |



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE: 18.01.2017


PAGE 1 OF 3

FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB/EOG NON AC SCN COACHES

ELECTRICAL TEST CERTIFICATE FOR LHB/EOG NON AC COACHES

| TYPE COACH | LWSCN | SHELL/COACH NO | 182166/C |
|------------|---------------------------------------|------------------|----------|
| RAILWAY | ECoR | DATE OF DESPATCH | |
| Sr no | Description of test | Remarks | |
| 1. | PUMP EQUIPMENTS | OK | |
| 2. | LIGHTS, NL, LAP CHARGING SOCKETS | OK | |
| 3. | RAILWAY CARRIAGE FAN | OK | |
| 4. | WHEEL SLIDE PROTECTION SYSTEM (WSP) | OK | |
| 5. | WORKING OF 9 KVA TRANSFORMER | OK | |
| 6. | WORKING OF REGULATED BATTERY CHARGER | OK | |
| 7. | SAFETIES : | | |
| 7.1. | FUSES AND THEIR RATING | OK | |
| 7.2 | CONTROL CIRCUIT | OK | |
| 7.3 | POWER CIRCUIT | OK | |


Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE:18.01.2017

PAGE 2 OF 3

FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC SCN COACHES

| | | | |
|-----|---|--|-----------|
| 01. | Switch board cabinet Make : AMIT ENGG. On Board Sr no : AE/USBC-758 HT Panel Sr no : AE/USBC-759 | EDTS 333, Rev`01`Am-1 | 01 |
| 02. | Pump equipment with PLC controller & pump box Make : DR AUTO Sr no PA: 2018/09/045 Sr no.1 : 18070261 Sr no.2 : 18070222 Sr no.CPA: 2018/09/032 | As per spec EDTS 186,Rev-a, Am- 2 | 01 |
| 03. | Emergency light system for EOG type coaches (AEL), Make : VGS | EDTS 151,Rev -c Am-1 & 2 | 04 |
| 04. | Passenger Alarm Cum Indication Light (PACIL) Make: KAVERI | As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-I | 02 |
| 05. | Fitment of Switch Plate Assly(Cabin Side) Make : SSK | EDML 086,Rev-03, ITEM-01 | 10 |
| 06. | Fitment of Switch Plate Assly Corridor Side),Make : SSK | EDML 086, Rev 03, ITEM-02 | 10 |
| 07. | Railway carriage Fan 400mm Sweep, 110V DC with crash worthy features. Make : C G POWER. | IS 6680/92,First Rev, RCF Amdt 4, Col I, Ty XI, RCF Cor I. | 30 |
| 08. | Cabin, Corridor, doorway and Gangway Lights. Make: DR AUTO | As per RDSO/PE/SPEC/TL-0091(REV-1) TYPE B-1 | 26 |
| 09. | Lavatory Light Make: RT VISION | As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-D & | 04 |
| 10. | Night Light Fitting (LED BASED) Sticker For Berth Number On Night light Fitting For LHBSCN(80-BERTHER)Coaches Make : INTRA ELECT. | CC76289 & CC76443 | 10 |

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE:18.01.2017

PAGE 3 OF 3

FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC SCN COACHES

| | | | |
|-----|---|---|--------------------------|
| 11. | Battery fuse box +ve Make : AECO | LW 71001,Alt-F | 01 |
| 12. | Battery fuse box -ve Make : ISGPL | LW 71002,Alt-F | 01 |
| 13. | Regulated battery charger Make : HIREL Sr no: 17100972 | As per RDSO/pe/spec/ac/0129, Rev.-1 (2009) | 01 |
| 14. | 9KVA transformer Make : PANTRONICS Sr no : PAN-18017735 | As per RDSO/PE/SPEC/TL 0158, 2010, Rev` 0',Ty I. | 01 |
| 15. | ZS coupling 400A/750V/03Ph/50hz. Make : MAA LAXMI INDUSTRIES | As per spec No EDTS 105,Rev` e' Am-3, TYPE-2 | 01 set |
| 16. | Feeder junction boxes. Make : MAA LAXMI INDUSTRIES | EDTS-328 REV-C | 01 set |
| 17. | Wheel set earthing equipment. Make : DARSHAN INTERPRISES | EDTS101,REV-C,AM-1 | 02 sets |
| 18. | Wheel Slide Protection System (WSP) Make : KNORR Sr no : 0118075443 | M/s : KNORR | 01 set |
| 19. | 110V,120AH,VRLA SMF BATTERY SET WITH 19 MONOBLOCK (6V EACH) PRECHARGED,WIH MODIFIED TRAY TOSKED-644 Make : HBL Lug date : 11/16 | RDSO/pe/spec/ac-0009 rev-1- 2008 amdt-1 | 01 set |
| 20. | Battery box for LHB coaches. Make : HITECH | CC 91205 | 01 |

| | |
|------------------|--|
| | |
| SSE/EL/QC | SEE(P)/MCF/RBL/ DYCEE/P&P/MCF/RBL |

वरिष्ठ अनुभाग अभियन्ता
गुणवत्ता नियंत्रण
आधुनिक रेल डिब्बा कारखाना / लालगंज / रायबरेली
S.S.E./Elect-QC/M.C.F./LLJ/RBL

वरिष्ठ विद्युत अभियन्ता
रेल कोच फैक्टरी, रायबरेली, लखनऊ
Sr. Electrical Engineer / RCF / RBL / Lucknow

