



# Modern Coach Factory Raebareli

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002/PC

REV NO: 01

DATE: 17.04.2018

## ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/ 18-19/928

RLY	N	R	-	Coach No.	1	8	2	9	0	0	/	C	DATE OF DISPATCH	2	2	-	1	2	-	1	8
-----	---	---	---	-----------	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH TO	Sr. DME/CHG/DLI	Type	L	W	L	R	R	M	Shell No.	8	8	0	5	9	-	2	0	1	8	-	1	9
-------------	-----------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	---	---	---	---	---	---	---	---

1. Railway Board's Order No. : 2017/M(C)/142/2 Dated. - 14-12-2018
2. Tare Weight of Coach : 53.2 Tonnes
3. Carrying Capacity : (a) Seating: NIL (b) Sleeping: NIL (c) Luggage: 3.9 tones

### 4. SHELL LEADING DIMENSIONS:

S NO	DESCRIPTION	DIMENSION (MM)
1.	Maximum length over body	23700
2.	Maximum width over body	3240
3.	Maximum height from Rail Level	4039
4.	CBC height/Buffer height from Rail level 1105 +0/-10	1) 1099 (NPPE) 2) 1100 (PPE)

### 5. TRACEABILITY OF SHELL ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO
1.	Under frame	PP END M/S- CHENNAI RADHA	05
		NPP END M/S- CHENNAI RADHA	05
	Complete	M/S- CHENNAI RADHA	05
2.	Lav. side wall	M/S- CONTRACTOR V4U	LAV.1 177 LAV.2 178
		M/S- CONTRACTOR V4U	LAV.3 179 LAV.4 180
3.	Side wall	LH SIDE MCF/RBL	55/01
		RH SIDE MCF/RBL	55/02
4.	End wall	PP END M/s- OMEX, REWARI	---
		NPP END M/s- OMEX, REWARI	---
5.	Roof	M/s- DTL, PUNE	27
6.	Centre Buffer Coupler	M/S- SANROK ENT.	PP END 1081 NPP END 1067
7.	Buffers	M/S- RANEKA INDS.LTD. DHAR	N.A NPP END 88059

### 6. AIR BRAKE TEST REPORT:

S NO	ITEM	DESCRIPTION	SPEC. VALUE	OBSERVED VALUE
1.	Full brake application	Reduce pressure of BP from 5.0 to 3.4 kg/cm <sup>2</sup> . Max. pressure in BC All Brake are applied	6 - 10 sec. 3.0 ±0.15 kg/cm <sup>2</sup> . OK	07 sec. 3.0 kg/cm <sup>2</sup> OK
2.	Insensitivity	Exhaust BP @ 0.3 kg/cm <sup>2</sup> /min.	No brake application	OK
3.	Sensitivity	Exhaust BP@ 0.1kg/cm <sup>2</sup> /Sec, after 06 Sec.	Brake must apply	OK
4.	Handbrake(Parking brake)for generator car	1.Apply hand brake 2.Release hand brake	1.Hand Bk. indicator should be red 2.Hand Bk. .indicator should be green	OK OK

### 7. FIRE TESTING:

S NO	ITEM	DESCRIPTION	SPEC. VALUE	OBSERVED VALUE
1	generator car	Smoke detection	1.controller should display smoke in zone 1,2 2.strobe light & hooter should activate	OK
		Heat detection	1.controller should display smoke/heat in zone 1,2 2.strobe light & hooter should activate	OK

### 8. PAINTING DETAILS:

S NO	DESCRIPTION	TYPE OF PAINT	MAKE	APPLICATION BY MCF/ CONTRACTOR(SUPPLY & APPLY)	AVERAGE GLOSS VALUE
1.	Paint	P.U	M/S-NEROLAC	SUPPLY & APPLY	76/88
2.	Insulation			Satisfactory	

*Derma*  
SSE/QC/MCF/RBL  
गुणवत्ता विभाग  
रेलवे मंत्रालय, नई दिल्ली





MODERN COACH FACTORY, RAEBARELI

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO.: 01

DATE: 16.05.2016

## ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/928

Rolling Stock Certificate No.: MCR/RSB/2015/000																			
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

## 8. DETAIL OF BOGIES :

ITEMS	NPP Side				PP Side			
Bogie No	182010				182009			
Bogie Type	FIAT				FIAT			
Frame no.	SCI/FM-2148				AML-091			
Bolster no.	AMIT-890				AMIT-897			
Axle No	18 G -9084RWF		18 G -9073 RWF		18 G -9096 RWF		18 G - 8970 RWF	
Wheel Dia	917.573	917.578	917.617	917.69	917.592	917.632	917.574	917.595
Wheel Disc No	TZ07-18 37124-8RN5	TZ05-18 22067-7PR1	TZ07-18 37507-8RN5	TZ07-18 43027-8RM2	TZ07-18 43105-8RS7	TZ07-18 42900-8RQ8	TZ07-18 37126-8RM7	TZ07-18 41530-8RR0
R.B. Nos.	05-18 39811	05-18 28633	05-18 39831	05-18 39344	05-18 11912	05-18 29373	05-18 11911	05-18 38811
CT R B Make	SKF		SKF		SKF		SKF	

## 9. SECONDARY SUSPENSION LOAD DEFLECTION VALUES

DESCRIPTION	Bogie NPP side				Bogie PP side			
	Secondary 1		Secondary 2		Secondary 1		Secondary 2	
	Outer	Inner	Outer	Inner	Outer	Inner	Outer	Inner
Make & Nos.	CMRSK08-18F16- S32-16Y-589	CMGBD03-18- 837-22-100	CMRSK08-18F16- S32-16Y-657	CMGBD03-18- 837-22-174	CMGBD05-18- 146-54-46	CMRSK07-16F15- N99-15Y-279	CMGBD05-18-146- 54-19	CMRSK07-16F15- N99-15Y-38
Compressed Ht. at Tested Load	511	471	512	471	510	466	508	468
Alignment deviation (mm)	14	10	14	7	11	16	10	14

## 10. TRACEABILITY OF BOGIE ITEMS:

S. NO	ITEM	MAKE/ SUPPLIER	SERIAL NO.	
			NPP SIDE	PP SIDE
1.	Yaw Damper	GEREP	1223,1316	1232,1329
2.	Primary outer Spring	CMRSK	10-17-7142-309(141,19,8,90)	10-17-7142 (309-3,309-77,109-116,103-117)
3.	Primary Inner Spring	CMRSK	10-18 04Y (4854,4205,4209,4306)	10-18 04Y (293,36,260,275)
4.	Primary Damper	KNORR	06-18 (24130,24117,24352,24118)	06-18 (24112,24162,24894,24110)
5.	Secondary Damper	KNORR	07-18 (5544,5539)	07-18 (5543,5542)
6.	Lateral Damper	KNORR	06-18 4052	06-18 4057
7.	Brake Cylinder	FAV	F18(008,012),G18(002),F18-131	F18(146),G18(005,),F18(039,007)
8.	Brake Caliper	FAV	H18(152,150,046,047)B	A18(048,045),F18(149,151)-B
9.	Brake Disc	FAV	11-18(5124,5123,5117,5220)-D133561-300	11-18(5273,5274,5275,5276)D133561-300
10.	Ball Joint Control Arm	AR		
11.	Lateral Bump Stop	BONY		
12.	Traction Centre make	SARITA		
13.	Traction lever make	SARITA/JI		
14.	Ball joint traction lever	SGA		
15.	Ball joint traction centre	AR		
16.	Secondary Rubber Pad	TECSPAK		
17.	Rubber Spring	PPI/UK		
18.	Anti roll bar make	EMSON		
19.	Roll Link make	SARITA/AR		
20.	Fork make	EMSON		
21.	Control Arm Upper	RVE	311018-2,311018-1,311018-3,041118-4	241118-4,061118-1,RVE,041118-4
22.	Control Arm Lower	RVE	261018-3,RVE,291018-1,RVE	RVE,291018-3,291018-3,101118-2

Signature of SSE/Bogie/QC





# Modern Coach Factory Raebareli

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002/PC

REV NO: 01

DATE: 17.04.2018

## ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/ 18-19/928

RLY	N	R	-	Coach No.	1	8	2	9	0	0	/	C	DATE OF DISPATCH	2	2	-	1	2	-	1	8
-----	---	---	---	-----------	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH TO	Sr. DME/CHG/DLI	Type	L	W	L	R	R	M	Shell No.	8	8	0	5	9	-	2	0	1	8	-	1	9
-------------	-----------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	---	---	---	---	---	---	---	---

### 12. TRACEABILITY OF FURNISHING ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO
1.	Air Brake Module	M/S- FAIVELY TRANSPORT TECH.INDIA LTD BADDI(HP)	F 18017 B
2.	Distribution Valve	M/S- FAIVELY TRANSPORT TECH.INDIA LTD BADDI(HP)	18065606 B
3.	Hand Brake Equipment	M/S- PALSTO POWER P.B.	
4.	Foot Step	M/S- SUPER SPARK PVT.LTD. FARIDABAD	
5.	Floor Board	M/S- TWPL, MUMBAI	
6.	PVC	M/S- RESPONSIV POLYFILM, NDLS	
7.	UIC Vestibule (NPPE)	M/S-KRP, MUMBAI	
8.	Gangway Bridge Mounting (NPPE)	M/S- MAHAVEER MATEL WORKS, KAPURTHALA	
9.	AL Chequer Plate/Sheet	M/S- HANSPAL COACH PRODUCTS, KXH	
10.	Automatic Fire Detection & Suppression System	M/S- SANROK, FARIDABAD	
11.	Body Side Window	M/S- BIRKAN ENGG.PVT.LTD.GAZIABAD	
12.	Lavatory/Hopper Window	M/S- BIRKAN ENGG.PVT.LTD.GAZIABAD	
13.	Roof Ceiling	M/S-GANDHI SAFE & ALLIED, JALANDHAR (GUARD ROOM) , (CREW ROM)	
14.	Generator Room Ceiling	M/S- RAIL TECH PVT.LTD. KXH	
15.	RMPU	M/s- LLOYD, HP	
16.	AC Trough	M/S- HINDUSTAN FIBRE GLASS LTD. VADODARA	
17.	Luggage Sliding Door	M/s- GURU NANAK IND. PVT.LTD. PB	
18.	Hatch Door	M/s- RAIL TECH PVT.LTD. KXH	
19.	Body Side Doors	M/S- JBM INDUSTRIES, FARIDABAD	
20.	Vestibule Door(NPPE)	M/S- JBM INDUSTRIES, FARIDABAD	
21.	Crew/Gen. Room Door	M/S- JBM INDUSTRIES, FARIDABAD	
22.	Crew/Guard Room Door	M/S- KALSI, LDH	
23.	Bio Tank (01 No Lav.)	M/S- AMIT ENGG. MOHALI	
24.	Auxiliary Water Tank(1x30l)	M/S- AMIT ENGG. MOHALI	
25.	Under Slung Water Tank (1x450 L)	M/S- AMIT ENGG. BADDI	
26.	Fuel Tank (2x1500 L)	M/S- SHIVALIC FASTNERS PVT.LTD. MOHALI	
27.	Flexible Faucet	M/S- HINDUSTAN FIBRE LTD. VADODARA	
28.	Lotah Filler Tap	M/S- HINDUSTAN FIBRE LTD VADODARA	
29.	Bib Cock	M/S- AGMECO INDIA LTD.	
30.	Composite Modular Toilet	M/S- HINDUSTAN FIBRE LTD VADODARA	
31.	Lavatory Doors	M/S- KALSI, LDH	
32.	Seat & Berth	M/S- ORIENTAL VENEER PRODUCTS MUMBAI	
33.	Luggage Rack	M/s- RAIL TECH, KXH	
34.	Folding Table	M/S- TECHNO IND. ALD	

*[Signature]*  
SSB/QC/MCF/RBL

गुणवत्ता विभाग  
रेडिओका, रायबरेली (लालगंज)





# Modern Coach Factory Raebareli

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002/PC

REV NO: 01

DATE: 17.04.2018

## ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/ 18-19/928

RLY	N	R	-	Coach No.	1	8	2	9	0	0	/	C	DATE OF DISPATCH	2	2	-	1	2	-	1	8
-----	---	---	---	-----------	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH TO	Sr. DME/CHG/DLI	Type	L	W	L	R	R	M	Shell No.	8	8	0	5	9	-	2	0	1	8	-	1	9
-------------	-----------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	---	---	---	---	---	---	---	---

13. MODIFICATION (IF ANY) : NIL

14. DEVIATION (IF ANY) : NIL

15. ITEM FITTED ON THE COACH ON TRIAL : NIL

S NO	ITEM PARTICULARS	PURPOSE	REPORT	REFERENCE & PERIOD OF TRIAL
			Frequency	

## 16. WARRANTY:

S NO	COMPONENTS	WARRANTY
1	Brake Pad, wheels, flushing valves, push gravity cocks, moldings, window glasses, mirrors, clutch wire etc. ( items which are consumable in nature)	NIL
2	Other coach furnishing sub assemblies(bought out items)	24 months from the date of dispatch of coach OR 30 months from the date of supply of material whichever is earlier.

### NOTE:

- This warranty covers free supply of parts which wear out and fails within warranty period of normal service.
- This doesn't covers faults arising out of accident, non standard maintenance practices, abnormal use or mishandling, vandal activity, arson & deficient/pilferage etc.
- This doesn't cover any consequential liabilities or damages/loss incurred by anybody; furthermore, it shall in no case extend to repayment, return of the coach or replacement of complete coach.
- Whether a defective part is to be replaced or repaired shall be at the discretion of MCF/RBL.
- For any complain/ suggestion please Mail at qualityrcfbl@gmail.com
- Painting on supply & apply contract :- supply of material and application shall be warranted for a period of three years from date of Application for any manufacturing /Application as per clause -4,para- V of RDSO specification no .M&C/PCN/100/2013-Given below -

S.No	Time period	Gloss Retention (initial gloss >85 unit at 60°)	Colour Retention rating on 0-10 scale (initial rating of painted panels/coach or ISC/RAL shade card shall be taken as 10)	Adherence of paints (with each other and with substrate )Cross-cut tape adhesion test as per ASTM D:3359/97(or latest)
1	After 1 year	80% of initial gloss	7	5B
2	After 2 year	70% of initial gloss	6	5B
3	After 3 year	60% of initial gloss	5	4B

If any imperfection is noticed or any defect arises during the warranty -period due to improper material used or due to bad workmanship, the contractor shall be bounded to set right the defect/ imperfection on free of cost basis at the base depot of the coach.

SSE/QC/MCF/RBL गुणवत्ता विभाग रेडिओका, रायबरेली	AME/QC/MCF/RBL Assistant Mechanical Engineer / Quality-II आधुनिक रेल डिब्बा कारखाना, रायबरेली Modern Coach Factory, Raebareli	Dy. Chief Quality Manager जोगिन्दर सिंह उप मुख्य गुणवत्ता प्रबन्धक आधुनिक रेल डिब्बा कारखाना, रायबरेली Modern Coach





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE: 11.09.2017

PAGE 1 OF 6

**FOR ELECTRICAL ITEMS**

ROLLING STOCK CERTIFICATE OF LHB POWER CAR

ELECTRICAL TEST CERTIFICATE FOR LHB POWER CAR

ROLLING STOCK CERTIFICATE OF END POWER CAR				
ELECTRICAL TEST CERTIFICATE FOR LHB POWER CAR				
TYPE COACH		LWRRM	SHELL/COACH NO	182900/C
RAILWAY		NR	DATE OF DESPATCH	
Sr no	Description of tests			Remarks
1.0	REFERENCE SPECIFICATION : L 446			
1.1	AIR CONDITIONING TEST : ELPS/TP/AC 01.			
1.2	CODE OF PRACTICE OF WIRING : ELPS/SPEC/EOG/AC-01			
2.0	INSULATION RESISTANCE : Setting of insulation monitoring relay at 30K ohms as per TD 111 of M/s LHB.			
	Observed status : HEALTHY			
3.0	AIR DELIVERY MEASUREMENT	OBSERVED VALUE		OK
3.1	Fresh Air	10.74 Cub mtr/min		OK
3.2	Return Air	26.98 Cub mtr/min		OK
3.3	Exhaust Air	NIL Cub mtr/min		OK
3.4	Conditioned Air	54.57 Cub mtr/min		OK
4.0	PRE COOLING TEST: Max 01 hr. Time taken to pre cool from 45 deg centigrade to 24/22 deg C during OFF LOAD condition  Not done due to Ambient temp. below 22°C			OK
5.0	PULL DOWN TEST: Max 02 hrs. Time taken to pull down from 45 deg C to 24/22 deg C during FULL LOAD condition.  Not done due to Ambient temp. below 22°C			OK

Senior Section Engineer  
Quality control / Electrical  
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE:11.09.2017


PAGE 2 OF 6

**FOR ELECTRICAL ITEMS**

ROLLING STOCK CERTIFICATE OF LHB POWER CAR

ELECTRICAL TEST CERTIFICATE FOR LHB POWER CAR

Sr no	Description of test	Remarks
6.0	HUMIDITY CONTROL	OK
7.0	PUMP EQUIPMENTS	OK
8.0	WORKING OF EXHAUST FAN OVER	OK
10.0	LIGHT	OK
11.0	PUBLIC ADDRESSING SYSTEM ( PAS )	OK
12.0	WHEEL SLIDE PROTECTION SYSTEM ( WSP )	OK
13.0	WORKING OF 60KVA TRANSFORMERS	OK
15.0	WORKING OF EMERGENCY BATTERY CHARGERS	OK
16.0	SAFETIES :	
16.1	THERMOSTAT :	OK
16.2	ROTARY 07 SET POINTS (NORMAL CONDITION)	OK
16.3	HYGROSTAT	OK
16.4	CONTROL CIRCUIT	OK
16.5	POWER CIRCUIT	OK
16.6	ALTERNATER EARTH LEAKAGE RELAY	OK
16.7	FEEDER EARTH LEAKAGE RELAY	OK
16.8	UNDER VOLTAGE RELAY	OK
16.9	OVER VOLTAGE RELAY	OK
16.10	BUS COUPLAR	OK
16.11	FEEDER CONTACTOR	OK
16.12	SMOKE TEST	OK
17.0	REFRIGERANT USED R 407C	OK

  
Senior Section Engineer  
Quality control / Electrical  
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE:11.09.2017

PAGE 3 OF 6

ROLLING STOCK CERTIFICATE OF LHB/ POWER CAR

Sr no	Description	Drg/Spec no.	Quantity per Coach
01.	Roof mounted AC package unit for LHB AC coaches Make : <b>LEEL</b> Sr no of RMPU (PP side): <b>17.09.0210</b> Sr no of Microprocessor: <b>17.09.030</b>	RDSO/pe/spes/ac/0061/rev-1/2005	<b>02</b>
02.	Power and Control Panel for LHB Power car, Make: <b>TRINITRON</b> Sr no : <b>18/10/TCS/RBL/3414/LHB/0034</b>	EDTS-103 ,REV-c	<b>01</b>
04.	Switch board cabinet Make : <b>SSK</b> Sr no : <b>2018-09-051</b>	EDTS 104, REV-a	<b>01</b>
05.	Pump equipment with PLC controller & pump box Make: <b>DR AUTO</b> Sr no PA- <b>2018/10/49</b> Sr no.1- <b>18070108</b> Sr no.2- <b>NIL</b> Sr no.CPA- <b>2018/10/065</b>	EDTS 186,Rev-a, Am- 2	<b>01</b>
06.	Lavatory light fitting assly Make : <b>RT VISION</b>	LW 76001,Alt nil	<b>01</b>
07.	Passenger alarm coach indication light Make : <b>KAVERI</b>	LW 76005,Alt-e	<b>02</b>
08.	Razor socket for WC 110/240V Make : <b>SSK</b>	EDML 047 ,Rev nil	<b>01</b>
09.	Terminal strip Make : <b>WAGO</b>	EDML 034,Rev-a	<b>01</b>
10.	Terminal connector Make : <b>WAGO</b>	EDML 037,Rev`a`	<b>01</b>
11.	Single switch 06A/250V/AC ONE WAY ,complete with steel plate & cover frame Make: <b>SSK</b>	EDML 047,Rev- C, Item 1.	<b>02</b>
12.	PA system for LHB coaches Make : <b>AHUJA</b>	EDTS 173,TYPE -II	<b>01 set</b>
13.	70AH/110V,54 Cells,02V each ,maintenance free pure lead acid tin monoblock ,battery set with 09 modules 12V each. , factory pre charged. Make : <b>HBL</b> Lug date : <b>11/18</b>	EDTS 129,Rev nil	<b>01 set</b>

Senior Section Engineer  
Quality control / Electrical  
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE: 11.09.2017

PAGE 4 OF 6

ROLLING STOCK CERTIFICATE OF LHB/POWER CAR

Sr no	Description	Drg/Spec no.	Quantity per Coach
14.	SET OF BATTERY FOR DA (A & B) (A) Make: <b>CELTEK</b> Lug date: <b>06/18</b> (B) Make: <b>CELTEK</b> Lug date: <b>06/18</b>		<b>02 sets</b>
15.	Battery box for LHB coaches. MAKE- <b>ANKUR ENGG.</b>	1 10113.0.76.700.005 w/o item 5,22,23,26 & 27.ALT C	<b>01</b>
16.	Battery fuse box +ve Make : <b>AECO</b>	LW 71001,Alt-F	<b>01</b>
17.	Battery fuse box -ve Make : <b>NEC</b>	LW 71002,Alt-F	<b>01</b>
18.	60KVA TFR Make- <b>VIMAL</b> Sr no:1. <b>VTC-3089-LHB-6841</b> Make- <b>VIMAL</b> Sr no:2. <b>VTC-3089-LHB-6938</b> Make- <b>VIMAL</b> Sr no:3. <b>VTC-3089-LHB-6942</b>	EDTS 076, Rev-0. 1.for panel 2.for Rad. Motor A 3.for Rad. Motor B	<b>03</b>
19.	Capacitor Bank Make: <b>S.INTERNATIONAL</b> SL.no <b>402-2018</b>	EDML-130 Rev-1,Corr-1	<b>01</b>
20.	Emergency Battery Charger Make- <b>NAREN</b> Sr no:1. <b>1808505</b> Make- <b>NAREN</b> Sr no:1. <b>1804849</b>	EDTS-163 REV-C, corg-2&3	<b>02</b>
21.	Wheel set earthing equipment. Make : <b>PRIME ELECT.</b>	EDTS101,REV-C,AM-1	<b>02</b>
22.	Wheel Slide Protection System (WSP) Make- <b>FAIVELEY</b> Sr no : <b>27/18/1107</b>	MDTS 077 REV-2	<b>01 set</b>
23.	500KVA/750V/03Ph DIESEL ALTERNATOR set, complete with Power & Control panel.	EDTS 102, Rev`c`	<b>02</b>
23.a1	Sr no of Alternator "A" Make- <b>STAMFORD</b> Sr No- <b>N18G291684</b>	EDTS 102, Rev`c`	<b>01</b>
23.a2	Sr no of Diesel Engine "A" Make- <b>CUMMINS</b> Sr no- <b>24348239</b>	EDTS 102, Rev`c`	<b>01</b>

Senior Section Engineer  
Quality control / Electrical  
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001


REV NO: 00

DATE: 11.09.2017

PAGE 5 OF 6

ROLLING STOCK CERTIFICATE OF LHB/POWER CAR

Sr no	Description	Drg/Spec no.	Quantity per Coach
23.b 1	Sr no of Alternator "B" Make- <b>STAMFORD</b> Sr No- <b>N18H 322830</b>	EDTS 102, Rev`c'	<b>01</b>
23.b 2	Sr no of Diesel Engine "B" Make- <b>CUMMINS</b> Sr no : <b>25438200</b>	EDTS 102,	<b>01</b>
24.	Control Panel for ventilator Fan motor for Diesel Engine "A" Make- <b>INDORAIL</b> Sr no- <b>2018080301</b>	EDTS 110,REV-NIL	<b>01</b>
25.	Ventilator Fan Motor for Diesel Engine "A" 1.Make: <b>ABB</b> Sl no: <b>1594418</b> 2.Make: <b>ABB</b> Sl no: <b>1595856</b>	EDTS 110,Rev nil	<b>01</b>
26.	Radiator Fan Motor for Diesel Engine -"A" Make: <b>ABB</b> SL no: <b>3G1J18170001576684</b>	EDTS 104, Rev`a'	<b>01</b>
27.	Control Panel for Radiator Fan motor for Diesel Engine "A" Make- <b>ABROL</b> Sr no- <b>2017-07-115</b>	EDTS-104,REV-A	<b>01</b>
28.	Ventilator Fan Motor for Diesel Engine "B" 1.Make: <b>ABB</b> Sl no: <b>1595823</b> 2.Sl no <b>1595858</b>	EDTS 110,Rev nil	<b>01</b>
29.	Control Panel for ventilator Fan motor for Diesel Engine "B" Make- <b>INDORAIL</b> Sr no- <b>2018080289</b>	EDTS 110,REV-NIL	<b>01</b>

  
Senior Section Engineer  
Quality control / Electrical  
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE:11.09.2017

PAGE 6 OF 6

ROLLING STOCK CERTIFICATE OF LHB/POWER CAR

Sr no	Description	Drg/Spec no.	Quantity per Coach
30.	Radiator Fan Motor for Diesel Engine -"B" Make: <b>ABB</b> Sr no- <b>3G1J18290001590899</b>	EDTS 104, Rev`a'	<b>01</b>
31.	Control Panel for Radiator Fan motor for Diesel Engine "B" Make- <b>NEC</b> Sr no- <b>201871978</b>	EDTS-104,REV-A	<b>01</b>
32..	Starter Battery Charging Control Panel -A & B Make : <b>INDO RAIL</b> Sr no: <b>2018050040</b>	EDTS 116,Rev nil	<b>01</b>
33.	Feeder Junction box. Make: <b>AECO</b>	EDML 020, Rev`a'.	<b>01 set</b>
34.	Single Inlet Radial Blower, 415V/03Ph/185W/ 1045Cub mtr/hr discharge from S1 & S2 & Lavatory. Make- <b>INTEG</b>	EDTS-331, TYPE-2	<b>01</b>
35.	Lights Make : <b>DR AUTO</b>	RDSO/PE/SPEC/TL/0091-2016, REV-01, TYPE-N & LW 76099	<b>20</b>
36.	Smoke Detector Unit. Make: <b>AG RAIL</b> Sr no: <b>500855</b>	EDTS 087,Rev`a',Type II	<b>01</b>
37.	Provision of Tail light switch2P/16A/ SG16, mounted in ABC plastic enclosure with round padlock, 90DEG, ON/OFF. Make: <b>SSK</b>	As per Cat no. SG 16	<b>02</b>
38.	ZS coupling 400A , 750V ,03Ph,50Hz. Make 1.(NPP): <b>MAA LAXMI INDUSTRIES</b> 2.(PP): <b>MAA LAXMI INDUSTRIES</b>	EDTS 105, Rev`c'.	<b>01 set</b>
39.	Connector for External supply socket. Make: <b>MV</b>	EDML 013, Rev nil.	<b>02</b>

<b>SSE/EL/QC</b>	<b>SEE(P)/MCF/RBL/ DYCEE/P&amp;P/MCF/RBL</b>

वरिष्ठ अनुभाग अभियन्ता  
गुणवत्ता निबंधन  
आपरेटिंग/लालगंज/रायबरेली  
S.S.E./Elect-QC/M.C.F./LLJ/RBL

वरिष्ठ विद्युत अभियन्ता  
रेल कोच फैक्टरी, रायबरेली, लखनऊ  
Sr. Electrical Engineer / RCF / RBL / Lucknow