



# Modern Coach Factory Raebareli

## आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO: 00

DATE: 16.05.2016

**ROLLING STOCK CERTIFICATE**Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2017-18/ 641  
(DEEN DAYALU)

Coach No.		1	8	3	4	0	1	/	C	DATE OF DISPATCH				1	4	-	0	3	-	1	8			
RLY	N	R	-	Type	L	W	S	-	-	-	Shell No.	7	6	1	3	2	-	2	0	1	7	-	1	8

- Railway Board's Order No. : 2017/M(C)/142/2, Dated 10.01.2017
- Tare Weight of Coach : 40.66 Tonnes
- Carrying Capacity : (a) Seating: 100 (b) Luggage: NIL

**4. SHELL LEADING DIMENSIONS:**

S NO	DESCRIPTION	DIMENSION (MM)
1.	Maximum length over body	23700
2.	Maximum width over body	3240
3.	Maximum height from Rail Level	4039
4.	CBC height/Buffer height from Rail level 1105 +0/-10	1)1099 (NPPE) 2)1097 (PPE)

**5. TRACEABILITY OF SHELL ITEMS:**

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO
1.	Underframe Front Part	M/S E.c.blades & tool pvt. Ltd CDG	PP END 204 NPP END 204
	Complete	M/S E.c.blades & tool pvt. Ltd CDG	
2.	Side wall	M/S V4U CONTRACTOR	RH 76132 LH 76132
3.	End wall PP	M/S Rail tech pvt.ltd. KXH	PP END 76132 NPP END 76132
4.	NPP	M/S Rail tech pvt.ltd. KXH	
5.	Roof	M/S MCF /RBL	
6.	Centre Buffer Coupler	M/S Dellnar INDIA PVT LTD.	PP END 1165 NPP END 1170
7.	Buffers	N.A.	

**6. AIRBRAKE TEST REPORT:**

S NO	ITEM	DESCRIPTION	SPEC. VALUE	OBSERVED
1.	Full brake application	➤ Reduce pressure of BP from 5.0 to 3.4 kg/cm <sup>2</sup> . ➤ Max. pressure in BC ➤ All Brake are applied	6 – 10 sec. 3.0 ±0.15 kg/cm <sup>2</sup> . OK	8 sec. 3.0 kg/cm <sup>2</sup> OK
2.	Insensitivity	➤ Exhaust BP @ 0.3 kg/cm <sup>2</sup> /min.	No brake application	OK
3.	Sensitivity	➤ Exhaust BP @ 0.1 kg/cm <sup>2</sup> /Sec, after 06 Sec.	Brake must apply	OK

**7. PAINTING DETAILS:**

S NO	DESCRIPTION	TYPE OF PAINT	MAKE	APPLICATION BY MCF/ CONTRACTOR(SUPPLY & APPLY)	AVERAGE GLOSS VALUE
1.	Paint	P.U	M/S GS	SUPPLY & APPLY	91/89
2.	Insulation			Satisfactory	

SSE/QC/MCF/RBL  
गुणवत्ता विभाग  
रेडि0का0, रायबरेली (लालगंज)



**Modern Coach Factory Raebareli**  
**आधुनिक रेल डिब्बा कारखाना, रायबरेली**

DOC NO.: MCF/RBL/QMF 8002

REV NO.: 00

DATE: 14.05.2016

**ROLLING STOCK CERTIFICATE**

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2017-18/641  
(DEEN DAYALU)

Coach No.		1	8	3	4	0		/	C	DATE OF DISPATCH				1	4	-	0	3	-	1	8			
RLY	N	R	-	Type	L	W	S	-	-	-	Shell No.	7	6	1	3	2	-	2	0	1	7	-	1	8

**8. DETAIL OF BOGIES:**

ITEMS	NPP Side				PP Side			
Bogie No	170279				170280			
Bogie Type	FIAT				FIAT			
Frame no.	SCI/FM-1504				SCI-FM-1505			
Bolster no.	AAL/MCF-008				AAL/MCF-009			
Axle No	17B-9614		17B-8594		17B-9783		17B-9720	
Wheel Dia	917.507	917.467	917.506	917.464	917.464	917.492	917.430	917.519
Wheel Disc No	TZ-05-17-17860-7NN7	TZ-05-17-12542-7QQ7	TZ-05-17-12537-70M2	TZ-05-17-18157-70N1	TZ-05-17-18446-70P8	TZ-05-17-16450-70N1	TZ-05-17-16916-70P7	TZ-05-17-16917-70P7
R.B. Nos.	09-17-11646	09-17-13014	09-17-11800	09-17-12776	9-17-11709	9-17-11842	9-17-11682	9-17-11916
CT R B Make	TIMKEN		TIMKEN		TIMKEN		TIMKEN	

**9. SECONDARY SUSPENSION**

DESCRIPTION	Bogie NPP side		Bogie PP side	
	Secondary 1	Secondary 2	Secondary 1	Secondary 2
Make & Nos.	ACPL-10-17-3650	ACPL-10-17-3648	ACPL-10-17- 3639	ACPL-10-17- 3638

**10. TRACEABILITY OF BOGIE ITEMS:**

S. NO	ITEM	MAKE/SUPPLIER	SERIAL NO.	
			NPP SIDE	PP SIDE
1.	YAW Damper	SV-SHOCKS	574,584	140,577
2.	Primary outer Spring	CMGBD	05-17-1100(49-597,42-563,39-607,49-536)	05-17-1100-46-582, 05-17-1100-49-541, 05-17-1100-46-602, 05-17-1100-04-37,
3.	Primary Inner Spring	CMGBD	08-171101-96-240,08-17-1101-93(244,255,32)	08-17-1101-93(48,70,246,245)
4.	Primary Damper	KNORR	07-17(9925,9928,9909,10185)	07-17(10162,10459,10447,10178)
5.	Secondary Damper	IAI	02-17(1745247,175292)	02-17(175217,175297)
6.	Lateral Damper	GREEP	KW17-2017 301550559	KW 17-2017 301550559
7.	Brake Cylinder	KBI	9680K-29,9445K-29,9375K-29,9573K-29	9553K-29,9376K-29,9261-29,8630-29
8.	Brake Caliper	KBI	8742-29,8797-29,8752-29,8658-29	8659-29,8753-29,8798-29,8696-29
9.	Brake Disc	KBI	24119146-020-52-17,24119146-0025-52-17,24119146-0022-52-17,24119146-0021-52-17	24119142-0036-5217,24119143-0038-52-17,24119145-0001-52-17,24119143-0040-52-17
10.	Ball Joint Control Arm	BONY		
11.	Lateral Bump Stop	PRAG		
12.	Traction Centre make	SARITA		
13.	Traction lever make	JI-07-17		
14.	Ball joint traction lever	MTC-BONY		
15.	Ball joint traction centre	MTC/AR		
16.	Leveling Valve	ESCORT	1801	1801
17.	Check Valve	ESCORT	1801	1801
18.	Anti roll bar make	SARITA		
19.	Roll Link make	SARITA/ GMT		
20.	Fork make	EMSON/SARITA		

Signature of SSE/Bogie/QC





# Modern Coach Factory Raebareli

## आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO: 00

DATE: 16.05.2016

**ROLLING STOCK CERTIFICATE**Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2017-18/ 641  
(DEEN DAYALU)

Coach No.				1	8	3	4	0	1	/	C	DATE OF DISPATCH				1	4	-	0	3	-	1	8	
RLY	N	R	-	Type	L	W	S	-	-	-	Shell No.	7	6	1	3	2	-	2	0	1	7	-	1	8

**11. TRACEABILITY OF FURNISHING ITEMS:**

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO
1.	Air Brake Module	M/s KBI Faridabad. New Delhi	PASS 17L2864
2.	Distribution valve	M/s KBI Faridabad. New Delhi	2017L3910
3.	Pull box	M/s KBI Faridabad. New Delhi	
4.	FIBA	M/s KBI Faridabad. New Delhi	PP END 846/29 NPP END 897/29
5.	Foot Step	M/s Super spark pvt.ltd.faridabad	
6.	D-coupling arrangement	M/s Kohinoor Industries Faridabad	
7.	Floor board	M/s TWPL MUMBAI	
8.	PVC	M/s Responsive ind.mumbai	
9.	Lavatory Inlay	M/s Oasis Fabrication Jagdhari	
10.	UIC Vestibule (PPE)	M/s-Sunrest ind.kolkata	
11.	UIC Vestibule (NPPE)	M/s-Sunrest ind.kolkata	
12.	Gangway Bridge mounting(PPE)	M/s Rakesh iron store KXH	
13.	Gangway Bridge mounting(NPPE)	M/s Rakesh iron store KXH	
14.	Body Side Window	M/s AB Pvt. Ltd, Kolkata	
15.	Emergency Window	M/s AGF Pvt. Ltd, Kolkata	
16.	Hopper Window	M/s Aikon ind.salon H.P	
17.	Roof ceiling	M/s ACME india NDLS	
18.	Door way gangway ceiling	M/s ACME india NDLS	
19.	Body Side Doors	M/s JBM Faridabad	
20.	Vestibule door(PPE)	M/s KALSI LDH	
21.	Vestibule door (NPPE)	M/s KALSI LDH	
22.	Bio Tank	M/s RASANDIK IND.	
23.	Overhead Water Tank( 4X390L)	M/s Rubicon STEEL KXH	
24.	Bib Cock/Controlled Discharge Tap	M/s ACME india NDLS	
25.	Lavatory Doors	M/s ACME india NDLS	
26.	Fire Extinguisher	M/s FIREGO HARYAAN	NPP-5039,PP-5009
27.	Water purified	M/s Prag Polymer, Lucknow	NPP-2/086,PP-2/061
28.	Seat & Berth	M/s DURABLE POLYMER LKO	
29.	Luggage Rack	M/s DURABLE POLYMER LKO	
30.	Light Luggage Rack	M/s Nitin home DELHI	

SSE/QC/MCF/RBL

गुणवत्ता विभाग  
रेडिक्वा, रायबरेली (जालगंज)



# Modern Coach Factory Raebareli

## आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO: 00

DATE: 16.05.2016

**ROLLING STOCK CERTIFICATE**Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2017-18/ 641  
(DEEN DAYALU)

Coach No.	1	8	3	4	0	1	/	C	DATE OF DISPATCH	1	4	-	0	3	-	1	8
-----------	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

RLY	N	R	-	Type	L	W	S	-	-	-	Shell No.	7	6	1	3	2	-	2	0	1	7	-	1	8
-----	---	---	---	------	---	---	---	---	---	---	-----------	---	---	---	---	---	---	---	---	---	---	---	---	---

12. MODIFICATION (IF ANY) : NIL

13. DEVIATION (IF ANY) : NIL

14. ITEM FITTED ON THE COACH ON TRIAL : NIL

S NO	ITEM PARTICULARS	PURPOSE	REPORT	REFERENCE & PERIOD OF TRIAL
			Frequency	

**15. WARRANTY:**

S NO	COMPONENTS	WARRANTY
1	Brake Pad, wheels, flushing valves, push gravity cocks, moldings, window glasses, mirrors, curtain clutch wire etc. ( items which are consumable in nature)	NIL
2	Other coach furnishing sub assemblies(bought out items)	24 months from the date of dispatch of coach OR 30 months from the date of supply of material whichever is earlier.

**NOTE:**

- This warranty covers free supply of parts which wear out and fails within warranty period of normal service.
- This doesn't covers faults arising out of accident, non standard maintenance practices, abnormal use or mishandling, vandal activity, arson & deficient/pilferage etc.
- This doesn't cover any consequential liabilities or damages/loss incurred by anybody; furthermore, it shall in no case extend to repayment, return of the coach or replacement of complete coach.
- Whether a defective part is to be replaced or repaired shall be at the discretion of MCF/RBL.
- For any complain/ suggestion please Mail at qualityrcfbl@gmail.com
- Painting on supply & apply contract :- supply of material and application shall be warranted for a period of three years from date of Application for any manufacturing /Application as per clause -4,para- V of RDSO specification no .M&C/PCN/100/2013-Given below -

S.No	Time period	Gloss Retention (initial gloss >85 unit at 60°)	Colour Retention rating on 0-10 scale (initial rating of painted panels/coach or ISC/RAL shade card shall be taken as 10)	Adherence of paints (with each other and with substrate )Cross-cut tape adhesion test as per ASTM D:3359/97(or latest)
1	After 1 year	80% of initial gloss	7	5B
2	After 2 year	70% of initial gloss	6	5B
3	After 3 year	60% of initial gloss	5	4B

If any imperfection is noticed or any defect arises during the warranty –period due to improper material used or due to bad workmanship, the contractor shall be bounded to set right the defect/ imperfection on free of cost basis at the base depot of the coach.

SSE/QC/MCF/RBL	AME/QC/MCF/RBL	Dy.CQM/MCF/RBL

रिजिस्ट्रार अभियंता  
गुणवत्ता विभाग  
रेडिओकार, रायबरेली (लोकमान्य)सहायक यांत्रिक अभियंता / गुणवत्ता  
Assistant Mechanical Engineer/Quality  
आधुनिक रेल डिब्बा कारखाना, रायबरेली  
Modern Coach Factory, Raebareliजोगिन्दर सिंह  
उप मुख्य गुणवत्ता प्रबंधक  
Dy. Chief Quality Manager  
आधुनिक रेल डिब्बा कारखाना, रायबरेली  
Modern Coach Factory, Raebareli





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना,  
रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE: 18.01.2017


**FOR ELECTRICAL ITEMS**

**ROLLING STOCK CERTIFICATE OF LHB/EOG NON AC DD COACHES**

PAGE 1 OF 3

**ELECTRICAL TEST CERTIFICATE FOR LHB/EOG NON AC GS COACHES**

SHELL/COACH NO	183401/C	TYPE COACH	LWS DDG
RAILWAY	NR	DATE OF DESPATCH	
Sr no	Description of test	Remarks	
2.	LIGHTS, CHARGING SOCKETS	OK	
3.	RAILWAY CARRIAGE FAN	OK	
4.	WHEEL SLIDE PROTECTION SYSTEM ( WSP )	OK	
5.	WORKING OF 9 KVA TRANSFORMER	OK	
6.	WORKING OF REGULATED BATTERY CHARGER	OK	
7.	SAFETIES :		
7.1.	FUSES AND THEIR RATING	OK	
7.2	CONTROL CIRCUIT	OK	
7.3	POWER CIRCUIT	OK	

  
**Senior Section Engineer**  
**Quality control / Electrical**  
**Modern Coach Factory Raebareli**



Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना,  
रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00


DATE: 18.01.2017

**FOR ELECTRICAL ITEMS**

ROLLING STOCK CERTIFICATE OF LHB/EOG NON AC DD COACHES

PAGE 2 OF 3

01.	Switch board cabinet Make : <b>SSK</b> On Board Sr no : <b>2017-10-272</b> HT Panel Sr no : <b>2017-10-267</b>	EDTS 333, Rev`01`Am-1	<b>01</b>
02	Emergency light system for EOG type coaches (AEL), Make : <b>VGS</b>	EDTS 151,Rev -c Am-1 & 2	<b>04</b>
03.	Provision & Mounting of PACIL Assly. Make: <b>DR AUTO</b>	As per RDSO/PE/SPEC/TL/0091- 2016,REV-01, TYPE-I Drg no. LW 76098.	<b>02</b>
04.	Fitment of Switch Plate Assly (Cabin Side) Make : <b>SSK</b>	EDML 127,Rev-1& DRG NO 4248ALT-a	<b>10</b>
05.	Fitment of Switch Plate Assly (Corridor Side) Make : <b>SSK</b>	EDML 127,Rev-1 & DRG NO 4249 ALT-a	<b>10</b>
06.	Fitment of Railway carriage Fan 400mm Sweep, 110V DC with crash worthy features. Make : <b>LIGHT ENG. CORP.</b>	IS 6680/92,First Rev, RCF Amdt 4, Col I, Ty XI, RCF Cor I.	<b>30</b>
07.	Provision of Cabin, Corridor, doorway and Gangway Lights. Make: <b>RT VISION</b>	As per RDSO/PE/SPEC/TL- 0091(REV-1) TYPE B-1	<b>28</b>
08.	Provision & Mounting of Lavatory Light Make: <b>DR AUTO</b>	As per RDSO/PE/SPEC/TL/0091- 2016,REV-01, TYPE-D & Drg no. LW 76092.	<b>04</b>

  
**Senior Section Engineer**  
**Quality control / Electrical**  
**Modern Coach Factory Raebareli**





Modern Coach Factory Raebareli  
आधुनिक रेल डिब्बा कारखाना,  
रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE: 18.01.2017

**FOR ELECTRICAL ITEMS**

ROLLING STOCK CERTIFICATE OF LHB/EOG NON AC DD COACHES

PAGE 3 OF 3

09.	Battery fuse box +ve Make : <b>AECO</b>	LW 71001,Alt-F	<b>01</b>
10	Battery fuse box -ve Make : <b>ISG</b>	LW 71002,Alt-F	<b>01</b>
11.	Regulated battery charger Make : <b>AAL</b> Sr no: <b>BCH061701339</b>	As per RDSO/pe/spec/ac/0129, Rev.-1 (2009)	<b>01</b>
12.	9KVA transformer Make : <b>VIMAL</b> Sr no : <b>796</b>	As per RDSO/PE/SPEC/TL 0158,2010, Rev ` 0', TypeI.	<b>01</b>
13.	ZS coupling 400A/750V/03Ph/50hz. Make : <b>S INTERNATIONAL</b>	As per spec No EDTS 105,Rev` e' Am-3 TYPE-2	<b>01</b> <b>set</b>
14.	Feeder junction boxes. Make : <b>AECO</b>	EDTS-328 REV-C	<b>01</b> <b>set</b>
15.	Wheel set earthing equipment. Make : <b>CHANDA &amp; CHANDA</b>	EDTS101,REV-C,AM-1	<b>02</b> <b>sets</b>
16.	Wheel Slide Protection System (WSP) Make : <b>KNORR</b> Sr no : <b>0117423889</b>	M/s : <b>KNORR</b>	<b>01 set</b>
17.	110V,120AH,VRLA SMF BATTERY SET WITH 19 MONOBLOCK (6V EACH) PRECHARGED,WIH MODIFIED TRAY TOSKED-644 Make : <b>SOUTHERN</b> Lug date : <b>12/17</b>	RDSO/pe/spec/ac-0009 rev-1- 2008 amdt-1	<b>01 set</b>
18.	Battery box for LHB coaches. Make : <b>HITECH</b>	CC 91205	<b>01</b>

<b>SSE/EL/QC</b> वरिष्ठ अनुभाग अभियन्ता गुणवत्ता नियंत्रण आपरेटिंग/लालगंज/रायबरेली S.S.E/Elect-QC/M.C.F./LLJ/RBL	<b>SEE(P)/MCF/RBL</b> <b>DyCEE/P&amp;P/MCF/RBL</b> वरिष्ठ विद्युत अभियन्ता रेल कोच फैक्टरी, रायबरेली, लखनऊ Sr. Electrical Engineer / RCF / RBL / Lucknow