



Modern Coach Factory Raebareli

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO: 01

DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2019-20/659

RLY	N	W	R	-	Coach No.	1	9	6	2	3	9	/	C	DATE OF DISPATCH	2	9	-	0	8	-	1	9
-----	---	---	---	---	-----------	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH TO	Sr.DME/C&W/JIP	Type	L	W	A	C	C	W	Shell No.	9	3	1	5	3	FUR.NO.	L2T(T)-49
-------------	----------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	---------	-----------

1. Railway Board's Order No. : 2019/M(C)/142/2, Dated- 03.06.2019
2. Tare Weight of Coach : 44.5 Tonnes
3. Carrying Capacity : (a) Seating: 52 (b) Sleeping: 52 (c) Luggage: NIL
4. **Special feature**

A- Due to fitment of L3T roof in L2T shell, more space available in transverse side.

B- Extend linen room to accommodate the space NPP end (width 270 mm)

C- Height (from floor level to ceiling) raised from 2250mm to 2510mm.

C1- Gap extend between transverse side upper berth and ceiling from 830mm to 894mm.

C2- Gap extend between transverse side lower berth and upper berth from 920mm to 1065mm.

C3- Gap extend between transverse side floor level to lower berth from 420mm to 465mm.

D- Provision of sliding cum sleeping berth. (MAKE- M/S- ANANYA RAIL COACH COMPONENTS IND.LLJ)

E- Choke of 5/6 mm in DV side replace with 9 mm in both type (KBI & Faiveley) letter no.

MC/LHB/Brake, Dated 27.09.2018

5. SHELL LEADING DIMENSIONS:

S NO	DESCRIPTION	DIMENSION (MM)
1.	Maximum length over body	23700
2.	Maximum width over body	3240
3.	Maximum height from Rail Level	4039
4.	CBC height/Buffer height from Rail level 1105 +0/-10	1) 1105 (NPPE) 2) 1103 (PPE)

6. TRACEABILITY OF SHELL ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO
1.	Under frame	Front	PP END
		Part	M/S- RAIL TECH KXH
		Complete	NPP END
2.	Lav. side wall	M/S- RAIL TECH KXH	M/S- RAIL TECH KXH
			LAV.1
			LAV.2
3.	Side wall	M/S- RAIL FAB KXH	LAV.3
			LAV.4
			LAV.5
4.	End wall	M/S- RAIL FAB KXH	LAV.6
			LAV.7
			LAV.8
5.	Roof	M/S- RAIL TECH KXH	LAV.9
			LAV.10
			LAV.11
6.	Centre Buffer Coupler	M/S- OMEX REWARI	LAV.12
			LAV.13
			LAV.14
7.	Roof	M/S- RAIL TECH KXH	LAV.15
			LAV.16
			LAV.17
8.	Centre Buffer Coupler	M/S- Sanrok faridabad	LAV.18
			LAV.19
			LAV.20

7. AIRBRAKE TEST REPORT:

S NO	ITEM	DESCRIPTION	SPEC. VALUE	OBSERVED
1.	Full brake application	➤ Reduce pressure of BP from 5.0 to 3.4 kg/cm ² . ➤ Max. pressure in BC ➤ All Brake are applied	6 – 10 sec. 3.0 ± 0.15 kg/cm ² . OK	08 sec. 3.0 kg/cm ² OK
2.	Insensitivity	➤ Exhaust BP @ 0.3 kg/cm ² /min.	No brake application	OK
3.	Sensitivity	➤ Exhaust BP @ 0.1 kg/cm ² /Sec, after 06 Sec.	Brake must apply	OK

8. PAINTING DETAILS:

S NO	DESCRIPTION	TYPE OF PAINT	MAKE	APPLICATION BY MCF/ CONTRACTOR(SUPPLY & APPLY)	AVERAGE GLOSS VALUE	DATE OF COMPLETION
1.	Paint	P.U	M/S-VIBGYOR	M/S- VIBGYOR	89/88	05/04/19
2.	Insulation			Satisfactory		

SSE/QC/MCF/RBL

गुणवत्ता विभाग
रेलवे मंत्रालय, नई दिल्ली



MCF/RBL



MODERN COACH FACTORY, RAEBARELI

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO.: 01

DATE: 16.05.2016

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2019-20/659

RLY	N	W	R	Coach No.	1	9	6	2	3	9	/	C	-	DATE OF DISPATCH	2	9	0	8	2	0	1	9
-----	---	---	---	-----------	---	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH	Sr.DME/C&W/JP	Type	L	W	A	C	C	W	Shell No.	9	3	1	5	3	FUR.NO	L2T-T-49
----------	---------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	--------	----------

9. DETAIL OF BOGIES:

ITEMS	NPP Side				PP Side			
Bogie No.	191052				191051			
Bogie Type	FIAT				FIAT			
Frame no.	ECBT-91				ECBT-92			
Bolster no.	MCF/RBL-LS5-811				MCF/RBL-LS5-807			
Axle No	19 P - 2092 RWF		19 N - 4461 RWF		19 P - 7440 RWF		19 P - 1418 RWF	
Wheel Dia.	917.245	917.311	917.227	917.274	917.487	917.563	917.479	917.544
Wheel Disc No	TZ 05-19 46511-9PC9	TZ 10-19 03547-8WJ0	TZ 11-18 06283-8WT0	TZ 11-18 06285-8WT0	TZ 05-19 50032-9PK1	TZ 04-19 34666-90G1	TZ 02-19 24090-9MK1	TZ 05-19 50031-9PK1
R.B. Nos.	07-19 16195	07-19 17285	07-9 17236	07-19 15830	07-19 15637	07-19 17245	07-19 16676	07-19 15873
CT R B Make	TIMKEN		TIMKEN		TIMKEN		TIMKEN	

10. SECONDARY SUSPENSION LOAD DEFLECTION VALUES :-

DESCRIPTION	Bogie NPP side		Bogie PP side	
	Secondary 1	Secondary 2	Secondary 1	Secondary 2
Make & Nos.	TAYAL & CO. Sr.NO.18-09 1033	TAYAL & CO. Sr.NO.18-09 1096	TAYAL & CO. Sr.NO.18-09 1095	TAYAL & CO. Sr.NO.18-09 1091

11. TRACEABILITY OF BOGIE ITEMS :-

S. NO	ITEM	MAKE/SUPPLIER	SERIAL NO.	
			NPP SIDE	PP SIDE
1.	Yaw Damper	KBI	14579,14575	14562,14565
2.	Primary outer Spring	CMFSK	03-19 (1787,1873,1773,1775)	05-19 7411-545(1597,1340,1389,1758)
3.	Primary Inner Spring	CMFSK	01-19 7143-559(357,369,358,351)	05-19 7143-559(1032,322,189,603)
4.	Primary Damper	KONI	03-19 (4381,1933,2595,1970)	03-19 (06125,02619,01709,05374)
5.	Secondary Damper	KONI	01-19 (238149,238139)	01-19 (238079,237995)
6.	Lateral Damper	GABRIEL	11-18 886	11-18 889
7.	Brake Cylinder	KBI	B(5646,4766,4784,5645)K-29	B(5655,4733,4771,5649)K-29
8.	Brake Caliper	KBI	B(3087,3127,3128,3088)-29	B(3090,3126,3125,3089)-29
9.	Brake Disc	KBI	24195448 0006-30/19,24195446 0064-30/19 24193659 0011-29/19,24193656 0062-29/19	24178934 0022-11/19,24178934 0024-11/19 24190407 0028-23/19,24190407 0029-23/19
10.	Ball Joint Control Arm	AR		
11.	Lateral Bump Stop	AR		
12.	Traction Centre make	SF		
13.	Traction lever make	TAJ/JI		
14.	Ball joint traction lever	SGA/AR		
15.	Ball joint traction centre	AR/ARYAN		
16.	Leveling Valve	KNORR	B-3823,B-3954	B-3605,B-3797
17.	Check Valve	KNORR	18775	18726
18.	Anti roll bar Make	EMSON		
19.	Roll Link make	SF/GMT		
20.	Fork make	EMSON		
21.	Control Arm Upper	CC	135,251,51,176	19E 189B,19E170B,19A238A,19E161B
22.	Control Arm Lower	CC	38,280519-3,85,102	19B-4B,19E-96B,19B-42,19F-59
23.	Phonic Wheel	KNORR	K-06-19 640209	K-06-19 640209

Signature of SSE/Bogie/QC





Modern Coach Factory Raebareli

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO: 01

DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2019-20/659

RLY	N	W	R	-	Coach No.	1	9	6	2	3	9	/	C	DATE OF DISPATCH	2	9	-	0	8	-	1	9
-----	---	---	---	---	-----------	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH TO	Sr.DME/C&W/JP	Type	L	W	A	C	C	W	Shell No.	9	3	1	5	3	FUR.NO.	L2T(T)-49
-------------	---------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	---------	-----------

12. TRACEABILITY OF FURNISHING ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO
1.	Air Brake Module	M/s Faively trans. tech.india ltd baddi(HP)	D19046B
2.	Distribution valve	M/s Faively trans. tech.india ltd baddi(HP)	19045536B
3.	Pull box	M/S- KBI, FARIDABAD	
4.	FIBA	M/S- KBI, FARIDABAD	
5.	Foot Step	M/s- SUPER SPARKS PVT. LTD. FARIDABAD	PP-5502,NPP-5496
6.	D-coupling arrangement	M/S-KOHINOOR MUMBAI	
7.	Floor board	M/s- SHRI RAM PANEL S PUNJAB	
8.	PVC	M/S RESPONSIVE IND.MUMBAI	
9.	UIC Vestibule (PPE)	M/s-Suncrest ind.kolkata	
10.	UIC Vestibule (NPPE)	M/s-Suncrest ind.kolkata	
11.	Gangway bridge mounting (PPE)	M/S- MAHAVEER METAL WORKS KXH	
12.	Gangway bridge mounting (NPPE)	M/S- MAHAVEER METAL WORKS KXH	
13.	Body Side Window	M/S- RELIABLE SAFTEY NOIDA	
14.	Emergency Window	M/S- RELIABLE SAFTEY NOIDA	
15.	Hopper Window	M/S- SHATABDI SAFTEY GLASS VADODARA	
16.	Roof Ceiling	M/s-MSL (MOBILITY SOLUTION LTD.) MOHALI	
17.	Door way /gang way ceiling	M/s Amirchand engg.works Jalandhar	
18.	Supply Air Duct	M/s GANDHI SAFE & ALLIED	
19.	Partition panel	M/S- UNIVERSAL METAL TEK, NOIDA	
20.	Partition pillar	M/S-NAGINA ENGG. KXH	
21.	Side Wall panel	M/s- HINDUSTAN FIBER GLASS, VADODRA (GUJARAT)	
22.	AC Trough	M/s-MSL (MOBILITY SOLUTION LTD.) MOHALI	
23.	Body Side Doors 1,3	M/S- SUKATA CDG	
24.	Body Side Doors 2,4	M/S- JBM FARIDABAD	
25.	Compartment Door (PPE)	M/S- KALSI LDH	
26.	Compartment Door (NPPE)	M/S- KALSI LDH	
27.	Vestibule Door(PPE)	M/S- JBM FARIDABAD	
28.	Vestibule Door(NPPE)	M/S- JBM FARIDABAD	
29.	Bio Tank	M/s- OMAX AUTO GURUGRAM	
30.	Auxiliary Water Tank	M/s- AMIT ENG. MOHALI	
31.	Under Slung Water Tank (2X685L)	M/s- AMIT ENG. BADDI	
32.	Under Slung Water Tank (1x450 L)	M/s- AMIT ENG. BADDI	
33.	Health Faucet	M/s- HINDUSTAN FIBER GLASS, VADODRA	
34.	Lotah Filler Tap	M/s- HINDUSTAN FIBER GLASS, VADODRA	
35.	Bib cock	M/s- JAQUAR PVT.LTD.ALWAR	
36.	Lavatory Modules 1,	M/s- CMT MECHANISED VADODARA	
37.	Lavatory Modules 2,3,4	M/s- HINDUSTAN FIBER GLASS, VADODRA (GUJARAT)	
38.	Lavatory Doors	M/s- HINDUSTAN FIBER GLASS, VADODRA (GUJARAT)	
39.	Fire Extinguisher	M/S-SAFTEY PLUS	PP-2212
40.	Fire Extinguisher	M/S-CAPITAL FIRE	NPP-06963
41.	Seat & Berth	M/S ANANYA RAIL COACH COMPONENTS IND. LLJ	
42.	Light Luggage Rack	M/S- LUCKY ENT. GUNGAON	
43.	Snack Table	M/S- INTERNATIONAL TRACTORS LTD. JALNDHAR	

SSE/QC/MCF/RBL

रेडिडका०, रायबरेली (लालगंज)





Modern Coach Factory Raebareli

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO: 01

DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2019-20/659

RLY	N	W	R	-	Coach No.	1	9	6	2	3	9	/	C	DATE OF DISPATCH	2	9	-	0	8	-	1	9
DISPATCH TO		Sr.DME/C&W/Jp		Type		L	W	A	C	C	W	Shell No.		9	3	1	5	3	FUR.NO.		L2T(T)-49	

13. MODIFICATION (IF ANY) : NIL

14. DEVIATION (IF ANY) : NIL

15. ITEM FITTED ON THE COACH ON TRIAL : NIL

S NO	ITEM PARTICULARS	PURPOSE	REPORT Frequency	REFERENCE & PERIOD OF TRIAL

16. WARRANTY:

S NO	COMPONENTS	WARRANTY
1	Brake Pad, wheels, flushing valves, push gravity cocks, moldings, window glasses, mirrors, curtain clutch wire etc. (items which are consumable in nature)	NIL
2	Other coach furnishing sub assemblies(bought out items)	24 months from the date of dispatch of coach OR 30 months from the date of supply of material whichever is earlier.

NOTE:

- This warranty covers free supply of parts which wear out and fails within warranty period of normal service.
- This doesn't covers faults arising out of accident, non standard maintenance practices, abnormal use or mishandling, vandal activity, arson & deficient/pilferage etc.
- This doesn't cover any consequential liabilities or damages/loss incurred by anybody; furthermore, it shall in no case extend to repayment, return of the coach or replacement of complete coach.
- Whether a defective part is to be replaced or repaired shall be at the discretion of MCF/RBL.
- For any complain/ suggestion please Mail at qualityrcfbl@gmail.com
- Painting on supply & apply contract :- supply of material and application shall be warranted for a period of three years from date of Application for any manufacturing /Application as per clause -4, para- V of RDSO specification no .M&C/PCN/100/2013-Given below

S.No	Time period	Gloss Retention (initial gloss >85 unit at 60°)	Colour Retention rating on 0-10 scale (initial rating of painted panels/coach or ISC/RAL shade card shall be taken as 10)	Adherence of paints (with each other and with substrate)Cross-cut tape adhesion test as per ASTM D:3359/97(or latest)
1	After 1 year	80% of initial gloss	7	5B
2	After 2 year	70% of initial gloss	6	5B
3	After 3 year	60% of initial gloss	5	4B

If any imperfection is noticed or any defect arises during the warranty -period due to improper material used or due to bad workmanship, the contractor shall be bounded to set right the defect/ imperfection on free of cost basis at the base depot of the coach.

SSE/QC/MCF/RBL	SME/QC/MCF/RBL	Dy.CQM/MCF/RBL

गुणवत्ता विभाग
रेडिओका, रायबरेली (सालगंज)

वरिष्ठ यांत्रिक अभियन्ता/गुणवत्ता
Senior Mechanical Engineer/Quality
आधुनिक रेल डिब्बा कारखाना, रायबरेली
Modern Coach Factory Raebareli

उप मुख्य गुणवत्ता प्रबन्धक/शेल
Dy. Chief Quality Manager/Shell
आधुनिक रेल डिब्बा कारखाना, रायबरेली
Modern Coach Factory, Raebareli



MCF/RBL



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE: 18.01.2017

PAGE 1 OF 5

FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB/EOG 2T AC COACHES

ELECTRICAL TEST CERTIFICATE FOR LHB/EOG AC COACHES

ROLLING STOCK CERTIFICATE OF LHB/EOG 2T AC COACHES				
ELECTRICAL TEST CERTIFICATE FOR LHB/EOG AC COACHES				
TYPE COACH		LWACCW	SHELL/COACH NO	196239/C
RAILWAY		NWR	DATE OF DESPATCH	
Sr no	Description of tests			Remarks
1.0	REFERENCE SPECIFICATION : L 446			
1.1	AIR CONDITIONING TEST : ELPS/TP/AC 01.			
1.2	CODE OF PRACTICE OF WIRING : ELPS/SPEC/EOG/AC-01			
2.0	INSULATION RESISTANCE : Setting of insulation monitoring relay at 30K ohms as per TD 111 of M/s LHB.			
	Observed status : HEALTHY			
3.0	AIR DELIVERY MEASUREMENT	OBSERVED VALUE		OK
3.1	Fresh Air	20.03 Cub mtr/min		OK
3.2	Return Air	70.72 Cub mtr/min		OK
3.3	Exhaust Air	6.05 Cub mtr/min		OK
3.4	Conditioned Air	169.35 Cub mtr/min		OK
4.0	PRE COOLING TEST: Max 01 hr. Time taken to pre cool from 45 deg centigrade to 24/22 deg C during OFF LOAD condition. PP Side :22.5 °C NPP Side :21.5 °C			OK
5.0	PULL DOWN TEST: Max 02 hrs. Time taken to pull down from 45 deg C to 24/22 deg C during FULL LOAD condition. Not done			--

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE:18.01.2017


PAGE 2 OF 5

FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB/EOG 2T AC COACHES

ELECTRICAL TEST CERTIFICATE FOR LHB EOG AC COACHES

Sr no	Description of test	Remarks
6.0	HUMIDITY CONTROL	OK
7.0	PUMP EQUIPMENTS	OK
8.0	WORKING OF EXHAUST FANS OVER LAVATORIES	OK
9.0	WORKING OF COMPOSITE PANTRY	OK
10.0	BERTH READING LIGHTS	OK
11.0	COMPARTMENT LIGHT	OK
12.0	PUBLIC ADDRESSING SYSTEM (PAS)	OK
13.0	WHEEL SLIDE PROTECTION SYSTEM (WSP)	OK
14.0	WORKING OF 60KVA TRANSFORMER	OK
15.0	WORKING OF REGULATED BATTERY CHARGER	OK
16.0	WORKING OF EMERGENCY BATTERY CHARGER	OK
17.0	SAFETIES :	
17.1	THERMOSTAT :	
17.2	ROTARY 07 SET POINTS (NORMAL CONDITION)	OK
17.3	MID SET POINTS (SENSORS FAILED CONDITIONS)	OK
17.4	HYGROSTAT	OK
17.5	CONTROL CIRCUIT	OK
17.6	POWER CIRCUIT	OK
18.0	REFRIGERANT USED	OK
	R 407C	OK


Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001


REV NO: 00

DATE:18.01.2017

ROLLING STOCK CERTIFICATE OF LHB/EOG 2T AC COACHES

PAGE 3 OF 5

Sr no	Description	Drg/Spec no.	Quantity per Coach
01.	Roof Mounted AC package unit for LHB AC coaches Make : AMIT ENGG. Sr no of RMPU 1(NPP side) 3725 G Sr no of RMPU 2(PP side): 3718 G Sr no of Microprocessor: AE 19.03.311	As per rdso/pe/spes/ac/0061/rev-1/2005	02
02.	Switch board cabinet Make : AMIT ENGG. Sr no : AE/SB-791	As per spec no .EDTS073,REV-D,AM-6	01
03.	Pump equipment with PLC controller& pump box Make: DR AUTO Sr no PA: 2019/05/156 Sr no.1: 19040253 Sr no.2: 19040183 Srno.CPA: 2019/07/120-DR AUTO	As per spec EDTS 186,Rev-a, Am-2	01
04.	Double inlet centrifugal blower 415V/03Ph /50Hz /120W/450 cummtr/hr discharge for exhausting air from lavatory & switch board cabinet Make : INTEG	EDTS331, TYPE-1 CORR.-1&2	02
05.	Passenger area Light(Cabin) Make: DR AUTO	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-L	09
06.	Corridor Light with Night light Make: DR AUTO	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-M	09
07.	Doorway/Gangway light, Make: DR AUTO	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-N	06
08.	Emergency light system for EOG type coaches (AEL)Make: A PAUL	EDTS 151,Rev -c Am-1 & 2	04
09.	Lavatory light fitting assly Make: RT VISION	LW 76001,Alt nil	04
10.	Toilet indication (WC) light, Make: DR AUTO	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-H1	04


Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001


REV NO: 00

DATE:18.01.2017

ROLLING STOCK CERTIFICATE OF LHB/EOG 2T AC COACHES

PAGE 4 OF 5

Sr no	Description	Drg/Spec no.	Quantity per Coach
11.	Reading light for longitudinal berth (LHS) Make: DR AUTO	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-F1	9
12.	Reading light for upper berth Make: DR AUTO	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-F2	26
13.	Reading light for transverse berth (RHS) Make: DR AUTO	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-F3	8
14.	Reading light for berth transverse (LHS) Make: DR AUTO	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-F4	9
15.	Passenger alarm coach indication light Make: KAVERI	LW 76005,Alt-e	02
16.	Razor socket for WC 110/240V. Make: SSK	EDML 047 ,Rev nil	04
17.	Terminal strip Make: WAGO	EDML 033,Rev-c	01
18.	Terminal connector Make: WAGO	EDML 037,Rev`a`	04
19.	Single switch 06A/250V/AC ONE WAY ,complete with steel plate & cover frame Make: SSK	EDML 047,Rev_C, Item 1.	09
20.	Single switch 06A/250V/AC ONE WAY complete with steel plate & cover frame Make: SSK	EDML 047,Rev_A ,Item 2.	09
21.	Switch socket combined 5PIN (06A, 250V AC) along with 1A glass fuse fitted powder coated steel plate & cover frame Make: SSK	EDML 0,64,Rev-B, Item -16.	09
22.	PA system for LHB coaches Make : AHUJA	EDTS 173 Rev- a Am-1,2&3	01 set


Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 00

DATE:18.01.2017

ROLLING STOCK CERTIFICATE OF LHB/EOG 2T AC COACHES

PAGE 5 OF 5

Sr no	Description	Drg/Spec no.	Quantity per Coach
23.	70AH/110V,54 Cells,02V each ,maintenance free pure lead acid tin monoblock ,battery set with 09 modules 12V each. , factory pre charged. Make : AMARA RAJA Lug date : 09/18	EDTS 129,Rev nil	01 set
24.	Battery box for LHB coaches. Make: HITECH	As per drgno 1 10113 0 76 700 005,Alt C	01
25.	Battery fuse box +ve Make : RADIANT	LW 71001,Alt-F	01
26.	Battery fuse box -ve Make : RADIANT	LW 71002,Alt-F	01
27.	Regulated battery charger Make : M.B & COMPANY Sr no: 201907272	RDSO/PE/SPEC/AC/0183 (REV -0)	01
28.	Emergency battery charger Make : M.B & COMPANY Sr no: 201907246	EDTS 163,Rev `c` corg.-2&3	01
29.	5KVA Transformer Make: WAVES SL.no : WLDL 5L 18384	As Per EDTS-366,REV-NIL & CC-71510	01
30.	Capacitor Bank Make: KONTACT SL.no : KT-741	As per EDML-130 Rev-1,Corr-1	01
31.	60KVA transformer Make : VIMAL Sr no : VTC-R-3089 LHB-1265	As per rdso/pe/spec/ac/0080/rev-0 (2007)/Am-1&2/Corr. 1,2&3	01
32.	ZS coupling 400A/750V/03Ph/50hz. Make : MAA LAXMI INDUSTRIES	As per spec No EDTS 105,Rev `e` Am-2	02 sets
33.	Feeder junction boxes. Make : NEC	EDTS-328 REV-C	02
34.	Wheel set earthing equipment. Make : PRIME ELECT.	EDTS101,REV-C,AM-1	02
35.	Wheel Slide Protection System (WSP) Make: FAIVELEY Sr no : 21/19/764	M/s : FAIVELEY	01 set
36.	PANTRY EQUIPMENTS : Hot Case, Bottle cooler cum deep freezer Make : NIL	As per spec no EDTS 139, Rev- E ,Sec II.	00

[Signature]

SSE/EL/QC

वरिष्ठ अनुभाग अभियन्ता

गुणवत्ता नियंत्रण

आ०रे०डि०का० / लालगंज / रायबरेली

S.S.E./Elect-QC/M.C.F./LJ/RBL

[Signature]

AWM(ELECT.)/MCF/RBL
DY CEE (PLG)/MCF/RBL

स० कार्य प्रबन्धक / विद्युत
आ०रे०डि०का० / रायबरेली
A.W.M/Electrical/MCF/RBL