


रेल डिब्बा कारखाना, रायबरेली
RAIL COACH FACTORY, RAEBARELI



293

FORM NO: RCF/RBL/QMF 8001
VERSION: 2012-01-01

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC

Date: 06/06/2016

SHELL No.	L	W	A	C	C	N	5	3	0	6	1	1	5	-	1	6	DATE DISPATCH	OF	1	9	0	3	2	0	1	6	
RLY	S	E	R	Type	L	W	A	C	C	N	Coach No.	1	5	8	1	2	7	/	c								

Railway Board's Order No. : 2015/M(C)/142/1 dtd 11.12.2015

- Tare Weight of Coach : 45.6 Tonnes
- Carrying Capacity : (a) Seating : 72 (b) Sleeping : 72 (c) Luggage : NIL

3. SHELL LEADING DIMENSIONS:

S NO	DESCRIPTION	DIMENSION (MM)
1.	Maximum length over body	23700
2.	Maximum width over body	3240
3.	Maximum height from Rail Level	4250
4.	CBC height/Buffer height from Rail level 1105 +0/-15	1) 1111(NPPE) 2) 1124(PPE)

4. TRACEABILITY OF SHELL ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO			
1.	Buffers	N.A.				
2.	Centre Buffer Coupler	M/s ESCORTS	PP END	4581	NPP END	4582

5. AIRBRAKE TEST REPORT:

S NO	ITEM	DESCRIPTION	SPEC. VALUE	OBSERVED
1.	Full brake application	<ul style="list-style-type: none"> Reduce pressure of BP from 5.0 to 3.4 kg/cm². Max. pressure in BC All Brake are applied 	6 - 10 sec. 3.0 ±0.15 kg/cm ² . OK	8 Sec. 3.0 kg/cm ² OK
2.	Insensitivity	<ul style="list-style-type: none"> Exhaust BP @ 0.3 kg/cm²/min. 	No brake application	OK
3.	Sensitivity	<ul style="list-style-type: none"> Exhaust BP @ 0.1 kg/cm²/Sec, after 02 Sec. 	Brake must apply	OK


6. PAINTING DETAILS:

S NO	DESCRIPTION	TYPE OF PAINT	MAKE	AVERAGE GLOSS VALUE
1.	Paint	P.U.	VIBGYOR	96/94
2.	Insulation	Satisfactory		





आधुनिक रेल डिब्बा कारखाना रायबरेली
MODERN COACH FACTORY RAEBARELLI



FORM NO: RCF/RBL/QMF 8001
VERSION: 2012-01-01

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: RCF/RBL/QC/RSC

SHELL No.	R	B	L	-	5	3	0	6	1	-	2	0	1	5	-	1	6	DATE OF DISPATCH	1	9	/	0	3	/	1	6
-----------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

RLY	S	E	R	Type	L	W	A	C	C	N	-	Coach No.	1	5	8	1	2	7	/	C	-
-----	---	---	---	------	---	---	---	---	---	---	---	-----------	---	---	---	---	---	---	---	---	---

8. DETAIL OF BOGIES :

ITEMS	NPP Side				PP Side			
Bogie No	150409 (MCF/RBL)				150410 (MCF/RBL)			
Bogie Type	FIAT				FIAT			
Frame no.	MCF/RBL/SCI-347				MCF/RBL/VS-34			
Bolster no.	RBL-300				RBL-312			
Axle No.	CHT 13 125730		CHT 13 128269		CHT 13 126509		CHT 13 130157	
Wheel Dia	915.761	915.789	915.792	915.773	915.810	915.772	915.853	915.782
Wheel Disc No	6192-00111 15 VR	6192-00110 15 VR	7172-00096 15 VR	6228-00128 15 VR	06226-00114 15 VR	6219-00039 15 VR	6194-00015 15 VR	6196-00126 15 VR
R.B. Nos.	05-14-39868	04-14-32744	05-14-37716	05-14-38200	05-14-39729	04-14-30718	05-14-39858	05-14-38011
CT R B Make	SKF		SKF		SKF		SKF	


9. SECONDARY SUSPENSION LOAD DEFLECTION VALUES

DESCRIPTION	Bogie NPP side				Bogie PP side			
	Secondary 1		Secondary 2		Secondary 1		Secondary 2	
	Outer	Inner	Outer	Inner	Outer	Inner	Outer	Inner
Make & Nos.	CMFSK 115-8836-183	RSK-032	G 9-15-264	RSK-033	CMAFJ 01-16-8836	RSK-681	CMAFJ 01-16-8836	RSK-F19W
Compressed Ht. at Tested Load	513	465	514	466	515	467	515	468
Alignment deviation (mm)	10	23	12	25	10	22	10	21


10. TRACEABILITY OF BOGIE ITEMS:

S. NO	ITEM	SERIAL NO.		MAKE
		NPP SIDE	PP SIDE	
1.	Primary outer Spring	RSK 03WA,RSK (091,352)		RSK
2.	Primary Inner Spring	CVFSK 12-15-14364,CMGBD 10-15(14364)	CMGBD 10-15 14364(50,18,40,67)	CVFSK/CMGBD
3.	Primary Damper	2015-08 (28049,28061,28034,28054)		KONI
4.	Secondary Damper	36-2015 (6551,6806)		KONI
5.	Lateral Damper	37-2015 3873		KONI
6.	Brake Cylinder	KBI 2100-29,2164-29,2197-29,2098-29	KBI 2101K29,2162K29,2163K29,2099K29	KBI
7.	Brake Caliper	2056-29,2118-29,2119-29,2036-29		KBI
8.	Brake Disc	24048385-0024-08/15,24048386-0007-09/15,24051401-0001-11/15,24055153-0017-11/15	24055162-0008-12/15,24048386-0009-09/15,24057867-0009-20/15,24057867-0011-20/15	KBI
9.	Ball Joint Control Arm			GMT
10.	Lateral Bump Stop			GMT
11.	Traction Centre make			EMSON/SARITA
12.	Traction lever make			SARITA
13.	Ball joint traction lever			GMT
14.	Ball joint traction centre			SGA
15.	Secondary Rubber Pad			TECSPAK
16.	Rubber Spring			GMT
17.	Anti roll bar make			SARITA
18.	Roll Link make			SARITA/GMT
19.	Fork make			SARITA

Amey
SSE/RC/Bogie 2 of 4



रेल डिब्बा कारखाना, रायबरेली RAIL COACH FACTORY, RAEBARELI



FORM NO: RCF/RBL/QMF 8001
VERSION: 2012-01-01

ROLLING STOCK CERTIFICATE


Rolling Stock Certificate No.: MCF/RBL/QC/RSC

Date: 06/06/2016


SHELL No.	L	W	A	C	C	N	5	3	0	6	1	1	5	-	1	6	DATE DISPATCH	OF	1	9	0	3	2	0	1	6	
RLY	S	E	R	Type	L	W	A	C	C	N	Coach No.	1	5	8	1	2	7	/	c								

11. TRACEABILITY OF FURNISHING ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO
1.	Air Brake Module	M/s KBI, Faridabad, New Delhi	15E1016
2.	Pull box	M/s KBI, Faridabad, New Delhi	
3.	DV	M/s KBI, Faridabad, New Delhi	
4.	PVC	M/s Premier Polyfilm Ltd. Sahibabad	2015D1568
5.	UIC Vestibule (PPE)	M/s Cemcon Industries GZB	
6.	UIC Vestibule (NPPE)	M/s Cemcon Industries GZB	
7.	Foot Step	M/s Super Spark Pvt. Ltd. Faridabad	
8.	Decoupling arrangement	M/s Seco Industries, Mumbai	
9.	Body Side Window	M/s Rail Tech, Kapurthala	
10.	Emergency Window	M/s Rail Tech, Kapurthala	
11.	Lavatory Window	M/s Rail Tech, Kapurthala	
12.	Roof Ceiling	M/s KAE Sataraganj U.K.	
13.	Non-AC Area Ceiling	M/s Gandhi Enterprises, Jalandhar	
14.	Supply Air Duct	M/s Amirchand Engg. Works, Jalandhar	
15.	Body Side Doors	M/s JBM, Faridabad	
16.	Compartment Door (PPE)	M/s Rail Tech, Kapurthala	
17.	Compartment Door (NPPE)	M/s Rail Tech, Kapurthala	
18.	Vestibule Door(PPE)	M/s Kalsi Ludhiana	
19.	Vestibule Door(NPPE)	M/s Kalsi Ludhiana	
20.	Bio Tank	M/s Amit Engineers, Baddi (HP)	
21.	Auxiliary Water Tank	M/s Shivalik Fastener Mohali PB	
22.	Under Slung Water Tank(450 L)	M/s Amit Engineers, Baddi (HP)	
23.	Under Slung Water Tank(2X685L)	M/s Amit Engineers, Baddi (HP)	
24.	Flexible Faucet	M/s Hindustan Fibre Ltd. Vadodra (Gujrat)	
25.	Lotah Filler Tap	M/s Metco Delhi	
26.	Lavatory Modoules	M/s Hindustan Fibre Ltd. Vadodra (Gujrat)	
27.	Lavatory Doors	M/s Hindustan Fibre Ltd. Vadodra (Gujrat)	
28.	Waste Bin Arrangement	M/s Hindustan Fibre Ltd. Vadodra (Gujrat)	
29.	Fire Extinguisher	M/s Fire Fox	NPP 005 PP 442
30.	Side Wall panel	M/s Hindustan Fibre Ltd. Vadodra (Gujrat)	
31.	Seat & Berth	M/s Oriental veneer Products Ltd Mumbai	
32.	Light Luggage Rack	M/s Verendra Steel Enterprises Chandigarh	
33.	Snack Table	M/s International Tractor's Limited, Hoshiarpur	
34.	Yaw Damper	M/s KONI M/s KONI Supplier- M/s Pan India Consultant Pvt.Ltd 105 Phase -IVUdyog Vihar, Gurgoan-122015 Haryana	NPP-72916,72697 PP-72828,72861



रेल डिब्बा कारखाना, रायबरेली
RAIL COACH FACTORY, RAEBARELI



FORM NO: RCF/RBL/QMF 8001
VERSION: 2012-01-01

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC

Date: 06/06/2016

SHELL No.	L	W	A	C	C	N	5	3	0	6	1	1	5	-	1	6	DATE OF DISPATCH	1	9	0	3	2	0	1	6
RLY	S	E	R	Type	L	W	A	C	C	N	Coach No.	1	5	8	1	2	7	/	c						

12. MODIFICATION (IF ANY) : NIL

13. DEVIATION (IF ANY) : NIL

14. ITEM FITTED ON THE COACH ON TRIAL : NIL


S NO	ITEM PARTICULARS	PURPOSE	REPORT	REFERENCE & PERIOD OF TRIAL
			Frequency	


15. WARRANTY:

S NO	COMPONENTS	WARRANTY
1	Brake blocks, wheels, push gravity cocks, flushing valves, moldings, window glasses, mirrors, roller blinds, curtain & bulbs etc. (items which are consumable in nature)	NIL
2	Other coach, furnishing sub assemblies(bought out items)	24 months date of dispatch of coach or 30 months from date of supply of material whichever is earlier.

NOTE:

1. This warranty covers free supply of parts which wear out and fails within warranty period of normal service.
2. This doesn't covers faults arising out of accident, non standard maintenance practices, abnormal use or mishandling, vandal activity, arson & deficient/pilferage etc.
3. This doesn't cover any consequential liabilities or damages/loss incurred by anybody; furthermore, it shall in no case extend to repayment, return of the coach or replacement of complete coach.
4. Whether a defective part is to be replaced or repaired shall be at the discretion of RCF/RBL.
5. For any complain/ suggestion please mail at qualityrcfbl@gmail.com


DY CME / फनि.
MCF/RBL
रल डिब्बा कारखाना, रायबरेली / कालगंज
RCF / RBL / LLJ


सहायक यंत्रिक अभियन्ता/ गुणवत्ता
Asst. Mechanical Engineer/ Quality
MCF/RBL
रेल डिब्बा कारखाना, रायबरेली / कालगंज
Rail Coach Factory, Raebareli

Govt. of India- Ministry of Railways
(RAIL COACH FACTORY-RAEBARELI)



RCF/RBL/QEF8001
VER. 10.08.2015
PAGE 1 OF 5

FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB/EOG AC COACHES

ELECTRICAL TEST CERTIFICATE FOR LHB/EOG AC COACHES

TYPE COACH	LWACCN	SHELL/COACH NO	158127/C
RAILWAY	SE	DATE OF DESPATCH	
Sr no	Description of tests		Remarks
1.0	REFERENCE SPECIFICATION : L 446		
1.1	AIR CONDITIONING TEST : ELPS/TP/AC 01.		
1.2	CODE OF PRACTICE OF WIRING : ELPS/SPEC/EOG/AC-01		
2.0	INSULATION RESISTANCE : Setting of insulation monitoring relay at 30K ohms as per TD 111 of M/s LHB.		
	Observed status : HEALTHY		
3.0	AIR DELIVERY MEASUREMENT	OBSERVED VALUE	OK
3.1	Fresh Air	29.47 Cub mtr/min	OK
3.2	Return Air	68.17 Cub mtr/min	OK
3.3	Exhaust Air	7.26 Cub mtr/min	OK
3.4	Conditioned Air	212.11 Cub mtr/min	OK
4.0	PRE COOLING TEST: Max 01 hr. Time taken to pre cool from 45 deg centigrade to 24/22 deg C during OFF LOAD condition Not done due to ambient temp. below 22°C		OK
5.0	PULL DOWN TEST: Max 02 hrs. Time taken to pull down from 45 deg C to 24/22 deg C during FULL LOAD condition. Not done due to ambient temp. below 22°C		OK

D. Sharma
Senior Section Engineer
Quality control / Electrical
RCF, Raebareli





**Govt. of India- Ministry of Railways
(RAIL COACH FACTORY-RAEBARELI)**



RCF/RBL/QEF8001
VER. 10.08.2015
PAGE 2 OF 5


FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB/EOG AC COACHES

ELECTRICAL TEST CERTIFICATE FOR LHB EOG AC COACHES

Sr no	Description of test	Remarks
6.0	HUMIDITY CONTROL	OK
7.0	PUMP EQUIPMENTS	OK
8.0	WORKING OF EXHAUST FANS OVER LAVATORIES	OK
9.0	WORKING OF COMPOSITE PANTRY	OK
10.0	COMPARTMENT LIGHT	OK
11.0	PUBLIC ADDRESSING SYSTEM (PAS)	OK
12.0	WHEEL SLIDE PROTECTION SYSTEM (WSP)	OK
13.0	WORKING OF 60KVA TRANSFORMER	OK
14.0	WORKING OF REGULATED BATTERY CHARGER	OK
15.0	WORKING OF EMERGENCY BATTERY CHARGER	OK
16.0	SAFETY ITEMS	OK
16.1	THERMOSTAT :	OK
16.2	ROTARY 07 SET POINTS (NORMAL CONDITION)	OK
16.3	MID SET POINTS (SENSORS FAILED CONDITIONS)	OK
16.4	HYGROSTAT	OK
16.5	CONTROL CIRCUIT	OK
16.6	POWER CIRCUIT	OK
17.0	REFRIGERANT USED	OK

R 407C


Senior Section Engineer
Quality control / Electrical
RCF, Raebareli





**Govt. of India- Ministry of Railways
(RAIL COACH FACTORY-RAEBARELI)**



RCF/RBL/QEF8001
VER. 10.08.2015
PAGE
3 OF 5

ROLLING STOCK CERTIFICATE OF LHB/EOG AC COACHES

Sr no	Description	Drg/Spec no.	Quantity per Coach
01.	Roof mounted AC package unit for LHB AC coaches Make : AMIT Sr no of RMPU 1 (NPP side): 1464-K Sr no of RMPU 2(PP side) : 1476-K Sr no of Microprocessor: 15.09.560/AMIT	As per rds0/pe/spes/ac/0061/rev -1/2005	02
02.	Switch board cabinet Make : AMIT Sr no : AE/SB/121/11-2015	As per spec no . EDTS073,REV-D,AM-6	01
03.	Pump equipment with PLC controller & pump box Make : DR AUTO Sr no PA- 2015-09-024 Sr no.1- 1509126 Sr no.2- 1509063 Sr no.CPA- 2015-09-007	As per spec EDTS 186,Rev-a, Am- 2	01
04.	Double inlet centrifugal blower 415V/03Ph /50Hz /120W/450 cum mtr/hr discharge for exhausting air from lavatory & switch board cabinet Make : INTEG	EDTS331, TYPE-1 CORR.-1&2	02
05.	Vestibule Light Fitting Single	LW 76004,Alt-b	07
06.	Ceiling light fitting DOUBLE w/o diffuser.	LW 76011,Alt -c	09
07.	Ceiling light fitting with NL w/o diffuser w/o item 2&3	LW 76013,Alt -c	09
08.	Emergency light system for EOG type coaches (AEL)	EDTS 151,Rev -c Am-1 & 2	04
09.	Lavatory light fitting assly	LW 76001,Alt nil	04
10.	WC gauge signal light	LW 76006,Alt-c	02

(Signature)

**Senior Section Engineer
Quality control / Electrical
RCF, Raebareli**





**Govt. of India- Ministry of Railways
(RAIL COACH FACTORY-RAEBARELI)**



RCF/RBL/QEF8001
VER. 10.08.2015
PAGE 4 OF 5

ROLLING STOCK CERTIFICATE OF LHB/EOG AC COACHES

Sr no	Description	Drg/Spec no.	Quantity per Coach
11.	Passenger alarm coach indication light	LW 76005,Alt-e	02
12.	Fluorescent lamp 18W	RDSO/PE/SPEC/D/TL 0011-2000,Rev I, Sec- I , 07/2001	34
13.	Diffuser complete w/o item 1& 2.	LW 76012,Alt-a	25
14.	Razor socket for WC 110/240V.	EDML 047 ,Rev nil	04
15.	Terminal strip	EDML 034,Rev-a	01
16.	Terminal connector	EDML 037,Rev`a`	04
17.	Single switch 06A/250V/AC ONE WAY ,complete with steel plate & cover frame	EDML 047,Rev- C, Item 1.	09
18.	Single switch 06A/250V/AC ONE WAY complete with steel plate & cover frame	EDML 047,Rev-A, Item 2.	09
19.	Provision of switch socket combined 5PIN (06A, 250V AC) along with 1A glass fuse fitted powder coated steel plate & cover	As per cat no EL-243 (EL signature series) of M/s SSK	09
20.	PA system for LHB coaches Make : AHUJA	EDTS 173,Rev- a Am- 1,2&3	01 set
21.	70AH/110V,54 Cells,02V each ,maintenance free pure lead acid tin monoblock ,battery set with 09 modules 12V each. , factory pre charged. Make : HBL Lug date : 05/2015	EDTS 129,Rev nil	01 set
22.	Battery box for LHB coaches.	1 10113 0 76 700 005 w/o item 5, 22, 23, 26 & 27.	01

(Signature)

**Senior Section Engineer
Quality control / Electrical
RCF, Raebareli**





Govt. of India- Ministry of Railways
(RAIL COACH FACTORY-RAEBARELI)



RCF/RBL/QEF8001
VER. 10.08.2015
PAGE 5 OF 5

ROLLING STOCK CERTIFICATE OF LHB/EOG AC COACHES

Sr no	Description	Drg/Spec no.	Quantity per Coach
23.	Battery fuse box +ve Make : ABROL	As per LW 71001,Alt-F	01
24.	Battery fuse box -ve Make : ABROL	As per LW 71002,Alt-F	01
25.	Regulated battery charger Make : STESALITE Sr no : 08/5512	As per RDSO/pe/spec/ac/0129, Rev.-1 (2009)	01
26.	Emergency battery charger Make : WAVES Sr no : WEBCG-151120	EDTS 163,Rev `c` corg.-2&3	01
27.	60KVA transformer Make : VIMAL Sr no : 2898	As per rdso/pe/spec/ac/0080/rev -0 (2007)/Am-1&2/Corr. 1,2&3	01
28.	ZS coupling 400A/750V/03Ph/50hz. Make : MAA LAXMI INDUSTRIES	As per spec No EDTS 105,Rev `e` Am-2	02 sets
29.	Feeder junction boxes. Make : NEC	EDML 020, Rev- I/EDTS-328 REV-C.	02
30.	Wheel set earthing equipment. Make : DARSHAN ENTERPRISES	EDTS101,REV-C,AM-1	02
31.	Wheel Slide Protection System (WSP) Make : KNORR & Sr no : 0115111491	M/s : KNORR	01 set
32.	PANTRY EQUIPMENTS : Hot Case & Bottle cooler cum deep freezer Make : VISHAL GAS SERVICE	As per spec no EDTS 139, Rev- E , Sec II.	01

	
SSE/EL/QC	DyCEE(P)/RCF/RBL

वरिष्ठ खण्ड अभियन्ता
विद्युत उत्पादन-गुणवत्ता
रेल कोच फैक्टरी / लालगंज / रायबरेली
Sr. Section Engineer
Electric Production - Quality
RCF / RBL / LLJ

उप मुख्य विद्युत अभियन्ता (उत्पादन)
रेल कोच फैक्टरी-रायबरेली, लालगंज
DY.CEE/P-RCF/RBL/LLJ

